

Appendix VI

PLANT SPECIES RECORDED FROM KANGAROO ISLAND

List of vascular plant taxa occurring on Kangaroo Island showing conservation status and sampling frequency in the Kangaroo Island Survey.

Plant taxonomy and nomenclature follows Jessop (1993) as updated by the FLORA database in April 1999. It also includes includes some recent taxonomic changes still awaiting incorporation in FLORA. Common names are from Jessop and Toelken (1986) and/or the FLORA database.

KEY

I Indigenous/alien designation. Naturalised alien species are designated by an asterisk (*).

SU No. of Survey site (quadrat) records

OP No. of Opportunistic records on Survey

Va Validity as an accepted, unique taxon on KI.

N = Not accepted name/ entity for KI

R = Redundant/replicated name (taxon included as a more precise/complete name)

(NC) Designated as a non-current name in the FLORA database 1999. A non-current name represents a previous taxonomic circumscription corresponding to one or more currently recognised taxa. Non current names are linked to one or more current names.

Conservation Status

AUS Australian status according to Briggs & Leigh (1996) (multi-letter codes) or Lang & Kraehenbuehl (1999) (single letter codes)

SA South Australian Status Lang & Kraehenbuehl (1999).

KI Regional status for Kangaroo Island (Lang & Kraehenbuehl) (1999).

SA and Regional Codes

- X** **Extinct/Presumed extinct:** not located despite thorough searching of all known and likely habitats; known to have been eliminated by the loss of localised population(s); or not recorded for more than 50 years from an area where substantial habitat modification has occurred.
- E** **Endangered:** rare and in danger of becoming extinct in the wild.
- T** **Threatened:** likely to be either Endangered or Vulnerable but insufficient data for a more precise assessment.
- V** **Vulnerable:** rare and at risk from potential threats or long term threats which could cause the species to become endangered in the future.
- K** **Uncertain:** likely to be either Threatened or Rare but insufficient data for a more precise assessment.
- R** **Rare:** has a low overall frequency of occurrence (may be locally common with a very restricted distribution or may be scattered sparsely over a wider area). Not currently exposed to significant threats, but warrants monitoring and protective measures to prevent reduction of population sizes.
- U** **Uncommon:** less common species of interest but not rare enough to warrant special protective measures.
- Q** Not yet assessed but flagged as being **of possible significance**.

Australian Status Codes

Where the Australian status is indicated by a single letter code it follows the definitions on the preceding page.

Where the Australian status is indicated by a three or four letter code (eg 2RCi) it is derived from Briggs, J.D., & Leigh, J.H. (1996). "Rare or Threatened Australian Plants, 1995 Revised Edition." (CSIRO, Australia). These codes comprise the following elements.

Distribution categories:

- 1 species known from type collection only; or from a single location only
- 2 species with a very restricted distribution in Australia and with a maximum geographic range of less than 100 km
- 3 species with a range of at least 100 km but occurring only in small populations (often restricted to highly specific and localised habitats)

Conservation categories

- X** **Presumed extinct:** species that have either not been found in recent years despite thorough searching, or have not been collected for at least 50 years and were known only from now intensively settled areas.
- E** **Endangered:** in serious risk of disappearing from the wild state within one or two decades if present land use and other causal factors continue to operate.
- V** **Vulnerable:** not presently Endangered but at risk of disappearing from the wild over a longer period (20-50 years), or which largely occur on sites likely to experience changes in land use that would threaten the survival of the species in the wild.
- R** **Rare:** species which are rare in Australia but which overall are not considered Endangered or Vulnerable. Such species may be represented by a relatively large population in very restricted area, or by smaller populations spread over a wider range or some intermediate combination of distribution pattern.
- K** **Poorly known:** species that are suspected, but not definitely known, to belong to any of the above categories

Reservation categories

- C** known to present within a national park or other conservation reserve
- a** adequately reserved with a total of at least 1000 plants known to occur in reserves.
- i** in adequately reserved, with a total of less than 1000 plants in reserves
- t** total known populations are in reserves

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Acacia "Strathalbyn" (D.Murfet 147): M.O'Leary</i>							previously referred to as <i>Acacia</i> aff. <i>halliana</i>	
	<i>Acacia acinacea</i>	wreath wattle			E	13			
	<i>Acacia aff.halliana</i>	Hall's wattle	K	K	E		N	= <i>Acacia</i> "Strathalbyn" (D.Murfet 147): M.O'Leary	
	<i>Acacia brachybotrya</i>	grey mulga-bush			V	1	1		
	<i>Acacia calamifolia</i>	wallowa				1			
	<i>Acacia cupularis</i>	cup wattle				10		recorded as <i>Acacia ligulata</i>	
	<i>Acacia cyclops</i>	western coastal wattle			V			doubtfully native on KI (Whibley & Symon, 1992)	
	<i>Acacia dodonaeifolia</i>	hop-bush wattle	3RCa	R	K	3			
	<i>Acacia farinosa</i>	mealy wattle			V				
	<i>Acacia leiophylla</i>	coast golden wattle				46			
	<i>Acacia ligulata (NC)</i>	umbrella bush				10	N	presumed to be <i>Acacia cupularis</i>	
*	<i>Acacia longifolia</i> var. <i>longifolia</i>	sallow wattle							
	<i>Acacia longifolia</i> var. <i>sophorae</i>	coastal wattle				7			
	<i>Acacia myrtifolia (NC)</i>	myrtle wattle				51	R	refers to either variety	
	<i>Acacia myrtifolia</i> var. <i>angustifolia</i>	narrow-leaf myrtle wattle							
	<i>Acacia myrtifolia</i> var. <i>myrtifolia</i>	myrtle wattle							
	<i>Acacia paradoxa</i>	kangaroo thorn				95			
	<i>Acacia pycnantha</i>	golden wattle				9			
	<i>Acacia retinodes</i> var. <i>retinodes (NC)</i>	wirilda				27	N	presumed to be swamp form	
	<i>Acacia retinodes</i> var. <i>retinodes (swamp form)</i>	swamp wattle				27		recorded as <i>Acacia retinodes</i> var. <i>retinodes (NC)</i>	
	<i>Acacia retinodes</i> var. <i>uncifolia</i>	coast silver wattle		U	U	21			
	<i>Acacia rupicola</i>	rock wattle			R	1			
*	<i>Acacia saligna</i>	golden wreath wattle							
	<i>Acacia spinescens</i>	spiny wattle				25	1		
	<i>Acacia triquetra</i>	mallee wreath wattle			Q	14			
	<i>Acacia verticillata</i>	prickly Moses				6			
	<i>Acaena echinata</i>	sheep's burr							
	<i>Acaena novae-zelandiae</i>	bidly-bidly				9			
	<i>Acaena x anserovina</i>	hybrid burr				3			
*	<i>Acetosella vulgaris</i>	sorrel							
*	<i>Achillea tomentosa</i>	woolly yarrow							
	<i>Achnophora tatei</i>	Kangaroo Island river daisy	2RCa	R	R	2			
	<i>Acianthus caudatus</i> var.	mayfly orchid					1	R	
	<i>Acianthus caudatus</i> var. <i>caudatus</i>	mayfly orchid				19			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Acianthus caudatus</i> var. <i>pallidus</i>	green mayfly orchid							
	<i>Acianthus pusillus</i>	mosquito orchid							
	<i>Acianthus</i> sp.	mosquito orchid			3		R		
	<i>Acrotriche affinis</i>	ridged ground-berry			20				
	<i>Acrotriche cordata</i>	blunt-leaf ground-berry			56				
	<i>Acrotriche depressa</i>	native currant		U	U	78	1		
	<i>Acrotriche fasciculiflora</i>	Mount Lofty ground-berry		U	R	3			
	<i>Acrotriche halmaturina</i>	Kangaroo Island ground-berry		U	U	19			
	<i>Acrotriche patula</i>	prickly ground-berry			43				
	<i>Acrotriche serrulata</i>				1				
	<i>Actinobole uliginosum</i>	flannel cudweed							
	<i>Adenanthos macropodiana</i>	Kangaroo Island gland-flower			23	1			
	<i>Adenanthos terminalis</i>	yellow gland-flower			53				
	<i>Adiantum aethiopicum</i>	common maiden-hair			R	3	1		
	<i>Adriana klotzschii</i>	coast bitter-bush			9				
*	<i>Aeonium castello-paivae</i>								
	<i>Agrostis aemula</i>	blown-grass							
	<i>Agrostis avenacea</i> var. <i>avenacea</i>	common blown-grass			1				
	<i>Agrostis billardieri</i> var. <i>billardieri</i>	coast blown-grass			6				
*	<i>Aira caryophyllea</i>	silvery hair-grass			42		N		
*	<i>Aira caryophyllea/cupaniana</i>	hair-grass			66		R	distinction between <i>A. caryophyllea</i> & <i>A. cupaniana</i> is unclear and unreliable	
*	<i>Aira cupaniana</i>	small hair-grass			24		N		
*	<i>Aira elegantissima</i> ssp. <i>elegantissima</i>	delicate hair-grass			2				
	<i>Ajuga australis</i> form <i>A</i>	Australian bugle							
	<i>Ajuga australis</i> form <i>B</i>	lesser bugle					V		
*	<i>Albizia lophantha</i>	Cape Leeuwin wattle		V					
*	<i>Allium neapolitanum</i>	Naples onion							
*	<i>Allium triquetrum</i>	three-cornered garlic							
*	<i>Allium vineale</i>	crow garlic							
	<i>Allocasuarina muelleriana</i> ssp.	common oak-bush				1	N	presumed to be ssp. <i>notocolpica</i>	
	<i>Allocasuarina muelleriana</i> ssp. <i>notocolpica</i>	Kangaroo Island oak-bush			36	1			
	<i>Allocasuarina striata</i>	stalked oak-bush			95				
	<i>Allocasuarina verticillata</i>	drooping sheoak			26	1			
*	<i>Alopecurus pratensis</i>	meadow fox-tail							
	<i>Alternanthera denticulata</i>	lesser joyweed			R				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Alyxia buxifolia</i>	sea box				8			
*	<i>Ammophila arenaria</i>	marram grass				1			
	<i>Amphibolis antarctica</i>	sea nymph							
	<i>Amphibromus nervosus</i>	veined swamp wallaby-grass		U		2			
	<i>Amyema melaleucaae</i>	tea-tree mistletoe			V				
*	<i>Anagallis arvensis</i>	pimpernel				52			
	<i>Angianthus preissianus</i>	salt angianthus				6			
	<i>Anogramma leptophylla</i>	annual fern		R	K				
*	<i>Anthoxanthum odoratum</i>	sweet vernal grass							
	<i>Apalochlamys spectabilis</i>	showy firebush		U	U	2	1		
	<i>Aphanes australiana</i>	Australian piert			U				
	<i>Aphelia gracilis</i>	slender aphelia		Q	R	2			
	<i>Aphelia pumilio</i>	dwarf aphelia			K	8			
	<i>Aphelia sp.</i>					4			
	<i>Apium annuum</i>	annual celery				23			
	<i>Apium prostratum ssp. prostratum var. filiforme</i>	native celery				5	1		
	<i>Arabidella trisecta</i>	shrubby cress						doubtful occurrence on KI	
*	<i>Arctotheca calendula</i>	Cape weed				16			
*	<i>Arctotis stoechadifolia</i>	white arctotis							
*	<i>Arenaria leptoclados</i>	lesser thyme-leaved sandwort				1		recorded as <i>Arenaria serpyllifolia</i>	
*	<i>Arenaria serpyllifolia (NC)</i>	thyme-leaved sandwort				1	N	= <i>A. leptoclados</i>	
	<i>Argentipallium obtusifolium</i>	blunt everlasting			R	2			
*	<i>Argyranthemum frutescens ssp. foeniculaceum</i>	Teneriffe daisy							
*	<i>Artemisia arborescens</i>	silver wormwood							
	<i>Arthropodium fimbriatum</i>	nodding vanilla-lily			E				
	<i>Arthropodium strictum</i>	common vanilla-lily			K	5			
	<i>Asperula conferta</i>					1			
	<i>Asperula euryphylla var. tetraphylla</i>	broad-leaf woodruff		V	V	1			
	<i>Asperula pusilla</i>	alpine woodruff		X	X				
*	<i>Asphodelus fistulosus</i>	onion weed							
	<i>Asplenium flabellifolium</i>	necklace fern			K				
	<i>Asterolasia asteriscophora</i>	lemon star-bush					N	not accepted as valid occurrence on KI	
	<i>Asterolasia muricata</i>	rough star-bush	2RCa	R	R	3			
	<i>Asterolasia phebaloides</i>	downy star-bush	3VCa	V	V				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Astroloma conostephioides</i>	flame heath				85			
	<i>Astroloma humifusum</i>	cranberry heath				70			
	<i>Atriplex cinerea</i>	coast saltbush				1			
	<i>Atriplex paludosa ssp. cordata</i>	marsh saltbush				1			
	<i>Atriplex semibaccata</i>	berry saltbush							
	<i>Atriplex suberecta</i>	lagoon saltbush							
	<i>Austrofestuca littoralis</i>	coast fescue			R				
	<i>Austrostipa curticoma</i>	short-crest spear-grass		Q	T			= <i>Austrostipa curticoma</i>	
	<i>Austrostipa densiflora</i>	foxtail spear-grass		R	K	2		recorded as <i>Austrostipa densiflora</i>	
	<i>Austrostipa elegantissima</i>	feather spear-grass			T			= <i>Austrostipa elegantissima</i>	
	<i>Austrostipa exilis</i>	heath spear-grass				27		recorded as <i>Austrostipa exilis</i>	
	<i>Austrostipa flavescens</i>	coast spear-grass				32		recorded as <i>Austrostipa flavescens</i>	
	<i>Austrostipa hemipogon</i>	half-beard spear-grass				32		recorded as <i>Austrostipa hemipogon</i>	
	<i>Austrostipa macalpinei</i>	annual spear-grass		U	U			= <i>Austrostipa macalpinei</i>	
	<i>Austrostipa mollis</i>	soft spear-grass				6		recorded as <i>Stipa mollis</i>	
	<i>Austrostipa muelleri</i>	tangled spear-grass		R	X			= <i>Stipa muelleri</i>	
	<i>Austrostipa multispiculis</i>		3RC-	R	T	2		recorded as <i>Stipa multispiculis</i>	
	<i>Austrostipa nitida</i>	Balcarra spear-grass			T			= <i>Stipa nitida</i>	
	<i>Austrostipa nodosa</i>	tall spear-grass			T			= <i>Stipa nodosa</i>	
	<i>Austrostipa scabra ssp. falcata</i>	slender spear-grass						= <i>Stipa scabra ssp. falcata</i>	
	<i>Austrostipa semibarbata</i>	fibrous spear-grass				1		recorded as <i>Stipa semibarbata</i>	
	<i>Austrostipa sp.</i>	spear-grass				19	1 R	recorded as <i>Stipa sp.</i>	
	<i>Austrostipa stipoides</i>	coast spear-grass				14		recorded as <i>Stipa stipoides</i>	
	<i>Austrostipa tenuifolia</i>			R				= <i>Stipa tenuifolia</i>	
*	<i>Avellinia michelii</i>	avellinia				5			
*	<i>Avena barbata</i>	bearded oat				17			
*	<i>Avena sativa</i>	cultivated oat							
	<i>Baeckea crassifolia</i>	desert baeckea				6			
	<i>Baeckea ericaea</i>	mat baeckea			U	15			
	<i>Baeckea ramosissima ssp. ramosissima</i>	rosy baeckea				35	1		
	<i>Banksia marginata</i>	silver banksia				91	1		
	<i>Banksia ornata</i>	desert banksia				44			
*	<i>Batrachium trichophyllum</i>	water buttercup							
	<i>Bauera rubioides</i>	wiry bauera		R	R	6			
	<i>Baumea acuta</i>	pale twig-rush		R	R				
	<i>Baumea arthrophylla</i>	swamp twig-rush			U	3			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Baumea gunnii</i>	slender twig-rush		R	E				
	<i>Baumea juncea</i>	bare twig-rush			R	21			
	<i>Baumea laxa</i>	lax twig-rush		R	K				
	<i>Baumea rubiginosa</i>	soft twig-rush		U	R				
	<i>Baumea tetragona</i>	square twig-rush		U	R				
	<i>Bertya rotundifolia</i>	round-leaf bertya				22			
*	<i>Beta vulgaris ssp. maritima</i>	sea beet							
	<i>Beyeria lechenaultii</i>	pale turpentine bush				57			
	<i>Beyeria subsecta</i>	Kangaroo Island turpentine bush	2VCa	V	V	1			
	<i>Billardiera bignoniacea</i>	orange bell-climber		U	U	16			
	<i>Billardiera cymosa</i>	sweet apple-berry				20			
	<i>Billardiera sp.</i>	apple-berry				4	R		
	<i>Billardiera uniflora</i>	one-flower apple-berry				51			
	<i>Billardiera versicolor</i>	yellow-flower apple-berry		U	R	11			
	<i>Blechnum minus</i>	soft water-fern		U					
	<i>Blechnum nudum</i>	fishbone water-fern		R	R	4			
	<i>Blechnum wattsii</i>	hard water-fern		R	R	1			
	<i>Boronia coerulescens ssp. coerulescens</i>	blue boronia			R	2			
	<i>Boronia edwardsii</i>	Edwards' boronia				50			
	<i>Boronia filifolia</i>	slender boronia				58			
	<i>Boronia parviflora</i>	swamp boronia		R	R				
	<i>Brachycome cuneifolia</i>	wedge-leaf daisy		U	E	1			
	<i>Brachycome exilis</i>	slender daisy			U	1			
	<i>Brachycome goniocarpa</i>	dwarf daisy			U				
	<i>Brachycome lineariloba</i>	hard-head daisy							
	<i>Brachycome uliginosa</i>	wet-heath daisy		R	E	1			
	<i>Brachyloma ericoides ssp. bicolor</i>	Kangaroo Island brush heath				19			
*	<i>Brachypodium distachyon</i>	false brome				3			
	<i>Bracteantha bracteata</i>	golden everlasting			R	1			
*	<i>Brassica tournefortii</i>	wild turnip						new record on KI	
*	<i>Briza maxima</i>	large quaking-grass				10			
*	<i>Briza minor</i>	lesser quaking-grass				36			
	<i>Bromus arenarius</i>	sand brome			E				
*	<i>Bromus diandrus</i>	great brome				14			
*	<i>Bromus hordeaceus ssp. hordeaceus</i>	soft brome				15			
*	<i>Bromus lanceolatus</i>	Mediterranean brome							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
*	<i>Bromus madritensis</i>	compact brome				2			
*	<i>Bromus rigidus</i>	rigid brome				3			
*	<i>Bromus rubens</i>	red brome							
	<i>Brunonia australis</i>	blue pincushion			E				
*	<i>Buglossoides arvensis</i>	sheepweed							
	<i>Bulbine semibarbata</i>	small leek-lily				28			
*	<i>Bupleurum semicompositum</i>	hare's ear							
	<i>Burchardia umbellata</i>	milkmaids			U	15			
	<i>Bursaria spinosa</i>	sweet bursaria				12			
	<i>Caesia calliantha</i>	blue grass-lily			R				
*	<i>Cakile edentula</i>	American sea rocket							
*	<i>Cakile maritima ssp. maritima</i>	two-horned sea rocket				3	1		
	<i>Caladenia aff. filamentosa</i>	crimson daddy-long-legs				4		recorded as <i>Caladenia filamentosa</i> var. <i>filamentosa</i> (NC)	
	<i>Caladenia bicalliata</i>		3RC-	R	E				
	<i>Caladenia cardiochila</i>	heart-lip spider-orchid			R				
	<i>Caladenia carnea</i> var. <i>carnea</i>	pink fingers				18			
	<i>Caladenia cleistogama</i>			V	V				
	<i>Caladenia dilatata</i> complex	green-comb spider-orchid				1	R		
	<i>Caladenia filamentosa</i> var. <i>filamentosa</i> (NC)					4	N	= <i>Caladenia</i> aff. <i>filamentosa</i>	
	<i>Caladenia filamentosa</i> var. <i>tentaculata</i>	wispy spider-orchid			R	6			
	<i>Caladenia latifolia</i>	pink caladenia				12			
	<i>Caladenia minor</i>	pigmy caladenia		R	R	1			
	<i>Caladenia ovata</i>	Kangaroo Island spider-orchid	3VCa	V	E				
	<i>Caladenia prolata</i>	shy caladenia			K	1			
	<i>Caladenia reticulata</i>	veined spider-orchid		U					
	<i>Caladenia sp.</i>	spider-orchid				6	R		
	<i>Caladenia stricta</i>	upright caladenia		U	K				
	<i>Caladenia tensa</i>	inland green-comb spider-orchid							
	<i>Caladenia tentaculata</i>	King spider-orchid							
	<i>Caladenia valida</i>	robust spider-orchid	3RC-	R	R	4			
	<i>Calandrinia brevipedata</i>	short-stalked purslane		U	R	1			
	<i>Calandrinia calyptrata</i>	pink purslane			K	2			
	<i>Calandrinia corrigioloides</i>	strap purslane			K	1			
	<i>Calandrinia granulifera</i>	pigmy purslane							
	<i>Calandrinia sp.</i>	purslane/parakeelya					1 R		

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Callistemon rugulosus var. rugulosus</i>	scarlet bottlebrush				25			
	<i>Callitris canescens</i>	scrubby cypress pine			Q	1			
	<i>Callitris preissii</i>	southern cypress pine			U	7	1		
	<i>Callitris rhomboidea</i>	Oyster Bay pine		U	U	8			
	<i>Calochilus campestris</i>	plains beard-orchid		R	E				
	<i>Calochilus paludosus</i>	red beard-orchid		V	E				
	<i>Calochilus robertsonii</i>	purplish beard-orchid			V	1			
	<i>Calystegia sepium</i>	large bindweed		Q					
	<i>Calytrix glaberrima</i>	smooth heath-myrtle				80	1		
	<i>Calytrix smeatoniana</i>	Kangaroo Island heath-myrtle	2RC-	R	R	6	1		
	<i>Calytrix tetragona</i>	common fringe-myrtle				63			
*	<i>Capsella bursapastoris</i>	shepherd's purse							
*	<i>Cardamine hirsuta</i>	hairy bitter-cress							
	<i>Cardamine paucijuga</i>	annual bitter-cress		V	V	1			
*	<i>Cardaria draba</i>	hoary cress							
*	<i>Carduus tenuiflorus</i>	slender thistle				9	1		
	<i>Carex appressa</i>	tall sedge			R	3			
	<i>Carex breviculmis</i>	short-stem sedge			K	2			
	<i>Carex fascicularis</i>	tassel sedge		U	R	1			
	<i>Carex gaudichaudiana</i>	fen sedge		U	K				
	<i>Carex inversa var. inversa</i>	knob sedge		R	K				
	<i>Carex inversa var. major</i>	knob sedge		R	K				
	<i>Carex sp.</i>	sedge				1	R		
*	<i>Carpobrotus edulis</i>	Hottentot fig							
	<i>Carpobrotus rossii</i>	native pigface				50			
*	<i>Carthamus glaucus</i>	glaucous star-thistle							
	<i>Cassinia uncata</i>	sticky cassinia				1			
	<i>Cassytha glabella forma dispar</i>	slender dodder-laurel				59	1		
	<i>Cassytha melantha</i>	coarse dodder-laurel				22			
	<i>Cassytha peninsularis var. peninsularis</i>	peninsula dodder-laurel				3			
	<i>Cassytha pubescens</i>	downy dodder-laurel				38			
	<i>Cassytha sp.</i>	dodder-laurel				7	R		
	<i>Caustis pentandra</i>	thick twist-rush				22			
*	<i>Centaurea melitensis</i>	Malta thistle							
*	<i>Centaureum erythraea</i>	common centaury							
*	<i>Centaureum maritimum</i>	sea centaury							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
			AUS	SA	KI				
*	<i>Centaurium spicatum</i>	spike centaury				27			
*	<i>Centaurium tenuiflorum</i>	branched centaury							
	<i>Centella cordifolia s. str.</i>	native centella		U	R			(excludes <i>C. asiatica</i>)	
	<i>Centipeda cunninghamii</i>	common sneezeweed			R				
	<i>Centipeda minima</i>	spreading sneezeweed			R				
	<i>Centrolepis aristata</i>	pointed centrolepis				11			
	<i>Centrolepis cephaloformis ssp.</i>						1		
	<i>Centrolepis cephaloformis ssp. cephaloformis</i>	cushion centrolepis		R	K				
	<i>Centrolepis cephaloformis ssp. murrayi</i>					1		redetermined as <i>Trithuria submersa</i>	
	<i>Centrolepis fascicularis</i>	tufted centrolepis		U	R	2			
	<i>Centrolepis glabra</i>	smooth centrolepis		R	R				
	<i>Centrolepis polygyna</i>	wiry centrolepis				10			
	<i>Centrolepis sp.</i>					1	R		
	<i>Centrolepis strigosa</i>	hairy centrolepis				24			
*	<i>Cerastium balearicum</i>	chickweed							
*	<i>Cerastium diffusum</i>	mouse-ear chickweed							
*	<i>Cerastium glomeratum</i>	common mouse-ear chickweed				35			
*	<i>Cerastium semidecandrum (NC)</i>	small mouse-ear chickweed				21	N	may refer to <i>C. balearicum</i> or <i>C. diffusum</i>	
*	<i>Cerastium sp.</i>	chickweed				21	R		
*	<i>Cestrum parqui</i>	green poison-berry							
	<i>Chamaescilla corymbosa var. corymbosa</i>	blue squill			U	8			
*	<i>Chasmanthe floribunda var. floribunda</i>	African corn-flag							
	<i>Cheilanthes austrotenuifolia</i>	annual rock-fern				16			
	<i>Cheiranthra alternifolia</i>	hand-flower			E				
	<i>Cheiranthra volubilis</i>	twining hand-flower	2VCa	V	V	2	1		
	<i>Chenopodiaceae sp.</i>	goosefoot family							
*	<i>Chenopodium album</i>	fat hen							
	<i>Chenopodium desertorum ssp. desertorum</i>	frosted goosefoot							
	<i>Chenopodium erosum</i>	papery goosefoot		K	K				
*	<i>Chenopodium glaucum</i>	glaucous goosefoot							
*	<i>Chenopodium murale</i>	nettle-leaf goosefoot							
	<i>Chenopodium pumilio</i>	clammy goosefoot							
	<i>Chenopodium sp.</i>	goosefoot				2	R		

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
			AUS	SA	KI				
*	<i>Chenopodium vulvaria</i>	stinking goosefoot							
	<i>Choretrum glomeratum</i> var. <i>glomeratum</i>	white sour-bush				60			
	<i>Choretrum</i> sp.					2	R		
	<i>Choretrum spicatum</i>	spiked sour-bush	R	R	R	4			
	<i>Chorizandra enodis</i>	black bristle-rush			U	5			
	<i>Chrysocephalum apiculatum</i>	common everlasting				1			
	<i>Chrysocephalum baxteri</i>	white everlasting			E				
	<i>Chrysocephalum semipapposum</i>	clustered everlasting			K				
*	<i>Cichorium intybus</i>	chicory							
	<i>Cirsium</i> sp.					1	R	unreliable identification	
*	<i>Cirsium vulgare</i>	spear thistle							
	<i>Clematis microphylla</i>	old man's beard				27	1		
*	<i>Coleonema pulchellum</i>	diosma							
	<i>Comesperma calymega</i>	blue-spike milkwort				36	1		
	<i>Comesperma polygaloides</i>	mauve milkwort		U	E				
	<i>Comesperma volubile</i>	love creeper				29			
*	<i>Conium maculatum</i>	hemlock							
	<i>Conospermum patens</i>	slender smoke-bush				26			
*	<i>Convolvulus arvensis</i>	field bindweed							
	<i>Convolvulus erubescens</i>	Australian bindweed							
	<i>Convolvulus remotus</i>	grassy bindweed			R				
	<i>Convolvulus</i> sp.					1	R		
*	<i>Coprosma repens</i>	New Zealand mirror-bush							
*	<i>Coronopus didymus</i>	lesser swine's-cress							
	<i>Correa aemula</i> (NC)	hairy correa				3	N	= <i>Correa aemula</i> s. str.	
	<i>Correa aemula</i> sister.	hairy correa		R	R			recorded as <i>Correa aemula</i> (NC)	
	<i>Correa backhousiana</i> var. <i>coriacea</i>								
	<i>Correa backhousiana</i> var. <i>orbicularis</i>								
	<i>Correa calycina</i>		2VCi	V	V		N	= <i>Correa calycina</i> ssp. <i>halmaturorum</i>	
	<i>Correa calycina</i> ssp. <i>halmaturorum</i>	De Mole River correa							
	<i>Correa decumbens</i>	spreading correa		U	U	21			
	<i>Correa glabra</i>	rock correa		U	K		N	not on KI	
	<i>Correa pulchella</i>	salmon correa				14			
	<i>Correa reflexa</i> var. <i>coriacea</i>	thick-leaf correa					N	= <i>Correa backhousiana</i> var. <i>coriacea</i>	
	<i>Correa reflexa</i> var. <i>insularis</i>								
	<i>Correa reflexa</i> var. <i>nummulariifolia</i>	round-leaf correa					N	misapplied to <i>C. reflexa</i> var. <i>insularis</i> (and some <i>C. backhousiana</i> var. <i>orbicularis</i>)	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Correa reflexa</i> var. <i>reflexa</i>	common correa						N misapplied to <i>Correa reflexa</i> var. <i>scabridula</i>	
	<i>Correa reflexa</i> var. <i>scabridula</i>								
	<i>Correa</i> sp. aff. <i>calycina</i>				108			N misapplied name. Most of these records probably refer to <i>C. reflexa</i> var. <i>insularis</i> and intergrades	
	<i>Corybas despectans</i>	coast helmet-orchid			U				
	<i>Corybas dilatatus</i>	common helmet-orchid							
	<i>Corybas expansus</i>	dune helmet-orchid		U	K				
	<i>Corybas incurvus</i>	slaty helmet-orchid		U					
	<i>Corybas</i> sp.	helmet-orchid				13		R	
	<i>Corybas unguiculatus</i>	small helmet-orchid		R	R				
	<i>Cotula australis</i>	common cotula				3			
*	<i>Cotula bipinnata</i>	ferny cotula							
*	<i>Cotula coronopifolia</i>	water buttons				11			
	<i>Cotula vulgaris</i> var. <i>australasica</i>	slender cotula			Q				
*	<i>Cotyledon orbiculata</i> var. <i>orbiculata</i>	cotyledon							
	<i>Craspedia glauca</i>	billy-buttons			T	1			
	<i>Crassula closiana</i>	stalked crassula				5			
	<i>Crassula decumbens</i> var. <i>decumbens</i>	spreading crassula				7			
	<i>Crassula helmsii</i>	swamp crassula			K				
*	<i>Crassula natans</i> var. <i>minus</i>	water crassula				3			
	<i>Crassula peduncularis</i>	purple crassula		Q	Q	1			
	<i>Crassula sieberiana</i> ssp. <i>tetramera</i>	Australian stonecrop				19			
*	<i>Crepis pusilla</i>	dandelion crepis							
*	<i>Crepis vesicaria</i> ssp. <i>haenseleri</i>	bladder hawksbeard							
*	<i>Critesion hystrix</i>	Mediterranean barley-grass				5			
*	<i>Critesion marinum</i>	sea barley-grass				2			
*	<i>Critesion murinum</i> ssp. <i>glaucum</i>	blue barley-grass				2			
*	<i>Critesion murinum</i> ssp. <i>leporinum</i>	wall barley-grass				3			
	<i>Cruciferae</i> sp.	crass family				1		R	
	<i>Cryptandra hispidula</i>	rough cryptandra		U	U				
	<i>Cryptandra leucophracta</i>	white cryptandra				6		N = <i>Stenanthemum leucophractum</i>	
	<i>Cryptandra tomentosa</i>	heath cryptandra			T				
	<i>Cryptandra waterhousii</i>	Waterhouse's cryptandra	2RC-	U	U	7			
	<i>Cryptostylis subulata</i>	moose orchid		V	E				
*	<i>Cucumis myriocarpus</i>	paddy melon							
	<i>Cyanicula deformis</i>	bluebeard orchid				3			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Cymbonotus preissianus</i>	austral bear's-ear		U	K				
	<i>Cynoglossum australe</i>	Australian hound's-tongue			K				
*	<i>Cynosurus echinatus</i>	rough dog's-tail grass				6			
	<i>Cyperaceae sp.</i>	sedge family				12	R	(includes 2 records as <i>Scirpus</i> sp.)	
	<i>Cyperus involucratus</i>								
	<i>Cyperus sp.</i>	flat-sedge				1	R		
	<i>Cyperus tenellus</i>	tiny flat-sedge		U		10			
	<i>Cyperus vaginatus</i>	stiff flat-sedge			K	1			
	<i>Cyphanthera myosotidea</i>	small-leaf ray-flower			V	2			
	<i>Cyrtostylis reniformis</i>					1	N	not on KI, presumed misidentification of <i>C. robusta</i>	
	<i>Cyrtostylis robusta</i>	robust gnat-orchid				4		(incl. one record as <i>C. reniformis</i>)	
*	<i>Dactylis glomerata</i>	cocksfoot				1			
	<i>Dampiera lanceolata var. insularis</i>	Kangaroo Island dampiera		U	U	5	1		
	<i>Danthonia caespitosa</i>	common wallaby-grass			K	1			
	<i>Danthonia geniculata</i>	kneed wallaby-grass			U	5			
	<i>Danthonia pilosa var. pilosa</i>	velvet wallaby-grass		Q	K				
	<i>Danthonia racemosa var. racemosa</i>	slender wallaby-grass			R	2			
	<i>Danthonia setacea var. setacea</i>	small-flower wallaby-grass				49			
	<i>Danthonia sp.</i>	wallaby-grass				2	R		
	<i>Darwinia micropetala</i>	small darwinia				25		recorded as <i>Darwinia micropetala</i> (NC)	
	<i>Darwinia micropetala (NC)</i>	small darwinia				25	N	= <i>Darwinia micropetala</i> (excludes <i>D. salina</i>)	
*	<i>Datura stramonium</i>	common thorn-apple							
	<i>Daucus glochidiatus</i>	native carrot				80			
	<i>Daviesia arenaria</i>	sand bitter-pea		U	V				
	<i>Daviesia asperula ssp. asperula</i>	Kangaroo Island bitter-pea				54		(incl. 6 records as <i>D. benthamii</i> ssp. <i>humilis</i>)	
	<i>Daviesia benthamii ssp. humilis</i>					6	N	probable misidentifications; very rare & localised/extinct; taken to refer to <i>D. asperula</i>	
	<i>Daviesia brevifolia</i>	leafless bitter-pea				38			
	<i>Daviesia leptophylla</i>	narrow-leaf bitter-pea			R	5	1		
	<i>Daviesia ulicifolia</i>	gorse bitter-pea			U	1	N	= <i>D. ulicifolia</i> ssp. <i>ulicifolia</i> on KI	
	<i>Daviesia ulicifolia ssp. ulicifolia</i>	gorse bitter-pea			U	1		Recorded as <i>D. ulicifolia</i>	
	<i>Derwentia derwentiana ssp. anisodonta</i>	Kangaroo Island speedwell	3KC-	R	R	3		presumed from <i>Parahebe derwentiana</i> (NC)	
	<i>Derwentia derwentiana ssp. homalodonta</i>	Mt Lofty speedwell	3KC-	E					
*	<i>Desmazeria rigida</i>	rigid fescue				29			
	<i>Deyeuxia minor</i>	small bent-grass		K	K				
	<i>Deyeuxia quadriseta</i>	reed bent-grass			K				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Dianella brevicaulis</i>	short-stem flax-lily				71			
	<i>Dianella revoluta</i> (NC)						1 R	may refer to <i>D. brevicaulis</i> or <i>D. revoluta</i> var. <i>revoluta</i>	
	<i>Dianella revoluta</i> var. <i>revoluta</i>	black-anther flax-lily				15			
	<i>Dichelachne crinita</i>	long-hair plume-grass			K	10			
	<i>Dichelachne micrantha</i>	short-hair plume-grass		Q	K				
	<i>Dichondra repens</i>	kidney weed				22	1		
	<i>Digitaria ciliaris</i>	summer grass							
*	<i>Digitaria sanguinalis</i>	crab grass							
	<i>Dillwynia glaberrima</i>					9	N	not on KI; presumed misidentification of <i>Dillwynia hispida</i>	
	<i>Dillwynia hispida</i>	red parrot-pea				23		(incl 9 records as <i>D. glaberrima</i>)	
	<i>Dillwynia sericea</i>	showy parrot-pea				50	1		
*	<i>Diplotaxis muralis</i> var. <i>muralis</i>	wall rocket							
*	<i>Diplotaxis tenuifolia</i>	Lincoln weed				2			
*	<i>Dipogon lignosus</i>	lavatory creeper							
	<i>Disphyma crassifolium</i> ssp. <i>clavellatum</i>	round-leaf pigface				5			
	<i>Distichlis distichophylla</i>	emu-grass			R				
*	<i>Dittrichia graveolens</i>	stinkweed							
	<i>Diuris</i> aff. <i>corymbosa</i>	wallflower donkey-orchid				2			
	<i>Diuris brevifolia</i>	short-leaf donkey-orchid	3RCa	R	R				
	<i>Dodonaea baueri</i>	crinkled hop-bush			K	1			
	<i>Dodonaea hexandra</i>	horned hop-bush			K				
	<i>Dodonaea humilis</i>	dwarf hop-bush				45			
	<i>Dodonaea viscosa</i> ssp. <i>angustissima</i>	narrow-leaf hop-bush				27			
	<i>Dodonaea viscosa</i> ssp. <i>spatulata</i>	sticky hop-bush				6			
	<i>Drosera auriculata</i>	tall sundew				51			
	<i>Drosera binata</i>	forked sundew		R	R	2			
	<i>Drosera glanduligera</i>	scarlet sundew				1			
	<i>Drosera macrantha</i> ssp. <i>planchonii</i>	climbing sundew				46			
	<i>Drosera peltata</i>	pale sundew			U	18	1		
	<i>Drosera praefolia</i>	early sundew		R	R				
	<i>Drosera pygmaea</i>	tiny sundew				24			
	<i>Drosera</i> sp.	sundew				1	R		
	<i>Drosera whittakeri</i> (NC)	scented sundew				26	R	excludes <i>D. whittakeri</i> var. <i>aberrans</i> , but may include <i>D. praefolia</i>	
	<i>Drosera whittakeri</i> ssp. <i>whittakeri</i>					26		recorded as <i>Drosera whittakeri</i> (NC)	
	<i>Dysphania glomulifera</i> ssp. <i>glomulifera</i>	globular crumbweed							
*	<i>Echinochloa utilis</i>	Japanese millet							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Echinopogon ovatus</i> var. <i>ovatus</i>	rough-beard grass		R	R				
*	<i>Echium plantagineum</i>	Salvation Jane						new record on KI	
*	<i>Ehrharta calycina</i>	perennial veldt grass				1			
*	<i>Ehrharta longiflora</i>	annual veldt grass				6			
	<i>Einadia nutans</i> ssp. <i>nutans</i>	climbing saltbush							
	<i>Eleocharis acuta</i>	common spike-rush			E	2			
	<i>Eleocharis gracilis</i>	slender spike-rush		U	T				
	<i>Eleocharis sphacelata</i>	tall spike-rush		R	R	1			
	<i>Elymus scabrus</i> var. <i>scabrus</i>	native wheat-grass			T				
*	<i>Emex australis</i>	three-corner jack							
	<i>Empodisma minus</i>	tangled rope-rush		U	R	4			
	<i>Enchylaena tomentosa</i> var. <i>tomentosa</i>	ruby saltbush				2			
	<i>Epacris impressa</i>	common heath				10			
	<i>Epilobium billardierianum</i> ssp. <i>billardierianum</i>	robust willow-herb			K				
	<i>Epilobium billardierianum</i> ssp. <i>cinereum</i>	variable willow-herb			E	4			
	<i>Epilobium billardierianum</i> ssp. <i>x intermedium</i>	variable willow-herb							
*	<i>Epilobium ciliatum</i>	glandular willow-herb							
*	<i>Eragrostis cilianensis</i>	stink grass							
	<i>Eremophila behriana</i>	rough emubush			K				
	<i>Eremophila glabra</i> ssp. <i>glabra</i>	tar bush			E				
	<i>Eremophila weldii</i>	purple emubush			X				
	<i>Eriochilus cucullatus</i>	parson's bands			U				
	<i>Eriochlamys behrii</i>	woolly mantle			K				
	<i>Eriostemon angustifolius</i> ssp. <i>angustifolius</i>	narrow-leaf wax-flower		R	R	5	N	= <i>Philotheca angustifolia</i> ssp. <i>angustifolia</i>	
	<i>Eriostemon pungens</i>	prickly wax-flower			T		N	= <i>Philotheca pungens</i>	
*	<i>Erodium botrys</i>	long heron's-bill				4			
*	<i>Erodium cicutarium</i>	cut-leaf heron's-bill				1			
*	<i>Erodium moschatum</i>	musky herons-bill							
	<i>Erodium</i> sp.	heron's-bill/crowfoot				3	R		
	<i>Eryngium vesiculosum</i>	prostrate blue devil		R	R				
	<i>Eucalyptus 'anceps'</i>	sessile-fruit white mallee			R		N	misapplied name, refers to <i>E. phenax</i> ssp. 'Kangaroo Island'	
	<i>Eucalyptus arenacea</i>	dune stringybark				1			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Eucalyptus arenacea/baxteri intergrade</i>	brown stringybark						R	
	<i>Eucalyptus baxteri</i>	brown stringybark				39	1		most are probably <i>Eucalyptus arenacea/baxteri</i> intergrades
	<i>Eucalyptus camaldulensis</i> var. <i>camaldulensis</i>	river red gum			R	2			
	<i>Eucalyptus cladocalyx</i>	sugar gum				54			
	<i>Eucalyptus cneorifolia</i>	Kangaroo Island narrow-leaf mallee				35			
	<i>Eucalyptus conglobata</i>					4	N		not on KI; misidentification, presumed to be <i>E. phenax</i> ssp. 'Kangaroo Island'
	<i>Eucalyptus cosmophylla</i>	cup gum				72			
	<i>Eucalyptus diversifolia</i>	coastal white mallee				124			
	<i>Eucalyptus fasciculosa</i>	pink gum				29			
	<i>Eucalyptus gracilis</i>	yorrell			V				
	<i>Eucalyptus lansdowneana</i> ssp. <i>albopurpurea</i>	purple-flowered mallee box				20			
	<i>Eucalyptus leptophylla</i>	narrow-leaf red mallee			R	4			
	<i>Eucalyptus leucoxylon</i> (NC)	South Australian blue gum				17	R		
	<i>Eucalyptus leucoxylon</i> ssp. <i>leucoxylon</i>	South Australian blue gum			U	22			recorded as <i>E. leucoxylon</i> (NC) (17), <i>E. l.</i> ssp. <i>leucoxylon</i> (NC) (2) & <i>E. l.</i> ssp. <i>megalocarpa</i> (3)
	<i>Eucalyptus leucoxylon</i> ssp. <i>leucoxylon</i> (NC)	South Australian blue gum				2	R		
	<i>Eucalyptus leucoxylon</i> ssp. <i>megalocarpa</i>	large-fruit blue gum		R		3	N		not on KI; refer to <i>Eucalyptus leucoxylon</i> ssp. <i>leucoxylon</i>
	<i>Eucalyptus obliqua</i>	messmate stringybark							recorded as <i>E. obliqua</i> var. <i>obliqua</i>
	<i>Eucalyptus obliqua</i> var. <i>obliqua</i> (NC)	messmate stringybark				17	R		= <i>Eucalyptus obliqua</i>
	<i>Eucalyptus odorata</i>	peppermint box			K	3			
	<i>Eucalyptus oleosa</i>	red mallee			R	17			incl. 2 records as <i>E. socialis</i>
	<i>Eucalyptus ovata</i>	swamp gum			V	3			
	<i>Eucalyptus paludicola</i>	Mount Compass swamp gum	3VCi	V	V				
	<i>Eucalyptus phenax</i> ssp. 'Kangaroo Island'					4			recorded as <i>E. conglobata</i>
	<i>Eucalyptus remota</i>	Kangaroo Island mallee ash		U	U	16			
	<i>Eucalyptus rugosa</i>	coastal white mallee				47	1		
	<i>Eucalyptus socialis</i>						2	N	not on KI; probably refers to <i>E. oleosa</i>
	<i>Eucalyptus viminalis</i> ssp. <i>cygnetensis</i>	rough-bark manna gum			R	2			
	<i>Euchiton ensifer</i> (NC)					3	N		= <i>Euchiton gymnocephalus</i>
	<i>Euchiton gymnocephalus</i>	creeping cudweed				3			recorded as <i>Euchiton ensifer</i> (NC)
	<i>Euchiton involucratus</i>	star cudweed							
	<i>Euchiton sphaericus</i>	annual cudweed				11			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
*	<i>Euphorbia paralias</i>	sea spurge				3	1		
*	<i>Euphorbia peplus</i>	petty spurge				1			
*	<i>Euphorbia terracina</i>	false caper							
	<i>Euphrasia collina ssp. osbornii</i>	Osborn's eyebright	3EC-	E	E				
	<i>Euphrasia collina ssp. tetragona</i>	coast eyebright				8			
	<i>Eutaxia diffusa</i>	large-leaf eutaxia		U	E				
	<i>Eutaxia microphylla var. microphylla</i>	common eutaxia				47			
	<i>Exocarpos aphyllus</i>	leafless cherry			R	5			
	<i>Exocarpos cupressiformis</i>	native cherry			U	7			
*	<i>Ferraria crispa ssp. crispa</i>	black flag							
	<i>Fimbristylis sp.</i>					2	N	not on KI; identity unknown	
*	<i>Foeniculum vulgare</i>	fennel							
	<i>Frankenia foliosa</i>					2		not previously recorded on KI; identity requires confirmation	
	<i>Frankenia pauciflora var. fruticulosa</i>	southern sea-heath				8			
	<i>Frankenia pauciflora var. gunnii</i>	southern sea-heath							
*	<i>Freesia hybrid</i>	freesia							
*	<i>Fumaria capreolata ssp. capreolata</i>	white-flower fumitory							
*	<i>Fumaria muralis</i>	wall fumitory							
	<i>Gahnia clarkei</i>					1	N	redetermined as <i>G. sieberiana</i>	
	<i>Gahnia deusta</i>	limestone saw-sedge				11		(incl. 1 record as <i>G. lanigera</i>)	
	<i>Gahnia filum</i>	smooth cutting-grass			K			(one record redetermined as <i>G. sieberiana</i>)	
	<i>Gahnia hystrix</i>	spiky saw-sedge	2RCa	R	R	10			
	<i>Gahnia lanigera</i>	black grass saw-sedge			K			(one record redetermined as <i>G. deusta</i>)	
	<i>Gahnia sieberiana</i>	red-fruit cutting-grass		U	R	9		(incl. one record as <i>G. clarkei</i> and one as <i>G. filum</i>)	
	<i>Gahnia trifida</i>	cutting grass			U	19	2		
	<i>Galium australe</i>	tangled bedstraw				1			
	<i>Galium binifolium</i>					1			
	<i>Galium compactum</i>	compact bedstraw				6			
*	<i>Galium divaricatum</i>	slender bedstraw				4			
	<i>Galium gaudichaudii</i>					1			
	<i>Galium migrans</i>	loose bedstraw				22			
*	<i>Galium murale</i>	small bedstraw				21			
	<i>Galium sp.</i>	bedstraw				3	R		
	<i>Gastrodia sesamoides</i>	potato orchid		R	K	3			
	<i>Geijera linearifolia</i>	sheep bush			E	1			
*	<i>Genista monspessulana</i>	Montpellier broom							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Genoplesium nigricans</i>	black midge-orchid				1			
	<i>Genoplesium nigricans/rufum</i>	midge-orchid					R		
	<i>Genoplesium rufum</i>	red midge-orchid			U				
	<i>Geraniaceae sp.</i>	geranium family					R		
*	<i>Geranium molle var. molle</i>	soft geranium				2			
	<i>Geranium potentilloides var. potentilloides</i>	downy geranium				3			
	<i>Geranium retrorsum</i>	grassland geranium				18			
	<i>Geranium solanderi var. solanderi</i>	austral geranium				6			
	<i>Geranium sp.</i>	geranium					N		
*	<i>Gladiolus carneus</i>	broad-leaf painted lady							
*	<i>Gladiolus communis ssp. byzantinus</i>	Byzantine gladiolus							
*	<i>Gladiolus sp.</i>	gladiolus					N		
*	<i>Gladiolus tristis</i>	evening-flower gladiolus							
*	<i>Gladiolus undulatus</i>	wild gladiolus				1			
	<i>Gleichenia microphylla</i>	coral fern		R	R	2			
	<i>Glischrocaryon behrii</i>	golden pennants				47	1		
	<i>Glossostigma diandrum</i>	two-anther mud-mat			R				
	<i>Glossostigma drummondii</i>	desert mud-mat							
	<i>Glyceria australis</i>	Australian sweet-grass							
	<i>Glycine clandestina var. sericea</i>	twining glycine			T				
	<i>Glycine latrobeana</i>					1	N	probable mis-identification; no KI collections seen at AD; identity needs confirmation	
	<i>Gnaphalium indutum</i>	tiny cudweed				1			
	<i>Gompholobium ecostatum</i>	dwarf wedge-pea				38			
	<i>Gonocarpus megianus</i>	broad-leaf raspwort				58			
	<i>Gonocarpus micranthus ssp. micranthus</i>	creeping raspwort		R	R				
	<i>Gonocarpus tetragynus</i>	small-leaf raspwort				2			
	<i>Goodenia amplexans</i>	clasping goodenia		U	U	1			
	<i>Goodenia blackiana</i>	native primrose				25			
	<i>Goodenia geniculata</i>	bent goodenia				14	2		
	<i>Goodenia ovata</i>	hop goodenia				10			
	<i>Goodenia sp.</i>	goodenia				1	R		
	<i>Goodenia varia</i>	sticky goodenia				57			
	<i>Goodenia willisiana</i>	silver goodenia							
	<i>Goodia lotifolia var. (NC)</i>						1 N	= <i>Goodia medicaginea</i>	
	<i>Goodia lotifolia var. lotifolia (NC)</i>	golden-tip				7	N	= <i>Goodia medicaginea</i>	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Goodia medicaginea</i>	western golden-tip				7	1	recorded as <i>G. lotifolia</i> var. NC and <i>G. lotifolia</i> var. <i>lotifolia</i> (NC)	
	<i>Gramineae sp.</i>	grass family				23	R		
	<i>Gratiola peruviana</i>	austral brooklime			U				
	<i>Gratiola pubescens</i>	glandular brooklime		R	E				
	<i>Gratiola sp.</i>					1	R		
	<i>Grevillea ilicifolia</i> var.						1 R	= <i>G. ilicifolia</i> var. <i>ilicifolia</i>	
	<i>Grevillea ilicifolia</i> var. <i>ilicifolia</i>	holly-leaf grevillea				24	1	(incl. 1 record as <i>G. ilicifolia</i> var.)	
	<i>Grevillea linearifolia</i>	prickly grevillea		U	U	13			
	<i>Grevillea muricata</i>	rough spider-flower	2RCa	R	R				
	<i>Grevillea pauciflora</i> ssp. <i>pauciflora</i>	few-flower grevillea		U	U	26		recorded as <i>G. pauciflora</i> ssp. <i>pauciflora</i> (NC)	
	<i>Grevillea pauciflora</i> ssp. <i>pauciflora</i> (NC)	Port Lincoln grevillea				26	N	= <i>G. pauciflora</i> ssp. <i>pauciflora</i>	
	<i>Grevillea quinquenervis</i>	five-veined grevillea		U	U	25			
	<i>Grevillea rogersii</i>	Rogers' spider-flower	2RC-	R	R	3			
*	<i>Gynandris setifolia</i>	thread iris							
	<i>Gyrostemon australasicus</i>	buckbush wheel-fruit							
	<i>Gyrostemon thesioides</i>	broom wheel-fruit		U	U	1			
*	<i>Hainardia cylindrica</i>	common barb-grass				1			
	<i>Hakea aenigma</i>	enigma hakea	2RCa	R	R	1			
	<i>Hakea carinata</i>	erect hakea			X	1			
*	<i>Hakea laurina</i>	pincushion hakea							
	<i>Hakea muelleriana</i>	heath needlebush				59			
	<i>Hakea rostrata</i>	beaked hakea				104	1		
	<i>Hakea rugosa</i>	dwarf hakea				18			
	<i>Hakea vittata</i>	limestone needlebush				25			
	<i>Halophila australis</i>	paddle weed							
	<i>Haloragis acutangula</i> forma <i>acutangula</i>	smooth raspwort				1			
	<i>Haloragis acutangula</i> forma <i>tetraptera</i>	smooth raspwort							
	<i>Haloragis aspera</i>	rough raspwort			Q				
	<i>Haloragis brownii</i>	swamp raspwort		R	R	1			
	<i>Haloragis eichleri</i>	Eichler's raspwort	3RCa	R	R				
	<i>Haloragis sp.</i>	raspwort				6	R		
	<i>Halosarcia halocnemoides</i> ssp.						1 R	= <i>H. halocnemoides</i> ssp. <i>halocnemoides</i>	
	<i>Halosarcia halocnemoides</i> ssp. <i>halocnemoides</i>	grey samphire			K		1		

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Halosarcia pergranulata</i> ssp. <i>pergranulata</i>	black-seed samphire			K	1			
	<i>Halosarcia</i> sp.	samphire					1 R		
	<i>Halosarcia syncarpa</i>	fused samphire		Q	K				
	<i>Hardenbergia violacea</i>	native lilac			R	15			
*	<i>Hedypnois rhagadioloides</i>	Cretan weed				7			
	<i>Helichrysum adenophorum</i> var. <i>adenophorum</i>	branched everlasting		U	U				
	<i>Helichrysum leucopsideum</i>	satin everlasting				27			
*	<i>Heliotropium europaeum</i>	common heliotrope							
	<i>Hemarthria uncinata</i> var. <i>uncinata</i>	mat grass							
	<i>Hemichroa diandra</i>	mallee hemichroa			X				
	<i>Hemichroa pentandra</i>	trailing hemichroa		U	E	5			
	<i>Herb</i> sp.					6	R		
	<i>Heterozostera tasmanica</i>	Tasman grass-wrack							
	<i>Hibbertia "confundens" ms H.R.Toelken</i>							probably recorded as <i>H. sericea</i> var. <i>major</i> (NC) or <i>H. sericea</i> var. <i>sericea</i>	
	<i>Hibbertia "humilis" (H.R.Toelken 9196): H.R.Toelken</i>							possibly included in <i>H. riparia</i>	
	<i>Hibbertia "platyphylla"</i>				Hib			probably recorded as <i>H. sericea</i> var. <i>major</i> (NC) or <i>H. sericea</i> var. <i>sericea</i>	
	<i>Hibbertia "'australioides" ms H.R.Toelken</i>							possibly included in <i>H. riparia</i> or <i>H. stricta</i> (NC)	
	<i>Hibbertia acicularis</i>	prickly guinea-flower		R	R	5	N	= <i>H. obtusibracteata</i>	
	<i>Hibbertia aspera</i> (NC)					77	R	includes <i>H. empetrifolia</i> ssp. <i>radians</i> (majority) and <i>H. pallidiflora</i>	
	<i>Hibbertia australis</i>							possibly included in <i>H. stricta</i> (NC)	
	<i>Hibbertia empetrifolia</i> ssp. <i>radians</i>					3	1	four records as <i>Hibbertia</i> sp. B, plus more (unvouchered) included in <i>H. aspera</i> (NC)	
	<i>Hibbertia exutiacies</i>	prickly guinea-flower			T	2			
	<i>Hibbertia fasciculata</i> ssp. " <i>prostrata</i> " ms H.R. Toelken					29		recorded as <i>H. prostrata</i>	
	<i>Hibbertia glandulosa</i>					8		8 records as <i>H. riparia</i> (glabriuscula), plus (unvouchered) as <i>H. riparia</i> [s. lat.] or <i>H. stricta</i> (NC)	
	<i>Hibbertia incana</i>							included in <i>H. sericea</i> var. <i>sericea</i>	
	<i>Hibbertia obtusibracteata</i>					5		recorded as <i>H. acicularis</i>	
	<i>Hibbertia paeninsularis</i>	peninsula guinea-flower	3RCa	U	U	2			
	<i>Hibbertia pallidiflora</i>					14		recorded as <i>Hibbertia</i> sp. C, plus possibly others also as <i>H. aspera</i> (NC)	
	<i>Hibbertia prostrata</i>	bundled guinea-flower				29	N	= <i>Hibbertia fasciculata</i> ssp. " <i>prostrata</i> " ms H.R. Toelken	
	<i>Hibbertia riparia</i> (glabriuscula)					8	N	= <i>H. glandulosa</i>	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Hibbertia riparia</i> (long-leaved aff. <i>H. stricta</i>)	bristly guinea-flower						N = <i>H. riparia</i> s. str.	
	<i>Hibbertia riparia</i> [s. lat.]	guinea-flower				111		R identity ambiguous; probably refers mainly to <i>H. glandulosa</i> , but also <i>H. riparia</i>	
	<i>Hibbertia riparia</i> [s. str.]							included in <i>H. riparia</i> [s. lat] and/or <i>H. stricta</i> (NC)	
	<i>Hibbertia sericea</i>					2		recorded as <i>H. sericea</i> var. <i>scabrifolia</i> ; most likely other (unvouchered) records	
	<i>Hibbertia sericea</i> var. <i>major</i> (NC)	large guinea-flower				2	R	likely to be <i>H. 'platyphylla'</i> or <i>H. "confundens"</i>	
	<i>Hibbertia sericea</i> var. <i>scabrifolia</i>	rough-leaf guinea-flower				2	N	= <i>H. sericea</i>	
	<i>Hibbertia sericea</i> var. <i>sericea</i>	silky guinea-flower				64	R	probably refer in part to <i>H. incana</i> , <i>H.confundens</i> , <i>H. platyphylla</i>	
	<i>Hibbertia</i> sp.	guinea-flower				4	R		
	<i>Hibbertia</i> sp. B	scrambling guinea-flower				3	1 N	= <i>H. empetrifolia</i> ssp. <i>radians</i>	
	<i>Hibbertia</i> sp. C	round-leaf guinea-flower			U	14	N	= <i>H. pallidiflora</i>	
	<i>Hibbertia stricta</i> (NC)				E	15	R	may include <i>H. australis</i> , <i>H. glandulosa</i> or <i>H. riparia</i>	
	<i>Hibbertia stricta</i> var. <i>stricta</i>	stalked guinea-flower						= <i>H. australis</i>	
	<i>Hibbertia virgata</i>	twiggy guinea-flower				17			
*	<i>Hirschfeldia incana</i>	hoary mustard							
	<i>Histiopteris incisa</i>	bat's-wing fern		E	E				
	<i>Holcus lanatus</i>					1			
*	<i>Holcus setosus</i>	annual fog				1			
*	<i>Homeria flaccida</i>	one-leaf Cape tulip							
	<i>Hyalosperma demissum</i>	dwarf sunray							
	<i>Hybanthus floribundus</i> ssp. <i>floribundus</i>	shrub violet							
	<i>Hydrocotyle callicarpa</i>	tiny pennywort				10			
	<i>Hydrocotyle capillaris</i>	thread pennywort							
	<i>Hydrocotyle comocarpa</i>	fringe-fruit pennywort	3RCi	R	K	4			
	<i>Hydrocotyle crassiuscula</i>	spreading pennywort	3KCa	R	R	1			
	<i>Hydrocotyle diantha</i>	Kangaroo Island pennywort		X	X				
	<i>Hydrocotyle foveolata</i>	yellow pennywort				4			
	<i>Hydrocotyle hirta</i>	hairy pennywort		U	R	1			
	<i>Hydrocotyle laxiflora</i>	stinking pennywort			K	1			
	<i>Hydrocotyle muscosa</i>	mossy pennywort			R	2			
	<i>Hydrocotyle</i> sp.	pennywort				7	R		
	<i>Hydrocotyle tripartita</i>	three-part pennywort							
*	<i>Hymenolobus procumbens</i>	oval purse							
	<i>Hypericum gramineum</i>	small St John's wort			R				
	<i>Hypericum japonicum</i>	matted St John's wort		K	K				
*	<i>Hypochoeris glabra</i>	smooth cat's ear				22			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
*	<i>Hypochaeris radicata</i>	rough cat's ear				16			
*	<i>Hypochaeris sp.</i>	cat's ear				1	R		
	<i>Hypolaena fastigiata</i>	tassel rope-rush				19			
	<i>Hypolepis rugosula</i>	ruddy ground-fern		R	R	2			
	<i>Hypoxis glabella var. glabella</i>	tiny star							
	<i>Irenepharsus phasmatodes</i>	Kangaroo Island cress	2RCa	R	R				
*	<i>Iris germanica</i>	flag iris							
	<i>Isoetes drummondii ssp. drummondii</i>	plain quillwort		R	R				
*	<i>Isolepis aff. hookeriana</i>	grassy club-rush							
	<i>Isolepis australiensis</i>					2	N	not on KI; redetermined as <i>I. stellata</i> and <i>I. platycarpa</i>	
	<i>Isolepis cernua</i>	nodding club-rush			U				
	<i>Isolepis fluitans</i>	floating club-rush		U	U	9			
	<i>Isolepis hookeriana</i>	grassy club-rush		U	K	1		recorded as <i>I. platycarpa</i>	
	<i>Isolepis hookeriana (NC)</i>	grassy club-rush			K	3	R	may refer to * <i>I. aff. Hookeriana</i> or <i>I. hookeriana</i>	
*	<i>Isolepis hystrix</i>	awned club-rush							
	<i>Isolepis inundata</i>	swamp club-rush			R				
	<i>Isolepis marginata</i>	little club-rush				15			
	<i>Isolepis nodosa</i>	knobby club-rush				34			
	<i>Isolepis platycarpa</i>	flat-fruit club-rush			U	2		(1 collection redetermined as <i>I. hookeriana</i>)	
	<i>Isolepis producta</i>	nutty club-rush		R	R	1			
	<i>Isolepis stellata</i>	star club-rush		R	R	2			
	<i>Isopogon ceratophyllus</i>	horny cone-bush				86			
*	<i>Ixia polystachya</i>	variable ixia							
	<i>Ixiolaena supina</i>	coast plover-daisy				16			
	<i>Ixodia achillaeoides ssp. achillaeoides</i>	coast ixodia				12			
	<i>Ixodia achillaeoides ssp. alata</i>	hills daisy				7			
*	<i>Juncus articulatus</i>	jointed rush							
	<i>Juncus bufonius</i>	toad rush				5			
	<i>Juncus caespiticius</i>	grassy rush			R				
*	<i>Juncus capitatus</i>	dwarf rush				7			
	<i>Juncus effusus</i>					1	N	not on KI; redetermined as <i>J. pauciflorus</i>	
	<i>Juncus kraussii</i>	sea rush				7			
	<i>Juncus pallidus</i>	pale rush				13			
	<i>Juncus pauciflorus</i>	loose-flower rush				7			
	<i>Juncus planifolius</i>	broad-leaf rush			R	5			
	<i>Juncus procerus</i>					2	1 N	not on KI; unvouchered (sight) record; presumed as <i>Juncus sp.</i>	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Juncus sp.</i>	rush				4	1	R	
	<i>Juncus subsecundus</i>	finger rush			R				
	<i>Kennedia prostrata</i>	scarlet runner				14			
*	<i>Kickxia elatine ssp. crinita</i>	twining toadflax							
	<i>Kunzea pomifera</i>	muntries				9			
*	<i>Lactuca saligna</i>	willow-leaf lettuce							
*	<i>Lactuca serriola</i>	prickly lettuce							
	<i>Lagenifera huegelii</i>	coarse bottle-daisy			R				
	<i>Lagenifera stipitata var. stipitata</i>	spreading bottle-daisy				10			
*	<i>Lagurus ovatus</i>	hare's tail grass				46			
	<i>Lasiopetalum "Cordate-leaved"(H.P.Vonow 810)</i>	heart-leaf velvet-bush							recorded as <i>L. schulzenii</i>
	<i>Lasiopetalum baueri</i>	slender velvet-bush				6			
	<i>Lasiopetalum behrii</i>	pink velvet-bush			E				
	<i>Lasiopetalum discolor</i>	coast velvet-bush				21			
	<i>Lasiopetalum schulzenii</i>	drooping velvet-bush				71			includes <i>Lasiopetalum "Cordate-leaved"(H.P.Vonow 810)</i>
	<i>Lasiopetalum x tepperi</i>	Tepper's velvet-bush							
*	<i>Lavatera arborea</i>	tree mallow							
	<i>Lavatera plebeia</i>	Australian hollyhock			U				
	<i>Lawrencia glomerata</i>	clustered lawrencia							
	<i>Lawrencia spicata</i>	salt lawrencia		U	U	1			
	<i>Lawrencia squamata</i>	thorny lawrencia			K				
	<i>Laxmannia orientalis</i>	dwarf wire-lily				10			
	<i>Leionema equestre</i>								was <i>Phebalium equestre</i>
	<i>Lemna trisulca</i>	ivy-leaf duckweed							
*	<i>Lepidium africanum</i>	common peppergrass							
	<i>Lepidium desvauxii</i>	bushy peppergrass		R	R				
	<i>Lepidium foliosum</i>	leafy peppergrass			K				
	<i>Lepidium pseudotasmanicum</i>	shade peppergrass		K	Q				
	<i>Lepidobolus drapetocoleus</i>					1			not previously recorded on KI; sight record only
	<i>Lepidosperma canescens</i>	hoary rapier-sedge				4			
	<i>Lepidosperma carphoides</i>	black rapier-sedge				26			
	<i>Lepidosperma concavum</i>	spreading sword-sedge				11			
	<i>Lepidosperma congestum</i>	clustered sword-sedge				3			
	<i>Lepidosperma gladiatum</i>	coast sword-sedge				4			
	<i>Lepidosperma laterale (NC)</i>					33	R		<i>Lepidosperma laterale</i> s.str. Not on KI; refers in part to <i>L. concavum</i> & <i>L. congestum</i>

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Lepidosperma longitudinale</i>	pithy sword-sedge			R				
	<i>Lepidosperma semiteres</i>	wire rapier-sedge			U	44			
	<i>Lepidosperma</i> sp.	sword-sedge/rapier-sedge				4	N		
	<i>Lepidosperma viscidum</i>	sticky sword-sedge				51			
	<i>Lepilaena cylindrocarpa</i>	long-fruit water-mat							
	<i>Lepilaena marina</i>	sea water-mat							
	<i>Lepilaena patentifolia</i>	spreading water-mat							
	<i>Leporella fimbriata</i>	fringed hare-orchid				3			
	<i>Leptocarpus tenax</i>	slender twine-rush			U	9			
	<i>Leptoceras menziesii</i>	hare orchid			R				
	<i>Leptomeria aphylla</i>	leafless currant-bush		U	U	29			
	<i>Leptorhynchos squamatus</i>	scaly buttons			R	1			
	<i>Leptorhynchos waitzia</i>	button immortelle			R				
	<i>Leptospermum continentale</i>	prickly tea-tree				51	1		
	<i>Leptospermum lanigerum</i>	silky tea-tree				8			
	<i>Leptospermum myrsinoides</i>	heath tea-tree				36	1		
	<i>Lepyrodia valliculae</i>	Kangaroo Island scale-rush	2RCa	R	R	3			
	<i>Leucophyta brownii</i>	coast cushion bush				11			
	<i>Leucopogon clelandii</i>	Cleland's beard-heath		R	R				
	<i>Leucopogon concurvus</i>	scrambling beard-heath				65			
	<i>Leucopogon costatus</i>	twiggy beard-heath				26			
	<i>Leucopogon hirsutus</i>	hairy beard-heath		R	R	2			
	<i>Leucopogon lanceolatus</i>	lance beard-heath		U	R	3			
	<i>Leucopogon parviflorus</i>	coast beard-heath				85			
	<i>Leucopogon rufus</i>	ruddy beard-heath		U	U	50			
	<i>Leucopogon</i> sp.					1	R		
	<i>Leucopogon virgatus</i>	common beard-heath			R				
	<i>Leucopogon woodsii</i>	nodding beard-heath		U	U	3			
	<i>Levenhookia dubia</i>	hairy stylewort			R				
	<i>Levenhookia pusilla</i>	tiny stylewort							
	<i>Lichen</i> sp.					26	N	non-vascular plants; not consistently recorded	
	<i>Lilaeopsis polyantha</i>	Australian lilaeopsis		Q	R				
	<i>Liliaceae</i> sp.	lily family				2	R		
*	<i>Limonium binervosum</i>	dwarf sea-lavender							
*	<i>Limonium companyonis</i>	sea-lavender							
*	<i>Limonium lobatum</i>	winged sea-lavender							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Limosella australis</i>	Australian mudwort			U				
	<i>Lindsaea linearis</i>	screw fern		U	R	2			
*	<i>Linum strictum ssp. strictum</i>	upright yellow flax							
*	<i>Linum trigynum</i>	French flax							
	<i>Lissanthe strigosa</i>	peach heath				14			
	<i>Lobelia alata</i>	angled lobelia				2			
	<i>Lobelia gibbosa</i>	tall lobelia				13			
	<i>Lobelia pratioides</i>					1	N	not on KI; redetermined as <i>Comesperma volubile</i>	
	<i>Lobelia rhombifolia</i>	tufted lobelia		U	U				
	<i>Logania crassifolia</i>	coast logania				8			
	<i>Logania insularis</i>	Kangaroo Island logania	2VCa	V	V	2			
	<i>Logania linifolia</i>	flax-leaf logania			K	2			
	<i>Logania ovata</i>	oval-leaf logania				52			
	<i>Logania recurva</i>	recurved logania			U		N	not on KI; previous records refer to <i>L. scabrella</i>	
	<i>Logania scabrella</i>	rough logania	R	R	R				
	<i>Logania sp.</i>					2	R		
*	<i>Lolium loliaceum</i>	stiff ryegrass				16			
*	<i>Lolium rigidum</i>	Wimmera ryegrass				11			
*	<i>Lolium sp.</i>	ryegrass				1	R		
*	<i>Lolium temulentum var. temulentum</i>	beared ryegrass							
*	<i>Lolium x hubbardii</i>								
	<i>Lomandra collina</i>	sand mat-rush			K	1			
	<i>Lomandra juncea</i>	desert mat-rush			R				
	<i>Lomandra micrantha ssp. micrantha</i>	small-flower mat-rush			K				
	<i>Lomandra micrantha ssp. tuberculata</i>	small-flower mat-rush			T	1			
	<i>Lomandra sororia</i>	sword mat-rush		U	K				
	<i>Lotus australis</i>	austral trefoil				7			
	<i>Lotus cruentus</i>					1		record needs confirmation; not previously recorded on KI; no collection seen at AD	
	<i>Loxocarya fasciculata</i>	bundled cord-rush		V	E				
	<i>Luzula densiflora</i>	dense wood-rush		U	R	2		recorded as <i>L. flaccida</i>	
	<i>Luzula flaccida</i>					2	N	not on KI; previous records redetermined as <i>L. densiflora</i>	
	<i>Luzula meridionalis</i>	common wood-rush			R				
*	<i>Lycium ferocissimum</i>	African boxthorn				4			
	<i>Lycopodiella lateralis</i>	slender clubmoss		R	R	1			
	<i>Lysiana exocarpi ssp. exocarpi</i>	harlequin mistletoe							
	<i>Lythrum hyssopifolia</i>	lesser loosestrife				2			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Maireana enchylaenoides</i>	wingless fissure-plant			K				
	<i>Maireana oppositifolia</i>	salt bluebush				6			
*	<i>Malva nicaeensis</i>	mallow of Nice							
*	<i>Malva parviflora</i>	small-flower marshmallow							
*	<i>Marrubium vulgare</i>	horehound					1		
	<i>Marsilea costulifera</i>	narrow-leaf nardoo			Q				
	<i>Marsilea hirsuta</i>	short-fruit nardoo			T				
*	<i>Matthiola incana</i>	common stock							
	<i>Medicago minima</i> var. <i>minima</i>					3		records need confirmation; not previously recorded on KI	
*	<i>Medicago polymorpha</i> var. <i>polymorpha</i>	burr-medic				1			
*	<i>Medicago</i> sp.	medic							
*	<i>Medicago truncatula</i>	barrel medic				2			
	<i>Melaleuca acuminata</i>	mallee honey-myrtle				6	1		
	<i>Melaleuca brevifolia</i>	short-leaf honey-myrtle				24			
	<i>Melaleuca cuticularis</i>	western swamp-paperbark		V	V				
	<i>Melaleuca decussata</i>	totem-poles							
	<i>Melaleuca gibbosa</i>	slender honey-myrtle				155			
	<i>Melaleuca halmaturorum</i> ssp. <i>halmaturorum</i>	swamp paper-bark				4			
	<i>Melaleuca lanceolata</i> ssp. <i>lanceolata</i>	dryland tea-tree				98			
	<i>Melaleuca squamea</i>	swamp honey-myrtle		R	R	6			
	<i>Melaleuca uncinata</i>	broombush				53			
	<i>Melaleuca wilsonii</i>	Wilson's honey-myrtle		R	X				
*	<i>Melilotus indica</i>	King Island melilot				18			
*	<i>Mentha pulegium</i>	pennyroyal							
	<i>Mentha satureioides</i>	native pennyroyal		R					
*	<i>Mesembryanthemum crystallinum</i>	common iceplant							
	<i>Micrantheum demissum</i>	dwarf micrantheum				63	1		
	<i>Microcybe pauciflora</i>	yellow microcybe			U	11			
	<i>Microlaena stipoides</i> var. <i>stipoides</i>	weeping rice-grass			R	2			
	<i>Microlepidium pilosulum</i>	hairy shepherd's-purse	3KCa	R	R				
	<i>Microseris lanceolata</i>	yam daisy				7			
	<i>Microtis arenaria</i>	notched onion-orchid				31		recorded as <i>M. frutetorum</i>	
	<i>Microtis atrata</i>	yellow onion-orchid		R	R				
	<i>Microtis frutetorum</i>					31	N	not on KI; refers to <i>M. arenaria</i>	
	<i>Microtis orbicularis</i>	swamp onion-orchid		R	R	5			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Microtis parviflora</i>	slender onion-orchid		U					
	<i>Microtis rara</i>	sweet onion-orchid		R	R				
	<i>Millotia muelleri</i>	common bow-flower			R				
	<i>Millotia myosotidifolia</i>	broad-leaf millotia			R	1			
	<i>Millotia sp.</i>	millotia/bow-flower							
	<i>Millotia tenuifolia var. tenuifolia</i>	soft millotia				2			
	<i>Mimulus repens</i>	creeping monkey-flower			R	1			
*	<i>Minuartia mediterranea</i>	slender sandwort				1			
*	<i>Misopates orontium</i>	lesser snapdragon							
	<i>Mitrasacme paradoxa (NC)</i>	wiry mitrewort				41	N	KI records refer to <i>Phyllangium divergens</i>	
*	<i>Monopsis debilis var. depressa</i>								
	<i>Montia australasica</i>	white purslane		R	K	3			
*	<i>Moraea vegeta</i>								
	<i>Moss sp.</i>					71	N	non-vascular plants; not consistently recorded	
	<i>Muehlenbeckia adpressa</i>	climbing lignum				23			
	<i>Muehlenbeckia gunnii</i>	coastal climbing lignum				4			
	<i>Myoporum brevipes</i>	warty boobialla			R	1			
	<i>Myoporum insulare</i>	common boobialla				37			
	<i>Myoporum parvifolium</i>	creeping boobialla		R	R				
	<i>Myoporum viscosum</i>	sticky boobialla		U		3	1		
	<i>Myosotis australis</i>	austral forget-me-not			U	5			
	<i>Myriocephalus rhizocephalus var. rhizocephalus</i>	woolly-heads		U	T				
	<i>Myriophyllum amphibium</i>	broad milfoil		R	K				
	<i>Myriophyllum integrifolium</i>	tiny milfoil		R	R	2			
	<i>Myriophyllum muelleri</i>	hooded milfoil		Q	U	4			
	<i>Myriophyllum pedunculatum</i>	mat milfoil		Q	Q				
	<i>Myriophyllum salsugineum</i>	lake milfoil		Q	K				
	<i>Myriophyllum simulans</i>	amphibious milfoil		Q	R	4			
	<i>Myriophyllum sp.</i>	milfoil				1	R		
	<i>Myriophyllum variifolium</i>	varied milfoil		K	K				
*	<i>Myrsiphyllum asparagoides</i>	bridal creeper				18			
*	<i>Myrsiphyllum declinatum</i>								
*	<i>Narcissus tazetta</i>	polyanthus narcissus							
	<i>Neurachne alopecuroidea</i>	fox-tail mulga-grass			Q				
*	<i>Nicotiana glauca</i>	tree tobacco							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Nicotiana maritima</i>	coast tobacco							
	<i>Nitraria billardiarei</i>	nitre-bush							
*	<i>Nothoscordum gracile</i>								
	<i>Nymphoides geminata</i>	entire marshwort		V	V				
*	<i>Oenothera stricta ssp. stricta</i>	common evening primrose							
	<i>Olax obcordata</i>			R	V				
*	<i>Olea europaea ssp. europaea</i>	olive				1			
	<i>Olearia axillaris</i>	coast daisy-bush				29			
	<i>Olearia ciliata var. ciliata</i>	fringed daisy-bush				6			
	<i>Olearia ciliata var. squamifolia</i>	Kangaroo Island fringed daisy-bush		U	U	15			
	<i>Olearia microdisca</i>	small-flower daisy-bush	2ECa	E	E				
	<i>Olearia ramulosa</i>	twiggy daisy-bush				32	1		
	<i>Olearia rudis</i>	azure daisy-bush		U	U	5	1		
	<i>Olearia teretifolia</i>	cypress daisy-bush		U	U	13			
	<i>Opercularia ovata</i>	broad-leaf stinkweed		U	R				
	<i>Opercularia scabrida</i>	stalked stinkweed				2			
	<i>Opercularia turpis</i>	twiggy stinkweed				5			
	<i>Opercularia varia</i>	variable stinkweed				10	1		
	<i>Ophioglossum lusitanicum</i>	austral adder's-tongue			K				
	<i>Orchidaceae sp.</i>	orchid family				2	R		
*	<i>Ornithogalum arabicum</i>	star of Africa							
	<i>Orthoceras strictum</i>	horned orchid		U	R	2			
	<i>Orthrosanthus multiflorus</i>	morning flag				101			
	<i>Osteospermum sp.</i>					1			
	<i>Ottelia ovalifolia</i>	swamp lily		R	K	2			
	<i>Oxalis corniculata ssp. corniculata</i>					1	N	not on KI; unvouchered (sight) record; presumed as <i>O. perrenans</i>	
	<i>Oxalis perennans</i>	native sorrel				47		(incl. one record as <i>O. corniculata ssp. corniculata</i>)	
*	<i>Oxalis pes-caprae</i>	soursob				1			
*	<i>Oxalis purpurea</i>	one-o'clock							
	<i>Ozothamnus retusus</i>	notched bush-everlasting		Q	R	1			
*	<i>Papaver aculeatum</i>	bristle poppy				6			
*	<i>Papaver rhoeas</i>	field poppy							
	<i>Paracaleana "aff. nigrita": D.L.Jones</i>	black-beak duck-orchid		E	E				
	<i>Parahebe derwentiana (NC)</i>	Derwent speedwell				3	N	refers to <i>Derwentia derwentiana ssp. anisodonta</i>	
*	<i>Parapholis incurva</i>	curly ryegrass				6			
*	<i>Parentucellia latifolia</i>	red bartsia				2			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
			AUS	SA	KI				
*	<i>Parentucellia viscosa</i>	yellow bartsia							
	<i>Parietaria cardiostegia</i>	mallee smooth-nettle							
	<i>Parietaria debilis</i>	smooth-nettle				22			
	<i>Paspalidium jubiflorum</i>	Warrego summer-grass							
*	<i>Paspalum dilatatum</i>	paspalum							
	<i>Patersonia fragilis</i>	short purple-flag		U	U	7			
	<i>Patersonia occidentalis</i>	long purple-flag		U	K				
	<i>Pelargonium australe</i>	australian pelargonium				8			
	<i>Pelargonium littorale</i>	native pelargonium				32			
*	<i>Pennisetum clandestinum</i>	kikuyu							
*	<i>Pennisetum villosum</i>	feather-top							
	<i>Persicaria prostrata</i>	creeping knotweed		U	R				
	<i>Petrophile multisecta</i>	Kangaroo Island conesticks				108	1		
*	<i>Petrorhagia nanteuilii</i>								
*	<i>Petrorhagia velutina</i>	velvet pink				5			
*	<i>Petroselinum crispum</i>	parsley							
*	<i>Phacelia tanacetifolia</i>	tansy phacelia							
*	<i>Phalaris aquatica</i>	phalaris							
*	<i>Phalaris minor</i>	lesser canary-grass							
*	<i>Phalaris paradoxa</i>	paradox canary-grass							
*	<i>Phalaris sp.</i>	canary grass							
	<i>Phebalium equestre</i>	Kangaroo Island phebalium	2ECa	E	E			N = <i>Leionema equestre</i>	
	<i>Philothea angustifolia ssp. angustifolia</i>					5		recorded as <i>Eriostemon angustifolius ssp. angustifolius</i>	
	<i>Philothea pungens</i>							(was <i>Eriostemon pungens</i>)	
	<i>Phragmites australis</i>	common reed						observed on KI, but no collections seen at AD	
	<i>Phyllangium distylis</i>	tiny mitrewort		R	R	3			
	<i>Phyllangium divergens</i>	wiry mitrewort				41		recorded as <i>Mitrasacme paradoxa</i>	
	<i>Phyllanthus australis</i>	southern spurge				22		# new name?	
	<i>Phyllanthus saxosus</i>	rock spurge		U	K				
	<i>Phyllanthus sp.</i>						1 R		
	<i>Phylloglossum drummondii</i>	pigmy clubmoss		R	V	1			
	<i>Phyllota pleurandroides</i>	heathy phyllota				36			
	<i>Phyllota remota</i>	slender phyllota		U		1			
	<i>Picris angustifolia ssp. angustifolia</i>	coast picris		Q	X				
	<i>Pilularia novae-hollandiae</i>	austral pillwort		R	K				
	<i>Pimelea flava ssp. dichotoma</i>	diosma riceflower				11			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Pimelea flava</i> ssp. <i>flava</i>	yellow riceflower				9			
	<i>Pimelea glauca</i>	smooth riceflower				35	1		
	<i>Pimelea macrostegia</i>	Kangaroo Island riceflower		U	U	19	1		
	<i>Pimelea micrantha</i>	silky riceflower			T	1			
	<i>Pimelea octophylla</i>	woolly riceflower				18	1	recorded as <i>P. octophylla</i> ssp. (NC)	
	<i>Pimelea octophylla</i> ssp. (NC)						1 N	= <i>P. octophylla</i>	
	<i>Pimelea phyllicoides</i>	heath riceflower				15	1		
	<i>Pimelea serpyllifolia</i> ssp. <i>serpyllifolia</i>	thyme riceflower				27			
	<i>Pimelea</i> sp.	riceflower				1		R	
	<i>Pimelea stricta</i>	erect riceflower				25			
	<i>Pittosporum phylliraeoides</i> var. <i>microcarpa</i>	native apricot			V				
*	<i>Plantago coronopus</i> ssp. <i>coronopus</i>	bucks-horn plantain							
	<i>Plantago hispida</i>	hairy plantain				2			
*	<i>Plantago lanceolata</i> var. <i>lanceolata</i>	ribwort				2			
	<i>Plantago</i> sp. <i>B</i>	little plantain							
	<i>Platylobium obtusangulum</i>	holly flat-pea				43			
	<i>Platysace heterophylla</i> var. <i>heterophylla</i>	slender platysace				1			
	<i>Platysace heterophylla</i> var. <i>tepperi</i>	Kangaroo Island platysace	2RCa	R	R	1			
	<i>Pleurosorus rutifolius</i>	blanket fern							
*	<i>Poa annua</i>	winter grass							
*	<i>Poa bulbosa</i>	bulbous meadow-grass							
	<i>Poa crassicaudex</i>	thick-stem tussock-grass			R	12			
	<i>Poa fax</i>	scaly poa		R	R	2			
	<i>Poa halmaturina</i>	Kangaroo Island poa	3RC-			20			
	<i>Poa poiiformis</i>	coast tussock-grass				3			
*	<i>Poa pratensis</i>	Kentucky blue-grass							
	<i>Poa</i> sp.	meadow-grass/tussock-grass				6		R	
	<i>Poa tenera</i>	slender tussock-grass		Q	Q	1			
	<i>Podolepis canescens</i>					1			
	<i>Podolepis jaceoides</i>	showy copper-wire daisy		R	R	1			
	<i>Podolepis rugata</i> var. <i>littoralis</i>	coast copper-wire daisy		U	U	8			
	<i>Podolepis rugata</i> var. <i>rugata</i>	pleated copper-wire daisy							
	<i>Podotheca angustifolia</i>	sticky long-heads				24			
	<i>Pogonolepis muelleriana</i>	stiff cup-flower							
*	<i>Polycarpon tetraphyllum</i>	four-leaf allseed				2			

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
			AUS	SA	KI				
*	<i>Polygonum aviculare</i>	wireweed							
*	<i>Polypogon maritimus</i>	coast beard-grass				4			
*	<i>Polypogon monspeliensis</i>	annual beard-grass				3			
	<i>Pomaderris halmaturina</i> ssp. <i>halmaturina</i>	Kangaroo Island pomaderris	3VC-	V	E	3			
	<i>Pomaderris myrtilloides</i>						N	doubtful occurrence on KI	
	<i>Pomaderris obcordata</i>	wedge-leaf pomaderris				30			
	<i>Pomaderris oraria</i> (NC)					20	N	refers to <i>P. paniculosa</i> ssp.(either subspecies)	
	<i>Pomaderris paniculosa</i> ssp.					20	R	recorded as <i>Pomaderris oraria</i> (NC)	
	<i>Pomaderris paniculosa</i> ssp. <i>paniculosa</i>	mallee pomaderris						(included in <i>P. paniculosa</i> ssp.)	
	<i>Pomaderris paniculosa</i> ssp. <i>paralia</i>	coast pomaderris				5			
	<i>Pomaderris</i> sp.					1	R		
	<i>Poranthera ericoides</i>	heath poranthera				6			
	<i>Poranthera microphylla</i>	small poranthera				60			
	<i>Poranthera triandra</i>	three-petal poranthera			Q				
	<i>Portulaca oleracea</i>	common purslane							
	<i>Posidonia angustifolia</i>	narrow-leaf tape-weed							
	<i>Posidonia australis</i>	southern tapeweed							
	<i>Posidonia coriacea</i>	leathery tapeweed							
	<i>Posidonia sinuosa</i>	narrow-leaf tape-weed							
	<i>Potamogeton ochreatus</i>	blunt pondweed		R	R				
*	<i>Potamogeton pectinatus</i>	fennel pondweed							
	<i>Potamogeton tepperi</i>	Tepper's pondweed			K				
	<i>Potamogeton tricarinatus</i>	floating pondweed				4			
	<i>Prasophyllum</i> aff. <i>truncatum</i>								
	<i>Prasophyllum australe</i>	austral leek-orchid		R	R				
	<i>Prasophyllum calcicola</i>	limestone leek-orchid	R	V	T				
	<i>Prasophyllum elatum</i>	tall leek-orchid			U	4			
	<i>Prasophyllum occidentale</i>	plains leek-orchid							
	<i>Prasophyllum occultans</i>	hidden leek-orchid	R	R	K				
	<i>Prasophyllum odoratum</i>	scented leek-orchid			K				
	<i>Pratia platycalyx</i>	salt pratia		U	E				
	<i>Prostanthera aspalathoides</i>	scarlet mintbush			R	8			
	<i>Prostanthera behriana</i>	downy mintbush		U	E				
	<i>Prostanthera chlorantha</i>	green mintbush	R	R	V	2		(including one record as <i>P. serpyllifolia</i> ssp. <i>serpyllifolia</i>)	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Prostanthera serpyllifolia</i> ssp. <i>microphylla</i>	small-leaf mintbush			R	9			
	<i>Prostanthera serpyllifolia</i> ssp. <i>serpyllifolia</i>					1	N	Not on KI; probably refers to <i>P. chlorantha</i>	
	<i>Prostanthera spinosa</i>	spiny mintbush				60			
	<i>Pseudanthus micranthus</i>	fringed pseudanthus	2RCa	R	R				
	<i>Pseudognaphalium luteoalbum</i>	Jersey cudweed				4			
	<i>Pteridium esculentum</i>	bracken fern				18			
	<i>Pterostylis</i> aff. <i>nana</i> "mallee"	mallee dwarf greenhood							
	<i>Pterostylis alata</i>	tall shell-orchid		U	U	2	1		
	<i>Pterostylis erythroconcha</i>	red shell-orchid			U				
	<i>Pterostylis furcata</i>	forked greenhood		E	E	1			
	<i>Pterostylis longifolia</i>	tall greenhood				6	1		
	<i>Pterostylis nana</i>	dwarf greenhood				7	1		
	<i>Pterostylis nutans</i>	nodding greenhood			R				
	<i>Pterostylis pedunculata</i>	maroon-hood				4			
	<i>Pterostylis plumosa</i>	bearded greenhood			U	6			
	<i>Pterostylis sanguinea</i>	blood greenhood				4		includes 2 records as <i>P. vitatta</i> (NC)	
	<i>Pterostylis vittata</i> (NC)					2	N	= <i>Pterostylis sanguinea</i>	
	<i>Ptilotus beckerianus</i>	ironstone mulla mulla	3VCa	V	V				
	<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>	pink mulla mulla							
	<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>	pussy-tails							
	<i>Puccinellia stricta</i> var. <i>stricta</i>	Australian saltmarsh-grass				3			
	<i>Pultenaea acerosa</i>	bristly bush-pea				43			
	<i>Pultenaea canaliculata</i> var. <i>canaliculata</i>	soft bush-pea				10			
	<i>Pultenaea canaliculata</i> var. <i>latifolia</i>	soft bush-pea							
	<i>Pultenaea daphnoides</i>	large-leaf bush pea			U	19			
	<i>Pultenaea densifolia</i>	dense bush-pea		U	U	1			
	<i>Pultenaea dentata</i>	clustered bush-pea		R	T				
	<i>Pultenaea graveolens</i>	scented bush-pea		U	X				
	<i>Pultenaea insularis</i>	Beyeria bush-pea	E	E	E				
	<i>Pultenaea largiflorens</i>	twiggy bush-pea			K	2			
	<i>Pultenaea laxiflora</i>	loose-flower bush-pea			R				
	<i>Pultenaea rigida</i> var.						1 R	= var. <i>rigida</i> on KI	
	<i>Pultenaea rigida</i> var. <i>rigida</i>	rigid bush-pea				15		includes 1 record as ' <i>P. rigida</i> var.'	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Pultenaea scabra</i>	rough bush-pea		R	R				
	<i>Pultenaea tenuifolia</i>	narrow-leaf bush-pea				4	1		
	<i>Pultenaea teretifolia</i> var. <i>brachyphylla</i>	short-leaf bush-pea	2RC-	R	R				
	<i>Pultenaea trifida</i>	Kangaroo Island bush-pea	2RCa	U	U	7			
	<i>Pultenaea trinervis</i>	three-nerve bush-pea	N		R	2			
	<i>Pultenaea vestita</i>	feather bush-pea		U	U	12			
	<i>Pultenaea villifera</i> var. <i>glabrescens</i>	splendid bush-pea	2VCi	V	V	2			
	<i>Pultenaea viscidula</i>	dark bush-pea				34			
	<i>Pyrorchis nigricans</i>	black fire-orchid				9			
	<i>Ranunculus amphitrichus</i>	small river buttercup		U	R				
	<i>Ranunculus inundatus</i>					2		not previously recorded on KI; recorded as <i>R. papulentus</i> ; uncertain identification	
	<i>Ranunculus papulentus</i>					2	N	vouchered record redetermined as <i>R. ?inundatus</i>	
	<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>					1			
	<i>Ranunculus pumilio</i> var. <i>pumilio</i>	ferry buttercup			K				
	<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>					8			
	<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	annual buttercup				1			
	<i>Ranunculus</i> sp.	buttercup				2	R		
*	<i>Raphanus raphanistrum</i>	wild radish							
	<i>Restio complanatus</i>	flat cord-rush		V	V				
	<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>	seaberry saltbush				35			
	<i>Rhagodia crassifolia</i>	fleshy saltbush				1			
	<i>Rhagodia preissii</i> ssp. <i>preissii</i>	mallee saltbush							
	<i>Rhamnaceae</i> sp.					3	R	recorded as <i>Spyridium tricolor</i>	
*	<i>Rhamnus alaternus</i>					1			
	<i>Rhytidosporum procumbens</i>	white rhytidosporum		R	R	1			
*	<i>Ricinus communis</i>	castor oil plant							
*	<i>Romulea minutiflora</i>	small-flower onion-grass							
*	<i>Romulea rosea</i> var. <i>australis</i>	common onion-grass				1			
*	<i>Rosa rubiginosa</i>	sweet briar							
*	<i>Rostraria cristata</i>	annual cat's-tail				21		includes 20 records as <i>Rostraria</i> sp.	
	<i>Rostraria</i> sp.					20	R	only <i>R. cristata</i> on KI	
	<i>Rubus parvifolius</i>	native raspberry		U	X				
	<i>Rumex brownii</i>	slender dock							
*	<i>Rumex crispus</i>	curled dock							
*	<i>Rumex pulcher</i> ssp. <i>pulcher</i>	fiddle dock							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Rumex sp.</i>	dock				2	R		
	<i>Ruppia megacarpa</i>	widgeon grass							
	<i>Ruppia polycarpa</i>	widgeon grass							
	<i>Ruppia sp.</i>	water-tassel				2	R		
	<i>Ruppia tuberosa</i>	widgeon grass							
	<i>Rutidosis multiflora</i>	small wrinklewort				1			
*	<i>Sagina apetala</i>	annual pearlwort							
*	<i>Sagina maritima</i>	sea pearlwort				1			
	<i>Salsola kali</i>	buckbush							
*	<i>Salvia verbenaca form A</i>	wild sage							
	<i>Samolus repens</i>	creeping brookweed			Q	27			
	<i>Sarcocornia blackiana</i>	thick-head samphire				3			
	<i>Sarcocornia quinqueflora</i>	beaded samphire				9			
*	<i>Scabiosa atropurpurea</i>	pincushion							
	<i>Scaevola aemula</i>	fairy fanflower				11	1		
	<i>Scaevola albida</i>	pale fan-flower			R				
	<i>Scaevola angustata</i>	coast fanflower				2	1		
	<i>Scaevola crassifolia</i>	cushion fanflower				7			
	<i>Scaevola linearis ssp. confertifolia</i>	bundled fanflower		U	U	12			
*	<i>Schismus barbatus</i>	Arabian grass							
	<i>Schizaea bifida</i>	forked comb-fern		V	E				
	<i>Schizaea fistulosa</i>	narrow comb-fern		V	V				
	<i>Schoenoplectus validus</i>	river club-rush			R				
	<i>Schoenus apogon</i>	common bog-rush				6	1		
	<i>Schoenus breviculmis</i>	matted bog-rush				27			
	<i>Schoenus carsei</i>	wiry bog-rush		U	K				
	<i>Schoenus deformis</i>	small bog-rush			K	1			
	<i>Schoenus discifer</i>	tiny bog-rush	3RCa	R	R				
	<i>Schoenus fluitans</i>	floating bog-rush		U	R				
	<i>Schoenus laevigatus</i>			R	E				
	<i>Schoenus lepidosperma ssp. lepidosperma</i>	slender bog-rush		R	E				
	<i>Schoenus maschalinus</i>	leafy bog-rush		U	R				
	<i>Schoenus nanus</i>					1			
	<i>Schoenus nitens</i>	shiny bog-rush			R	1			
	<i>Schoenus sculptus</i>	gimlet bog-rush		R	R				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Schoenus sp.</i>	bog-rush				1	R		
	<i>Schoenus tesquorum</i>	grassy bog-rush		R	K				
*	<i>Scilla hyacinthoides</i>	hyacinth bluebell							
	<i>Scirpus sp. (NC)</i>					2		= <i>Cyperaceae</i> sp.	
	<i>Scleranthus pungens</i>	prickly knawel			R				
	<i>Sclerolaena uniflora</i>	small-spine bindyi							
	<i>Sclerostegia arbuscula</i>	shrubby samphire				7			
	<i>Sclerostegia tenuis</i>	slender samphire							
	<i>Scutellaria humilis</i>	dwarf skullcap		R	R				
	<i>Sebaea ovata</i>	yellow sebaea				23			
	<i>Selaginella gracillima</i>	tiny selaginella		U	V	1			
	<i>Selliera radicans</i>	shiny swamp-mat			R	3			
	<i>Senecio biserratus</i>					1	N	not on KI; specimen redetermined as <i>S. minimus</i>	
	<i>Senecio glomeratus</i>	swamp groundsel			K				
	<i>Senecio glossanthus</i>	annual groundsel			K	2			
	<i>Senecio hispidulus (NC)</i>					2		= <i>S. hispidulus</i> var. <i>hispidulus</i>	
	<i>Senecio hispidulus</i> var. <i>hispidulus</i>	rough groundsel		U	K			recorded as <i>S. hispidulus</i> (NC)	
	<i>Senecio lautus</i>	variable groundsel				36			
	<i>Senecio magnificus</i>	showy groundsel			E				
	<i>Senecio minimus</i> var. <i>minimus</i>	fine-tooth groundsel		U	K	1		recorded as <i>S. biserratus</i>	
	<i>Senecio odoratus</i> var. <i>longifolius</i>	narrow-leaf scented groundsel		R	R	3			
	<i>Senecio odoratus</i> var. <i>odoratus</i>	scented groundsel				36			
	<i>Senecio picridioides</i>	purple-leaf groundsel				8			
*	<i>Senecio pterophorus</i> var. <i>pterophorus</i>	African daisy							
	<i>Senecio quadridentatus</i>	cotton groundsel			R	1			
	<i>Senecio sp.</i>	groundsel				3	R		
*	<i>Senecio vulgaris</i>	common groundsel							
*	<i>Setaria verticillata</i>	whorled pigeon-grass							
*	<i>Sherardia arvensis</i>	field madder				1			
	<i>Sigesbeckia orientalis</i> ssp. <i>orientalis</i>	oriental sigesbeckia		Q					
*	<i>Silene gallica</i> var. <i>gallica</i>	French catchfly							
*	<i>Silene nocturna</i>	Mediterranean catchfly				12			
*	<i>Silene vulgaris</i>	bladder campion							
*	<i>Sinapis arvensis</i>	charlock							
*	<i>Sisymbrium orientale</i>	Indian hedge mustard				1			
	<i>Solanum capsiciforme</i>	capsicum kangaroo-apple			K				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Solanum laciniatum</i>	cut-leaf kangaroo-apple							
*	<i>Solanum linnaeanum</i>	apple of Sodom							
*	<i>Solanum nigrum</i>	black nightshade							
	<i>Solanum opacum</i>	green-berry nightshade		Q	Q				
*	<i>Solanum pseudocapsicum</i>	Jerusalem cherry							
	<i>Solanum simile</i>	Kangaroo apple					1		
	<i>Solenogyne dominii</i>	smooth solenogyne		U	X				
*	<i>Sonchus asper ssp. asper</i>	rough sow-thistle							
*	<i>Sonchus asper ssp. glaucescens</i>	rough sow-thistle				4			
	<i>Sonchus hydrophilus</i>	native sow-thistle				1			
	<i>Sonchus megalocarpus</i>	coast sow-thistle				9			
*	<i>Sonchus oleraceus</i>	common sow-thistle				34			
	<i>Sonchus sp.</i>	sow-thistle				3		R	
*	<i>Sorghum halepense</i>	Johnson grass							
*	<i>Sparaxis bulbifera</i>	sparaxis				1		recorded as <i>Sparaxis</i> sp.	
	<i>Sparaxis sp.</i>					1		R presumed to be <i>S. bulbifera</i>	
*	<i>Spergularia marina</i>	salt sand-spurrey				2			
*	<i>Spergularia media</i>	coast sand-spurrey				1			
*	<i>Spergularia rubra</i>	red sand-spurrey							
	<i>Sphaerolobium minus</i>	leafless globe-pea		R	T				
	<i>Spinifex sericeus</i>	rolling spinifex				5	1		
	<i>Spiranthes sinensis ssp. australis</i>	austral lady's tresses		R	E				
*	<i>Sporobolus indicus var. capensis</i>	rat-tail grass							
	<i>Sporobolus virginicus</i>	salt couch				10		recorded as <i>S. virginicus</i> (NC)	
	<i>Sporobolus virginicus (NC)</i>	salt couch				10		N = <i>S. virginicus</i>	
	<i>Sprengelia incarnata</i>	pink swamp-heath		R	R	4			
	<i>Spyridium bifidum var. integrifolium</i>		K	K	K	4		recorded as <i>S. bifidum</i> var. <i>integrifolium</i> (NC)	
	<i>Spyridium bifidum var. integrifolium (NC)</i>					4		= <i>S. bifidum</i> var. <i>integrifolium</i>	
	<i>Spyridium eriocephalum (NC)</i>					1		R may be either variety	
	<i>Spyridium eriocephalum var. eriocephalum</i>	heath spyridium			K				
	<i>Spyridium eriocephalum var. glabrisepalum</i>	MacGillivray spyridium	2VC-	V	V				
	<i>Spyridium halmaturinum var. halmaturinum</i>	Kangaroo Island spyridium				10	1		

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Spyridium halmaturinum</i> var. <i>integrifolium</i>	Flinders Chase spyridium		U	U	22			
	<i>Spyridium halmaturinum</i> var. <i>scabridum</i>	rough spyridium	2KC-	R	R	1			
	<i>Spyridium nitidum</i>	shining spyridium		U	U	5			
	<i>Spyridium parvifolium</i>	dusty miller							
	<i>Spyridium phyllicoides</i>	narrow-leaf spyridium				20	1		
	<i>Spyridium spathulatum</i>	spoon-leaf spyridium	3RCa	R	R	12			
	<i>Spyridium thymifolium</i>	thyme-leaf spyridium				12			
	<i>Spyridium tricolor</i>					3		not on KI; transferred to Rhamnaceae sp. ; (possibly = <i>Stenanthemum leucophractum</i>)	
	<i>Spyridium vexilliferum</i> var. <i>latifolium</i>	winged spyridium				10			
	<i>Spyridium vexilliferum</i> var. <i>vexilliferum</i>					2			
*	<i>Stachys arvensis</i>	stagger weed							
	<i>Stackhousia aspericocca</i> (NC)					1	N	= <i>Stackhousia aspericocca</i> ssp.	
	<i>Stackhousia aspericocca</i> ssp.	bushy candles				3	R	may refer to either subspecies (includes one record as <i>S. apericocca</i> (NC))	
	<i>Stackhousia aspericocca</i> ssp. "Cylindrical inflorescence"(W.R.Barker 1418)	bushy candles				9			
	<i>Stackhousia aspericocca</i> ssp. "One-sided inflorescence"(W.R.Barker 697)	one-sided candles				33			
	<i>Stackhousia monogyna</i>	creamy candles			E				
	<i>Stackhousia</i> sp.						1 R		
	<i>Stackhousia spathulata</i>	coast candles			U	1	1		
	<i>Stellaria caespitosa</i>	starwort		V	K				
*	<i>Stellaria media</i>	chickweed				2			
	<i>Stellaria multiflora</i>	rayless starwort		R	R				
*	<i>Stellaria palustris</i> var. <i>palustris</i>	swamp starwort				2			
*	<i>Stenotaphrum secundatum</i>	buffalo grass							
	<i>Stipa curticoma</i>	short-crest spear-grass		Q	T		N	= <i>Austrostipa curticoma</i>	
	<i>Stipa densiflora</i>	foxtail spear-grass		R	K	2	N	= <i>Austrostipa densiflora</i>	
	<i>Stipa elegantissima</i>	feather spear-grass			T		N	= <i>Austrostipa elegantissima</i>	
	<i>Stipa exilis</i>	heath spear-grass				27	N	= <i>Austrostipa exilis</i>	
	<i>Stipa flavescens</i>	coast spear-grass				32	N	= <i>Austrostipa flavescens</i>	
	<i>Stipa hemipogon</i>	half-beard spear-grass				32	N	= <i>Austrostipa hemipogon</i>	
	<i>Stipa macalpinei</i>	annual spear-grass		U	U		N	= <i>Austrostipa macalpinei</i>	
	<i>Stipa mollis</i>	soft spear-grass				6	N	= <i>Austrostipa mollis</i>	
	<i>Stipa muelleri</i>	tangled spear-grass		R	X		N	= <i>Austrostipa muelleri</i>	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Stipa multispiculis</i>		3RC-	R	T	2	N	= <i>Austrostipa multispiculis</i>	
	<i>Stipa nitida</i>	Balcarra spear-grass			T		N	= <i>Austrostipa nitida</i>	
	<i>Stipa nodosa</i>	tall spear-grass			T		N	= <i>Austrostipa nodosa</i>	
	<i>Stipa scabra ssp. falcata</i>	slender spear-grass					N	= <i>Austrostipa scabra ssp. falcata</i>	
	<i>Stipa semibarbata</i>	fibrous spear-grass				1	N	= <i>Austrostipa semibarbata</i>	
	<i>Stipa sp.</i>	spear-grass				19	1 R	= <i>Austrostipa sp.</i>	
	<i>Stipa stipoides</i>	coast spear-grass				14	N	= <i>Austrostipa stipoides</i>	
	<i>Stipa tenuifolia</i>			R			N	= <i>Austrostipa tenuifolia</i>	
	<i>Stuartina muelleri</i>	spoon cudweed				1			
	<i>Stylidium beaugleholei</i>	Beauglehole's trigger-plant		R	R				
	<i>Stylidium calcaratum</i>	spurred trigger-plant			U	6		recorded as <i>S. calcaratum</i> (NC)	
	<i>Stylidium calcaratum (NC)</i>					6	N	= <i>S. calcaratum</i> on KI	
	<i>Stylidium despectum</i>	small trigger-plant				3			
	<i>Stylidium graminifolium</i>	grass trigger-plant			U	6			
	<i>Stylidium inundatum</i>	hundreds and thousands			U	5			
	<i>Stylidium perpusillum</i>	tiny trigger-plant		U	R	1	1		
	<i>Stylidium tepperianum</i>	Kangaroo Island trigger-plant	2RCa	R	R	5			
	<i>Styphelia exarrhena</i>	desert heath				7			
	<i>Suaeda australis</i>	austral seablite				7			
*	<i>Sutherlandia frutescens</i>	bladder senna							
	<i>Swainsona lessertiifolia</i>	coast swainson-pea				29			
*	<i>Taraxacum officinale</i>	dandelion							
	<i>Templetonia retusa</i>	cockies tongue				13			
	<i>Tetragonia implexicoma</i>	bower spinach				16			
	<i>Tettraria capillaris</i>	hair sedge				3		recorded as <i>Tricostuaria pauciflora</i>	
	<i>Tetratheca halmaturina</i>	leafless Kangaroo Island tetratheca				52			
	<i>Tetratheca insularis</i>	Kangaroo Island tetratheca				20			
	<i>Thelymitra antennifera</i>	lemon sun-orchid				3			
	<i>Thelymitra aristata</i>	great sun-orchid							
	<i>Thelymitra benthamiana</i>	leopard sun-orchid		U	U	9			
	<i>Thelymitra canaliculata</i>	azure sun-orchid		U	R	4			
	<i>Thelymitra flexuosa</i>	twisted sun-orchid		R	R	5			
	<i>Thelymitra grandiflora</i>	great sun-orchid		U	E				
	<i>Thelymitra longifolia (NC)</i>					6	N	presumed to be <i>T. nuda</i> (but may include some <i>T. pauciflora</i>)	
	<i>Thelymitra luteocilium</i>	yellow-tuft sun orchid				2			
	<i>Thelymitra matthewsii</i>	spiral sun-orchid	3VCi	E	E				

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Thelymitra mucida</i>	plum sun-orchid		R	R				
	<i>Thelymitra nuda</i>	scented sun-orchid				6		recorded as <i>T. longifolia</i> (NC)	
	<i>Thelymitra pauciflora</i>	slender sun-orchid				1			
	<i>Thelymitra rubra</i>	salmon sun-orchid							
	<i>Thelymitra</i> sp.	sun-orchid				5	R		
	<i>Thelymitra x macmillanii</i>	crimson sun-orchid							
	<i>Thomasia petalocalyx</i>	paper-flower				29	1		
	<i>Threlkeldia diffusa</i>	coast bonefruit				14			
	<i>Thryptomene ericaea</i>	heath thryptomene				19	1		
	<i>Thysanotus baueri</i>	mallee fringe-lily			K	1		probable new record for KI (identification requires confirmation)	
	<i>Thysanotus fractiflexus</i>	zig-zag fringe-lily		U		11			
	<i>Thysanotus juncifolius</i>	rush fringe-lily				20	1		
	<i>Thysanotus nudicaulis</i>					1	N	not on KI; transferred to <i>Thysanotus</i> sp.	
	<i>Thysanotus patersonii</i>	twining fringe-lily				38			
	<i>Thysanotus</i> sp.	fringe-lily				3		includes 1 record as <i>T. nudicaulis</i>	
	<i>Todea barbara</i>	king fern		E	E		N	not on KI; original record based on photo of <i>Hypolepis rugosula</i>	
*	<i>Torilis nodosa</i>	knotted hedge-parsley							
	<i>Trachymene pilosa</i>	dwarf trachymene				16			
*	<i>Tribulus terrestris</i>	caltrop							
	<i>Tricoryne elatior</i>	yellow rush-lily							
	<i>Tricoryne elatior</i> (NC)	yellow rush-lily				5	R	may refer to <i>T. elatior</i> or <i>T. tenella</i>	
	<i>Tricoryne</i> sp.	yellow rush-lily				5	R	recorded as <i>T. elatior</i> (NC)	
	<i>Tricoryne tenella</i>	tufted yellow rush-lily			R				
	<i>Tricostularia pauciflora</i>					3	N	not on KI; 3 specimens redetermined as <i>Tetraria capillaris</i>	
*	<i>Trifolium angustifolium</i>	narrow-leaf clover				1			
	<i>Trifolium arvense</i> var. <i>arvense</i>					3			
*	<i>Trifolium campestre</i>	hop clover				26			
*	<i>Trifolium cernuum</i>	drooping-flower clover							
*	<i>Trifolium dubium</i>	suckling clover				3			
*	<i>Trifolium glomeratum</i>	cluster clover				10			
*	<i>Trifolium</i> sp.	clover				7	R		
*	<i>Trifolium stellatum</i>	star clover				4			
*	<i>Trifolium subterraneum</i>	subterranean clover				4			
*	<i>Trifolium tomentosum</i>	woolly clover				1			
	<i>Triglochin alcockiae</i>	Alcock's water-ribbons		R	K				
	<i>Triglochin centrocarpum</i>	dwarf arrowgrass							

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Triglochin mucronatum</i>	prickly arrowgrass		Q					
	<i>Triglochin procerum</i>	water-ribbons							
	<i>Triglochin procerum</i> var. <i>procerum</i> (NC)	water-ribbons			10		R	may refer to <i>T. procerum</i> or <i>T. alcockiae</i>	
	<i>Triglochin</i> sp.	arrowgrass/water-ribbons					R	recorded as <i>T. procerum</i> var. <i>procerum</i> (NC)	
	<i>Triglochin striatum</i>	streaked arrowgrass		U	2				
	<i>Trigonella suavissima</i>				1		N	probable mis-identification (transferred to Unidentified sp.)	
	<i>Trithuria submersa</i>	trithuria			1			recorded as <i>Centrolepis cephaliformis</i> ssp. <i>murrayi</i> . Herbarium specimen redetermined.	
*	<i>Tritonia lineata</i>	lined tritonia							
*	<i>Tropaeolum majus</i>	nasturtium							
	<i>Trymalium wayae</i>	grey trymalium	U	R	5				
	<i>Typha domingensis</i>	narrow-leaf bulrush			1				
	<i>Typha orientalis</i>	broad-leaf bulrush							
*	<i>Ulex europaeus</i>	gorse							
	Unidentified sp.				1		R	one record as <i>Trigonella suavissima</i>	
*	<i>Urospermum picroides</i>	false hawkbit							
	<i>Urtica incisa</i>	scrub nettle	U	R	1				
*	<i>Urtica urens</i>	small nettle							
	<i>Utricularia dichotoma</i>	purple bladderwort	U	R	3			recorded as <i>U. dichotoma</i> (NC)	
	<i>Utricularia dichotoma</i> (NC)	purple bladderwort			3		N	= <i>U. dichotoma</i> on KI	
	<i>Utricularia lateriflora</i>	small bladderwort	V	V					
	<i>Utricularia tenella</i>	pink bladderwort	U	R	6	1			
*	<i>Valerianella discoidea</i>	lesser corn-salad							
	<i>Vallisneria spiralis</i>	river eel-grass	U	K					
*	<i>Vellereophyton dealbatum</i>	white cudweed			4				
*	<i>Verbascum creticum</i>	Cretan mullein							
	<i>Veronica arvensis</i>				1				
	<i>Veronica calycina</i>	hairy speedwell	U	K	1				
	<i>Veronica hillebrandii</i>	rigid speedwell			51				
*	<i>Vicia cracca</i>	tufted vetch							
*	<i>Vicia sativa</i> ssp. <i>nigra</i>	narrow-leaf vetch							
*	<i>Vicia sativa</i> ssp. <i>sativa</i>	common vetch							
	<i>Villarsia reniformis</i>	running marsh-flower		R	9				
	<i>Villarsia</i> sp.	marsh-flower			2		R		
	<i>Villarsia umbricola</i> var. <i>umbricola</i>	lax marsh-flower	U	R					
	<i>Viminaria juncea</i>	native broom	R	R					

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
*	<i>Vinca major</i>	blue periwinkle							
	<i>Viola hederacea</i>	ivy-leaf violet			K	2			
	<i>Viola sieberiana</i>	tiny violet				37	1		
	<i>Vittadinia australasica</i> var. <i>australasica</i>	sticky New Holland daisy				10			
	<i>Vittadinia cuneata</i> var. <i>cuneata</i> forma <i>cuneata</i>	fuzzy New Holland daisy							
	<i>Vittadinia gracilis</i>	woolly New Holland daisy							
	<i>Vittadinia</i> sp.					4	R		
*	<i>Vulpia bromoides</i>	squirrel-tail fescue				19			
*	<i>Vulpia fasciculata</i>	sand fescue							
*	<i>Vulpia myuros</i> forma <i>megalura</i>	fox-tail fescue				5			
*	<i>Vulpia myuros</i> forma <i>myuros</i>	rat's-tail fescue				48			
*	<i>Vulpia</i> sp.	fescue				4	R		
	<i>Wahlenbergia gracilentia</i>	annual bluebell				47			
	<i>Wahlenbergia multicaulis</i>	Tadgell's bluebell			K	1			
	<i>Wahlenbergia stricta</i> ssp. <i>stricta</i>	tall bluebell							
*	<i>Watsonia meriana</i> cv. <i>Bulbillifera</i>	bulbil watsonia							
	<i>Westringia dampieri</i>	shore westringia				2			
	<i>Westringia eremicola</i>	slender westringia			R	3	1		
	<i>Wilsonia backhousei</i>	narrow-leaf wilsonia			V				
	<i>Wilsonia humilis</i> var. <i>humilis</i>	silky wilsonia				1			
	<i>Wilsonia rotundifolia</i>	round-leaf wilsonia			R				
	<i>Wurmbea centralis</i> (NC)	inland Nancy				1	N	redetermined as <i>W. latifolia</i> ssp. <i>vanessae</i>	
	<i>Wurmbea decumbens</i>	trailing Nancy	R	R	K				
	<i>Wurmbea dioica</i> ssp. <i>dioica</i>	early Nancy			Q				
	<i>Wurmbea dioica</i> ssp. <i>dioica</i> (NC)	early Nancy			R	2	R	may refer to <i>W. dioica</i> , <i>W. decumbens</i> or <i>W. latifolia</i> ssp. <i>vanessae</i> ; transferred to <i>Wurmbea</i> sp.	
	<i>Wurmbea latifolia</i> (NC)	broad-leaf Nancy							
	<i>Wurmbea latifolia</i> ssp. <i>vanessae</i>		R	R	R	2		one recorded as <i>W. centralis</i> (NC) and the other as ' <i>Wurmbea dioica</i> ? ssp. <i>dioica</i> '	
	<i>Wurmbea</i> sp.					2	R	recorded as <i>W. dioica</i> ssp. <i>dioica</i> (NC)	
	<i>Xanthorrhoea semiplana</i> ssp. <i>tateana</i>	Tate's grass-tree				134	1		
	<i>Xanthosia dissecta</i> var. <i>floribunda</i>	cut-leaf xanthosia				8			
	<i>Xanthosia pusilla</i>	hairy xanthosia				8			
	<i>Xanthosia tasmanica</i>	southern xanthosia			R	2	V		
	<i>Xyris operculata</i>	tall yellow-eye			R	1	R		
*	<i>Zaluzianskya divaricata</i>	spreading night-phlox							
*	<i>Zantedeschia aethiopica</i>	white arum lily						observed on KI, but no collections seen at AD	

I	Scientific name	Common name	Cons. Status			SU	OP	Va	Comment
			AUS	SA	KI				
	<i>Zieria veronicea</i>	pink zieria		R	R	1			
	<i>Zostera capricorni</i>	eel-grass							
	<i>Zostera mucronata</i>	garweed	3K	K	K				
	<i>Zostera muelleri</i> estuarine variety	dwarf grass-wrack							
	<i>Zostera muelleri</i> var. <i>muelleri</i>	dwarf grasswrack							
	<i>Zoysia matrella</i>	Manila grass		R	R				
	<i>Zygodon billardierei</i>	coast twinleaf							
	<i>Zygodon billardierei</i> (NC)	coast twinleaf				5	R	may refer to <i>Z. billardierei</i> or <i>Z. flavum</i> ; transferred to <i>Zygodon</i> sp.	
	<i>Zygodon flavum</i>	coast twinleaf		Q	Q				
	<i>Zygodon</i> sp.					5	R	recorded as <i>Z. billardierei</i> (NC)	