

# CONTENTS

---

<b>PREFACE</b> .....	<b>iii</b>
<b>ABSTRACT</b> .....	<b>iv</b>
<b>FRONTISPIECE</b> .....	<b>v</b>
<b>LIST OF FIGURES</b> .....	<b>ix</b>
<b>LIST OF TABLES</b> .....	<b>xiii</b>
<b>LIST OF APPENDICES</b> .....	<b>xv</b>
<b>ACKNOWLEDGEMENTS</b> .....	<b>xvii</b>
<b>INTRODUCTION</b> .....	<b>1</b>
<b>BACKGROUND AND AIMS</b> .....	<b>1</b>
<i>PREVIOUS BIOLOGICAL STUDIES</i> .....	<b>11</b>
<b>CLIMATE</b> .....	<b>13</b>
<b>GEOMORPHOLOGY AND GEOLOGY</b> .....	<b>19</b>
<i>INTRODUCTION</i> .....	<b>19</b>
<i>GEOLOGICAL HISTORY</i> .....	<b>20</b>
<i>LANDFORMS AND LANDSCAPE DEVELOPMENT</i> .....	<b>26</b>
<i>ECONOMIC GEOLOGY</i> .....	<b>28</b>
<b>LAND USE HISTORY</b> .....	<b>33</b>
<i>ABORIGINAL LANDUSE</i> .....	<b>33</b>
<i>EUROPEAN HISTORY</i> .....	<b>49</b>
<b>METHODS</b> .....	<b>57</b>
<i>SITE SELECTION AND NOMENCLATURE</i> .....	<b>57</b>
<i>SAMPLING TEAMS</i> .....	<b>57</b>
<i>DATA COLLECTION</i> .....	<b>62</b>
<i>DATA ANALYSIS</i> .....	<b>63</b>
<i>VEGETATION MAPPING</i> .....	<b>63</b>
<i>COMPILATION OF BIOLOGICAL DATA</i> .....	<b>64</b>
<b>RESULTS</b> .....	<b>65</b>
<b>VEGETATION</b> .....	<b>65</b>
<i>INTRODUCTION</i> .....	<b>65</b>
<i>TOTAL PLANT SPECIES</i> .....	<b>65</b>
<i>RELATIVE ABUNDANCE OF PLANT SPECIES</i> .....	<b>65</b>
<i>SPECIES OF PARTICULAR INTEREST</i> .....	<b>69</b>
<i>PLANT SPECIES DIVERSITY BY SITE</i> .....	<b>73</b>
<i>DESCRIPTIONS OF SELECTED SIGNIFICANT SPECIES</i> .....	<b>79</b>
<b>FLORISTIC ANALYSIS</b> .....	<b>84</b>
<i>GROUPS 1 - 6</i> .....	<b>86</b>
<i>GROUPS 7 - 12</i> .....	<b>98</b>
<i>GROUPS 13 - 18</i> .....	<b>110</b>
<i>GROUPS 19 - 24</i> .....	<b>122</b>
<i>GROUPS 25 - 30</i> .....	<b>134</b>
<i>GROUPS 31 - 36</i> .....	<b>146</b>
<b>VEGETATION MAPPING</b> .....	<b>159</b>
<b>SUMMARY OF VEGETATION UNITS</b> .....	<b>159</b>
<i>STRUCTURAL DESCRIPTION</i> .....	<b>161</b>
<i>VEGETATION DISTRIBUTION</i> .....	<b>161</b>
<i>VEGETATION MAPPING UNIT DESCRIPTIONS</i> .....	<b>162</b>
<i>COMPARISON WITH OTHER WORKS</i> .....	<b>184</b>

MAMMALS.....	187
<i>INTRODUCTION</i> .....	187
<i>APPRAISAL OF SPECIES RECORDS PRIOR TO THE SURVEY</i> .....	187
<i>TOTAL MAMMAL FAUNA</i> .....	188
<i>RELATIVE ABUNDANCE OF MAMMAL SPECIES</i> .....	188
<i>SPECIES PATTERNS</i> .....	188
<i>SPECIES OF PARTICULAR INTEREST</i> .....	191
WHALES AND DOLPHINS (CETACEA) .....	203
 BIRDS.....	 205
<i>INTRODUCTION</i> .....	205
<i>TOTAL BIRD FAUNA</i> .....	207
<i>RELATIVE ABUNDANCE OF BIRD SPECIES</i> .....	208
<i>BIRD COMMUNITIES</i> .....	209
<i>ASSOCIATION WITH VEGETATION TYPES</i> .....	212
<i>DISCUSSION</i> .....	214
<i>SPECIES OF CONSERVATION SIGNIFICANCE</i> .....	216
 REPTILES AND AMPHIBIANS .....	 225
<i>INTRODUCTION</i> .....	225
<i>APPRAISAL OF SPECIES RECORDS PRIOR TO THE SURVEY</i> .....	225
<i>TOTAL REPTILE AND AMPHIBIAN FAUNA</i> .....	225
<i>DISCUSSION</i> .....	232
<i>OTHER REPTILE RECORDS</i> .....	232
<i>FROGS</i> .....	233
 <b>CONCLUSIONS AND RECOMMENDATIONS .....</b>	 <b>235</b>
INTRODUCTION .....	235
THE FLORA AND FAUNA TODAY .....	236
CONSERVATION MANAGEMENT ISSUES .....	237
CONCLUSIONS AND RECOMMENDATIONS .....	239
 <b>RESOURCES AND BIBLIOGRAPHY.....</b>	 <b>241</b>
 <b>APPENDICES .....</b>	 <b>267</b>

# FIGURES

---

Figure 1. Drainage patterns on Kangaroo Island. ....	2
Figure 2. 1:50 000 map coverage of Kangaroo Island. ....	2
Figure 3. The Study Area showing vegetation sampling sites. ....	3
Figure 4. The Study Area showing vegetation and vertebrate sampling sites. ....	3
Figure 5. The Study Area showing Laut et al. (1977) environmental associations. ....	4
Figure 6. Aerial view of the Southern Coast. ....	5
Figure 7. The Southern Coast, the Mouth of South-west River. ....	5
Figure 8. Aerial view of the Laterite Plateau. ....	6
Figure 9. The laterite plateau, Sugar Gum woodland along the De Molle River, Cape Torrens Conservation Park. ....	6
Figure 10. Aerial view of the North Coast. ....	7
Figure 11. The north coast, Sheoak woodland and cleared land, Stokes Bay. ....	7
Figure 12. Aerial view of Estuarine environments. ....	8
Figure 13. Estuarine environments, fringing saltmarsh, Pelican Lagoon. ....	8
Figure 14. Aerial view of Lagoons. ....	9
Figure 15. Lagoon environment, Murray's Lagoon, Cape Gantheaume Conservation Park. ....	9
Figure 16. Aerial view of northern Dudley Peninsula. ....	10
Figure 17. Northern Dudley Peninsula remnant vegetation in farmland. ....	10
Figure 18. Annual rainfall at Cape Borda 1868 – 1990. ....	13
Figure 19. Isohyets of mean annual rainfall in mm. ....	14
Figure 20. Variation in mean rainfall and temperature across study area. ....	15
Figure 21. Variation in mean rainfall and temperature across study area. ....	16
Figure 22. Rainfall at Kingscote 1988 – 1990. ....	17
Figure 23. Tectonic framework of Kangaroo Island. ....	19
Figure 24. Generalised geological map of Kangaroo Island. ....	21
Figure 25. Stratigraphic column and the geological record for Kangaroo Island. ....	22
Figure 26. Palaeogeography of the Kangaroo Island region during the early Cambrian. ....	22
Figure 27. Intense deformation within Kanmantoo Group metapelites and metasandstones at Harveys Return. ....	22
Figure 28. Permian palaeogeography, Kangaroo Island. ....	23
Figure 29. Residual granite erratics weathered out of Permian glaciogene sediments, Christmas Cove, Penneshaw. ....	23
Figure 30. Jurassic palaeogeography, Kangaroo Island. ....	24
Figure 31. Columnar jointing in Jurassic basalt, Kingscote. ....	24
Figure 32. Tertiary Palaeogeography, Kangaroo Island. ....	27
Figure 33. Sea caves formed in karstic Pleistocene aeolian calcarenite - ?Baudin's Cave, Ravine de Casoars. Geomorphic province 10. ....	27
Figure 34. Principal landforms of Kangaroo Island and location of geological monuments. ....	29
Figure 35. Gently dipping strata of the Kangaroo Island Group, west of Cape Cassini, characteristic of Geomorphic province 4. ....	29
Figure 36. Near vertically dipping metasandstones of the Kanmantoo Group, False Cape, producing a rugged shore platform typical for Geomorphic province 7. ....	30
Figure 37. Cavernous and spheroidal weathering forms in granite, Remarkable Rocks Geomorphic province 8. ....	30
Figure 39. Blocky weathering highlighting intersecting joints in Cambrian granite, Cape Willoughby. Geomorphic province 8. ....	31
Figure 39. Mineral occurrences on Kangaroo Island. ....	31
Figure 40. Map of Kangaroo Island showing known Aboriginal archaeological sites, and the last Glacial low sea level coastline. ....	34
Figure 41. The range of quartzite artefacts from Kangaroo Island. ....	37
Figure 42. A variety of quartz artefacts from Cape du Couedic rock shelter. ....	39
Figure 43. Limestone artefacts from the Cape du Couedic rockshelter. ....	40
Figure 44. Chert? artefacts from the the Cape du Couedic rockshelter. ....	41
Figure 45. Hammer/anvil and "waisted axes" from the central plateau of Kangaroo Island. ....	41
Figure 46. Interior view of Cape du Couedic Rock Shelter. ....	47
Figure 47. Sea-lion skull and articulated vertebrae from Cape du Couedic Rock Shelter. ....	47
Figure 48. The clearance of native vegetation from 1945 to the present on Kangaroo Island. ....	52

Figure 49. Location of conservation reserves on Kangaroo Island. ....	56
Figure 50. Setting up a harp trap for collecting bats at Emu Bay. ....	59
Figure 51. David Peake-Jones examining a tiny skink. ....	59
Figure 52. Cath Kemper wading in Larrikan Lagoon. ....	60
Figure 53. One of the numerous Brushtail Possums caught in cage traps during the vertebrate survey. ....	60
Figure 54. Accumulation of unique species records for each site. ....	73
Figure 55. Plant species diversity of survey sites in the Kangaroo Island biological survey. ....	74
Figure 56. Distribution of native and exotic species in the Kangaroo Island Biological Survey dataset. ....	75
Figure 57. Silverbush ( <i>Adenanthos macropodiana</i> ) is an attractive pink-flowered shrub, which is endemic to the heathlands of Kangaroo Island.....	81
Figure 58. Kangaroo Island riceflower ( <i>Pimelea macrostegia</i> ) has the largest flower-heads of any South Australian <i>Pimelea</i> . ....	81
Figure 59. Kangaroo Island trigger-plant ( <i>Stylidium tepperanum</i> ) is a rare dwarf perennial plant growing in limestone crevices at sparsely scattered along the Island's southern coastline. Themoss-like foliage bears erect sprays of pink to magenta flowers. ....	82
Figure 60. Rigid speedwell ( <i>Veronica hillebrandii</i> ) is a more widespread species in South Australia that is also associated with coastal limestone. The flowers are purplish-blue and white. ....	82
Figure 61. Rough star-bush ( <i>Asterolasia muricata</i> ), confined to Kangaroo Island apart from minor occurrences on Fleurieu Peninsula, has rough (muricate) leaves and bright yellow flowers.....	83
Figure 62. Downy star-bush ( <i>Asterolasia phebaloides</i> ), from Kangaroo Island and western Victoria, has densely hairy/velvety leaves and bright yellow flowers.....	83
Figure 63. <i>Eucalyptus diversifolia</i> Mallee at quadrat NB0701. ....	87
Figure 64. <i>Eucalyptus cnoerifolia</i> , <i>Melaleuca uncinata</i> Mallee at quadrat PL0201. ....	89
Figure 65. <i>Acacia paradoxa</i> Tall open shrubland at quadrat NB0601. . ....	91
Figure 66. <i>Eucalyptus cnoerifolia</i> , <i>Acacia paradoxa</i> Mallee at quadrat DU0401. ....	93
Figure 67. <i>Melaleuca gibbosa</i> , <i>Hakea muelleriana</i> Tall shrubland at quadrat RR0201. ....	95
Figure 68. <i>Melaleuca brevifolia</i> Shrubland at quadrat NB0701. ....	97
Figure 69. <i>Melaleuca uncinata</i> Tall shrubland at quadrat CO0101 .....	99
Figure 70. <i>Eucalyptus leucoxylon</i> , +/- <i>E. cosmophylla</i> Open forest at quadrat SE0601. ....	101
Figure 71. <i>Acacia retinodes</i> var. <i>retinodes</i> Woodland at quadrat HR0501. ....	103
Figure 72. <i>Leptospermum continentale</i> <i>Melaleuca squamea</i> Tall open shrubland at quadrat SR0201. . ....	105
Figure 73. <i>Eucalyptus obliqua</i> var <i>obliqua</i> , <i>E. cladocalyx</i> Open forest at quadrat SC0301. . ....	107
Figure 74. <i>Eucalyptus cladocalyx</i> Open forest at quadrat CT0301. . ....	109
Figure 75. <i>Eucalyptus cladocalyx</i> , +/- <i>E. fasciculosa</i> Woodland at quadrat CA0701. . ....	111
Figure 76. <i>Allocasuarina verticillata</i> Low woodland at quadrat KH0701. . ....	113
Figure 77. <i>Eucalyptus baxteri</i> , <i>E. cosmophylla</i> Low woodland at quadrat SC0101. ....	115
Figure 78. <i>Eucalyptus cosmophylla</i> Very low woodland at quadrat WB0501. . ....	117
Figure 79. <i>Allocasuarina striata</i> , +/- <i>Eucalyptus diversifolia</i> Tall open shrubland at quadrat KH1501. . ....	119
Figure 80. <i>Leptospermum myrsinoides</i> Open shrubland at quadrat FB0401. . ....	121
Figure 81. <i>Xanthorrhoea semiplana</i> ssp. <i>tateana</i> <i>Allocasuarina striata</i> Low open shrubland at quadrat CT0101. . ....	123
Figure 82. <i>Eucalyptus remota</i> Low mallee at quadrat GL1201. . ....	125
Figure 83. <i>Eucalyptus diversifolia</i> Mallee at quadrat CD0501. . ....	127
Figure 84. <i>Eucalyptus diversifolia</i> , +/- <i>E. landsdowneana</i> ssp. <i>albopurpurea</i> , +/- <i>E. rugosa</i> Mallee at quadrat PL1501. . ....	129
Figure 85. <i>Eucalyptus diversifolia</i> , <i>Melaleuca lanceolata</i> , +/- <i>E. rugosa</i> Open Mallee at quadrat CD0301. . ....	131
Figure 86. <i>Eucalyptus landsdowneana</i> ssp. <i>albopurpurea</i> Open low mallee at quadrat ST0201. . ....	133
Figure 87. <i>Melaleuca lanceolata</i> Low open shrubland at quadrat SB0901. . ....	135
Figure 88. <i>Melaleuca lanceolata</i> Open shrubland at quadrat FB1201. . ....	137
Figure 89. <i>Leucopogon parviflorus</i> Open shrubland at quadrat WI101. . ....	139
Figure 90. <i>Isolepis nodosa</i> Very open shrubland at quadrat KH1002. ....	141
Figure 91. <i>Eucalyptus diversifolia</i> Very open mallee at quadrat DU1301. . ....	143
Figure 92. <i>Tetragonia implexicoma</i> , <i>Rhagodia candolleana</i> ssp. <i>candolleana</i> Open shrubland at quadrat CG1301. . ....	145
Figure 93. <i>Melaleuca halmaturorum</i> Very low open forest at quadrat CO0401. . ....	147
Figure 94. <i>Melaleuca acuminata</i> Shrubland at quadrat WI0201. . ....	149
Figure 95. <i>Eucalyptus diversifolia</i> , <i>Melaleuca halmaturorum</i> Tall open shrubland	

at quadrat PL2401. . . . .	151
Figure 96. <i>Baumea arthrophylla</i> Very open sedgeland at quadrat KH0301. . . . .	153
Figure 97. <i>Olearia axillaris</i> , <i>Leucopogon parviflorus</i> Low open shrubland at quadrat WB1002. . . . .	155
Figure 98. <i>Sarcocornia quinqueflora</i> , <i>Maireana oppositifolia</i> Low very open shrubland at quadrat PL1202. . . . .	157
Figure 99. Ordination of the 10 major groups identified in PATN. . . . .	158
Figure 100. Distribution of mammal specimens collected on Kangaroo Island to mid-1998. . . . .	188
Figure 101. A young Echidna found in a breeding burrow on Cape Hart Conservation Park. . . . .	192
Figure 102. Distribution of the Kangaroo Island Dunnart. . . . .	192
Figure 103. The single Kangaroo Island Dunnart captured on the present survey on the eastern boundary of Flinders Chase National Park. . . . .	193
Figure 104. Distribution of the Short-nosed Bandicoot. . . . .	193
Figure 105. A Short-nosed Bandicoot captured in Cape Hart Conservation Park during the survey. . . . .	194
Figure 106. A Koala in the upper branches of a large Manna Gum near Rocky River. . . . .	195
Figure 107. Distribution of the Little Pigmy-possum. . . . .	196
Figure 108. Distribution of the Western Pigmy-possum. . . . .	197
Figure 109. Distribution of the Southern Bush Rat. . . . .	197
Figure 110. Distribution of the Swamp Rat. . . . .	198
Figure 111. A female sea-lion with her well-grown pup on Seal Bay. Note the plastic flipper tag on the pup. These are no longer used and pups are now marked with implanted transponders. . . . .	198
Figure 112. Australian Sea-lions ( <i>Neophoca cinerea</i> ) provide a world class tourist drawcard to Seal Bay Conservation Park. . . . .	199
Figure 113. The Western Pygmy Possum ( <i>Cercartetus concinnus</i> ) was commonly trapped during the biological survey. . . . .	202
Figure 114. The Bush Rat ( <i>Rattus fuscipes</i> ) is the commonest small mammal on Kangaroo Island and is found in a range of habitats provided there is a dense understorey. . . . .	202
Figure 115. A pair of Glossy Black Cockatoos ( <i>Calyptorhynchus lathami</i> ) feeding in the canopy of a Drooping Sheoak tree. . . . .	217
Figure 116. A Bush Stone-curlew ( <i>Burhinus magnirostris</i> ) stands guard over its chick. . . . .	218
Figure 117. A Yellow-tailed Black Cockatoo ( <i>Calyptorhynchus funereus</i> ) on its nesting tree, a fire-killed stringybark. . . . .	219
Figure 118. The Rock Parrot ( <i>Neophema petrophila</i> ) is a common site around the coast of Kangaroo Island. . . . .	219
Figure 119. White's Thrush ( <i>Zoothera lunulata</i> ), a delicately marked and secretive bird . . . . .	221
Figure 120. The Western Whipbird ( <i>Psophodes nigrogularis</i> ) is rarely seen but can be identified by its distinctive call. . . . .	221
Figure 121. At least one pair of Hooded Plovers ( <i>Charadrius rubricollis</i> ) can be seen on most of the sandy beaches around the coast of Kangaroo Island. . . . .	223
Figure 122. Distribution of reptiles collected on Kangaroo Island to mid-1998. . . . .	225
Figure 123. The Kangaroo Island populations of the Pygmy Cpperhead ( <i>Austrelaps labialis</i> ) are important for the conservation of this endemic South Australian species. . . . .	226
Figure 124. The Lined Worm-lizard ( <i>Aprasia striolata</i> ) is one of the most widespread reptiles on Kangaroo Island. . . . .	227
Figure 125. The Three-toed Earless Skink ( <i>Hemiergus decresiensis</i> ) is less common than the closely related <i>H.</i> <i>peronii</i> on Kangaroo Island. . . . .	228
Figure 126. The Four-toed Earless Skink ( <i>Hemiergus peronii</i> ) is widespread and found in a variety of habitats, living in litter and inside rotting timber. . . . .	229
Figure 127. The Heath Goanna ( <i>Varanus rosenbergii</i> ) population on Kangaroo Island is extremely important for the conservation of this species which has suffered significant declines on the mainland of South Australia. . . . .	231
Figure 128. The Brown Froglet ( <i>Crinia signifera</i> ) is a tiny frog that can be extremely common at the base of grass tussocks on the edge of pools even in cleared farm land. . . . .	234
Figure 129. The largest of the frogs on Kangaroo Island is the Banjo Frog ( <i>Limnodynastes dumerili</i> ). Males makes the resonant 'bonk' commonly heard from farm dams during the winter breeding season. . . . .	234

# TABLES

Table 1. Summary of radiocarbon dates for Aboriginal archaeological sites on Kangaroo Island. ....	36
Table 2a. The General range of functions consistent with edge damage patterns on stone artefacts from Cape du Couedic Rock Shelter. ....	44
Table 2b. The General range of functions consistent with edge damage patterns on stone artefacts from Cape du Couedic Rock Shelter. ....	45
Table 3. The range of fauna species represented in the Seton Rock Shelter excavations. ....	48
Table 4. Animals introduced to Flinders Chase National Park between 1911 and 1957. ....	54
Table 5. List of the twenty three conservation reserves on Kangaroo Island with their date of establishment and their approximate areas. ....	55
Table 6. Location of base camps for the Kangaroo Island vegetation survey. ....	58
Table 7. Location of base camps for the Kangaroo Island vertebrate survey. ....	58
Table 8. Trapping and spotlighting effort during the Kangaroo Island vertebrate survey. ....	62
Table 9. Total number of individual observations on the survey. ....	62
Table 10. Cover abundance scores from field data and the equivalent weighting used in the PATN analysis. ....	63
Table 11. Appraisal of apparent new KI records from the Survey as reported in 1989. ....	66
Table 12. The relative abundance of the 172 plant species occurring at 20 or more sample quadrats. ....	69
Table 13. Comparison of observations of selected plant families with the known Flora. ....	73
Table 14. Vascular plant taxa endemic to Kangaroo Island. ....	76
Table 15. Vascular plant taxa largely confined to Kangaroo Island. ....	77
Table 16. Taxa endemic to the Southern Gulfs Region that occur on Kangaroo Island and adjacent mainland region(s). ....	78
Table 17. Biogeographically significant occurrences on Kangaroo Island (taxa with their sole South Australian occurrence on Kangaroo Island and disjunct occurrences outside South Australia). ....	79
Table 18. Floristic vegetation groups resulting from the PATN analysis. ....	85
Table 19. Area Estimates for Native Vegetation and Cleared Areas for Kangaroo Island. ....	159
Table 20. Area Estimates for Primary Overstorey species in Native Vegetation and Cleared Areas on Kangaroo Island. ....	160
Table 21. The extent of the sub-groups of <i>Eucalyptus diversifolia</i> Open mallee. ....	166
Table 22. The extent of the sub-groups of <i>Eucalyptus remota</i> Open low mallee. ....	167
Table 23. The extent of the sub-groups of <i>Eucalyptus cladocalyx</i> Woodland. ....	168
Table 24. The extent of the sub-groups of <i>Eucalyptus baxteri</i> Low woodland. ....	168
Table 25. The extent of the sub-groups of <i>Eucalyptus cosmophylla</i> Very open mallee. ....	169
Table 26. The extent of the sub-groups of <i>Eucalyptus cnoerifolia</i> Open mallee. ....	171
Table 27. The extent of the sub-groups of <i>Eucalyptus rugosa</i> Open mallee. ....	171
Table 28. The extent of the sub-groups of <i>Melaleuca lanceolata</i> Low open shrubland. ....	172
Table 29. The extent of the sub-groups of <i>Eucalyptus fasciculosa</i> Low open Woodland. ....	173
Table 30. The extent of the sub-groups of <i>Eucalyptus lansdowneana</i> ssp. <i>albopurpurea</i> Open mallee. ....	173
Table 31. The extent of the sub-groups of <i>Eucalyptus viminalis</i> ssp. <i>cygnetensis</i> Low open woodland. ....	174
Table 32. The extent of the sub-groups of <i>Eucalyptus leucoxylon</i> ssp. <i>leucoxylon</i> Open woodland. ....	174
Table 33. The extent of the sub-groups of <i>Myoporum insulare</i> Tall open shrubland. ....	175
Table 34. The extent of the sub-groups of <i>Eucalyptus ovata</i> Low open woodland. ....	175
Table 35. The extent of the sub-groups of <i>Banksia marginata</i> Low open shrubland. ....	175
Table 36. The extent of the sub-groups of <i>Beyeria leschenaultii</i> Low open shrubland. ....	176
Table 37. The extent of the sub-groups of <i>Eucalyptus camaldulensis</i> var. <i>camaldulensis</i> Woodland. ....	176
Table 38. The extent of the sub-groups of <i>Scirostegia arbuscula</i> Low shrubland. ....	176
Table 39. The extent of the sub-groups of <i>Allocasuarina verticillata</i> Low open forest. ....	177
Table 40. The extent of the sub-groups of <i>Leucopogon parviflorus</i> Open shrubland. ....	177
Table 41. The extent of the sub-groups of <i>Melaleuca gibbosa</i> Shrubland. ....	178
Table 42. The extent of the sub-groups of <i>Melaleuca brevifolia</i> Shrubland. ....	178
Table 43. The extent of the sub-groups of <i>Melaleuca haalmaturorum</i> Tall open shrubland. ....	178
Table 44. The extent of the sub-groups of <i>Calistemon rugulosus</i> var. <i>rugulosus</i> Tall closed shrubland. ....	178
Table 45. The extent of the sub-groups of <i>Leptospermum continentale</i> Shrubland. ....	179
Table 46. The extent of the sub-groups of <i>Acacia retinodes</i> var. <i>retinodes</i> Tall very open shrubland. ....	179
Table 47. The extent of the sub-groups of <i>Eucalyptus obliqua</i> Very low open woodland. ....	180
Table 48. The extent of the sub-groups of <i>Olearia axillaris</i> Open shrubland. ....	180
Table 49. The extent of the sub-groups of <i>Hakea muelleriana</i> Open shrubland. ....	181

Table 50. The extent of the sub-groups of <i>Acacia paradoxa</i> Open shrubland. ....	181
Table 51. The extent of the sub-groups of <i>Acacia dodonaeifolia</i> Tall open shrubland. ....	181
Table 52. The extent of the sub-groups of <i>Pteridium esculentum</i> Fernland. ....	181
Table 53. The extent of the sub-groups of <i>Callitris preissii</i> Low woodland. ....	182
Table 54. The extent of the sub-groups of <i>Allocasuarina muelleriana ssp. notocolpica</i> Tall shrubland. ....	182
Table 55. The extent of the sub-groups of <i>Bursaria spinosa</i> Low woodland. ....	182
Table 56. The extent of the sub-groups of <i>Melaleuca acuminata</i> Tall shrubland. ....	182
Table 57. The extent of the sub-groups of <i>Eucalyptus diversifolia</i> Open mallee. ....	183
Table 58. The extent of the sub-groups of <i>Hakea muelleriana</i> Shrubland. ....	183
Table 59. The extent of the sub-groups of <i>Eucalyptus leucoxylon ssp. leucoxylon</i> Open woodland. ....	183
Table 60. The extent of the sub-groups of <i>Eucalyptus diversifolia</i> Mallee. ....	183
Table 61. The extent of the sub-groups of <i>Eucalyptus viminalis ssp. cygnetensis</i> Low open woodland. ....	184
Table 62. The extent of the sub-groups of <i>Eucalyptus diversifolia</i> Very open mallee. ....	184
Table 63. The extent of the sub-groups of <i>Dodonaea viscosa ssp. angustissima</i> Closed shrubland. ....	184
Table 64. Comparison of the 1995 Kangaroo Island Mapping Descriptions with earlier studies. ....	185
Table 65. Relative abundance of the 1207 mammals observed in quadrats during the Kangaroo Island vertebrate survey in 1990.....	188
Table 66. Two-way table of mammal species analysis showing groups of quadrats by species .....	190
Table 67 . Birds absent as breeding species from Kangaroo Island which occurred in similar habitats on the adjacent mainland at the time of European settlement. ....	206
Table 68. Common birds of native vegetation on Kangaroo Island. ....	208
Table 69. Two-way table of bird species analysis showing groups of quadrats by species .....	210

# APPENDICES

---

<b>APPENDIX I.</b>	
Kangaroo Island survey quadrat locations. ....	267
<b>APPENDIX II.</b>	
Daily temperatures ( °C) recorded during the Kangaroo Island vertebrate fauna survey. ....	283
<b>APPENDIX III.</b>	
South Australian Native Vegetation Mapping Program, structural formations.....	285
<b>APPENDIX IV.</b>	
South Australian vegetation structural formations.....	287
<b>APPENDIX V.</b>	
Scientific research projects conducted on Kangaroo Island 1973 to mid 1996.....	289
<b>APPENDIX VI.</b>	
Plant species recorded from Kangaroo Island. ....	305
<b>APPENDIX VII.</b>	
Mammal species recorded from Kangaroo Island. ....	347
<b>APPENDIX VIII.</b>	
Bird species recorded for Kangaroo Island and its adjacent seas. ....	351
<b>APPENDIX IX.</b>	
Birds described as species or subspecies endemic to Kangaroo Island and their current taxonomic status. ....	359
<b>APPENDIX X.</b>	
Reptiles and Amphibians recorded from Kangaroo Island. ....	361

# ACKNOWLEDGEMENTS

---

A large part of the funding for this project originated with a grant from the 1989/90 National Estate Grants Program (Australian Heritage Commission) the remaining financial support was from the Government of South Australia.

Unlike previous biological surveys in this series the data contained in this report was collected in two stages. The initial vegetation survey in November 1989 followed in November 1990 by the vertebrate survey. Numerous people took part, some in both stages of the fieldwork. Each made a notable contribution in their field of expertise and to the overall effectiveness of the survey.

1. Project co-ordination and report preparation - D. Armstrong and A. Robinson
2. Survey Fieldwork
  - (a)Vegetation Survey  
G. Ashman, R. Barret, C. Baxter, D. Canty, P. Canty, P. Copley, P. Coulls, T. Croft, T.Dennis, D. Fotheringham, R. Furner, C. Halstead, M. Hodder, D. Kraehenbuehl, P. Lang, A. Maguire, B. Overton, J. Overton, A. Robinson, A. Zepf.
  - (b)Vertebrate Survey  
Each of six groups contained a representative biologist in three taxonomic groups, birds (B), mammals (M), reptiles (R). They were: D. Armstrong (R), C. Baxter (B), P. Canty (R), G. Carpenter (B), K. Casperson (B), B. Cohen (B), P. Copley (M), P. Dempsey (M), T. Dennis (M), G. Frederick (R), P. Horton (B), G. Johnston (R), C. Kemper (M), C. Macdonald (M), T. Moore (R), D. Peake-Jones (R), A. Robinson (M), B. St John (B).

Other National Parks and Wildlife Service officers and interested local volunteers were involved for varying lengths of time in many areas. These people who provided much appreciated support to the biologists listed above included; K. Dennis, R. Furner, C. Halstead, I. & G. Jackson, A. Maguire, P. Seager, J. & J. Smith, A. Zepf.

3. Specimen Identification and verification (in addition to the above people) - P. Lang, D. Kraehenbuehl and the staff of the State Herbarium; SA Museum staff- C. Kemper, L. Queale (Mammals), people nominated above and P. Horton (Birds), D. Armstrong, A. Edwards, M. Hutchinson (Reptiles and Amphibians)
4. Computing assistance – R. Brandle, S. Carruthers, K. Casperson, D. Goodwins, L. Mitchell, S. Kinnear
5. Graphic Design, Layout and Artwork - Public Communications, Land Services Group, Department for Environment Heritage and Aboriginal Affairs.
6. Assistance with writing and editing report – K. Twyford, F. Vickery
7. Photography - D. Armstrong , P. Canty A. Robinson, N. Draper, Mines and Energy, South Australia, and survey workers.
8. Administration Assistance - G. Madaer
9. We are also grateful for the permission received from the numerous landowners in the area to establish sites on their properties and for their advice regarding access. We particularly thank those who assisted with accommodation. Karatta School, M. McKelvey at Pelican Lagoon, Adelaide University Study Centre at Rocky River, D. Cinzio at the NPWS accommodation at Cape Borda, E. and C. Oldfield at Stokes Bay, T. Williams and J. Renwick at American River, B. Tydeman, Hillfarm Hostel, Kingscote, Australian Odysseys, ‘Toad Hall’, American River, the NPWS accommodation at Hawks Nest and G. and J. Rees at the Vivonne Bay Outdoor Education Centre