Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1	2	MAMMALIA	TACHYGLOSSIDAE	Echidnas	W01003	*Tachyglossus aculeatus*	Short-beaked Echidna			2010	1445	246	17.02	186	176	LC	1	0	0.3	1.3
2	3	MAMMALIA	MYRMECOBIIDAE	Numbat	M01086	*Myrmecobius fasciatus*	Numbat	VU	E	1936	3	3	100.00	1		RE	7			7.0
3	4	MAMMALIA	DASYURIDAE	Dasyurids	C04277	*Dasycercus blythi (Mulgara)*	Mulgara	VU	E	2007	13	12	92.31	11	10	RE	7			7.0
4	5	MAMMALIA	DASYURIDAE	Dasyurids	C01021	*Dasycercus byrnei*	Kowari	VU	V	2011	131	131	100.00	44	37	VU	4	-	0.4	4.4
5	6	MAMMALIA	DASYURIDAE	Dasyurids	K09005	*Dasycercus cristicauda (Ampurta)*	Ampurta	EN		2011	211	209	99.05	141	132	LC	1	0	0.3	1.3
6	7	MAMMALIA	DASYURIDAE	Dasyurids	U01010	*Dasyurus geoffroii*	Western Quoll	VU	E	1899	9	2	22.22	2		RE	7			7.0
7	10	MAMMALIA	DASYURIDAE	Dasyurids	Q01036	*Pseudantechinus macdonnellensis*	Fat-tailed Pseudantechinus			2010	78	77	98.72	36	27	LC	1	0	0.3	1.3
8	14	MAMMALIA	DASYURIDAE	Dasyurids	M01018	*Phascogale calura*	Red-tailed Phascogale	EN	E	1899	9	4	44.44	4		RE	7			7.0
9	16	MAMMALIA	DASYURIDAE	Dasyurids	U01054	*Ningaui ridei*	Wongai ningaui			2008	329	197	59.88	87	73	LC	1	0	0.3	1.3
10	18	MAMMALIA	DASYURIDAE	Dasyurids	M01050	*Planigale gilesi*	Giles' Planigale (Paucident Planigale)			2008	413	312	75.54	109	85	LC	1	0	0.3	1.3
11	19	MAMMALIA	DASYURIDAE	Dasyurids	W01047	*Planigale ingrami*	Long-tailed Planigale			2008	45	45	100.00	19	16	LC	1	0	0.3	1.3
12	20	MAMMALIA	DASYURIDAE	Dasyurids	A01048	*Planigale tenuirostris*	Narrow-nosed Planigale			2009	184	132	71.74	80	61	LC	1	0	0.3	1.3
13	21	MAMMALIA	DASYURIDAE	Dasyurids	Z01043	*Antechinomys laniger*	Kultarr			2011	357	337	94.40	93	72	LC	1	0	0.3	1.3
14	23	MAMMALIA	DASYURIDAE	Dasyurids	A01072	*Sminthopsis crassicaudata*	Fat-tailed Dunnart			2010	2920	2094	71.71	624	491	LC	1	0	0.3	1.3
15	24	MAMMALIA	DASYURIDAE	Dasyurids	U01062	*Sminthopsis dolichura*	Little Long-tailed Dunnart			1987	391	2	0.51	1		LC	1	0	0.3	1.3
16	26	MAMMALIA	DASYURIDAE	Dasyurids	Y01076	*Sminthopsis hirtipes*	Hairy-footed Dunnart			2001	43	26	60.47	13	12	LC	1	0	0.3	1.3
17	27	MAMMALIA	DASYURIDAE	Dasyurids	C01073	*Sminthopsis macroura*	Stripe-faced Dunnart			2011	2228	1790	80.34	519	409	LC	1	0	0.3	1.3
18	28	MAMMALIA	DASYURIDAE	Dasyurids	S01061	*Sminthopsis murina*	Common Dunnart			1999	232	7	3.02	3	2	RA	3	DD	0.0	3.0
19	29	MAMMALIA	DASYURIDAE	Dasyurids	Y01068	*Sminthopsis ooldea*	Ooldea Dunnart			2003	356	199	55.90	107	77	LC	1	0	0.3	1.3
20	31	MAMMALIA	DASYURIDAE	Dasyurids	W04215	*Sminthopsis youngsoni*	Lesser Hairy-footed Dunnart		R	1998	7	5	71.43	4	4	RA	3	DD	0.0	3.0
21	32	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	E01110	*Chaeropus ecaudatus*	Pig-footed Bandicoot	EX	E	1899	8	6	75.00	6		RE	7			7.0
22	33	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	M01094	*Isoodon auratus*	Golden Bandicoot	VU	E	1933	21	16	76.19	12		RE	7			7.0
24	37	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	W01099	*Perameles bougainville*	Western Barred Bandicoot	ssp	E	1899	27	6	22.22	5		VU	4	0	0.3	4.3
25	42	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	M01106	*Macrotis lagotis*	Bilby (Greater Bilby)	VU	V	1933	30	7	23.33	7		VU	4	0	0.3	4.3
26	43	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	Z01107	*Macrotis leucura*	Lesser Bilby	EX	E	1931	2	2	100.00	1		RE	7			7.0
27	44	MAMMALIA	NOTORYCTIDAE	Marsupial Mole	S01089	*Notoryctes typhlops*	Marsupial Mole (Itjara Itjara)	EN	V	2005	71	61	85.92	28	23	DD	0	DD	0.0	0.0
28	46	MAMMALIA	VOMBATIDAE	Wombats	Q01168	*Lasiorhinus latifrons*	Southern Hairy-nosed Wombat			2007	1361	28	2.06	28	7	RA	3	DD	0.0	3.0
29	48	MAMMALIA	PHALANGERIDAE	Brushtail-possums, cuscuses and the Scaly-tail	K01113	*Trichosurus vulpecula*	Common Brushtail Possum		R	2004	1628	22	1.35	15	6	RE	7			7.0
30	49	MAMMALIA	POTORIDAE	Potoroos, bettons and the Musky Rat-kangaroo	Q01184	*Bettongia lesueur*	Burrowing Bettong (Boodie)	EX	E	1899	35	3	8.57	3		VU	4	++	0.1	4.1
31	54	MAMMALIA	POTORIDAE	Potoroos, bettons and the Musky Rat-kangaroo	M01190	*Caloprymnus campestris*	Desert Rat-kangaroo	EX	E	1931	2	2	100.00	1		RE	7			7.0
32	57	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	Z01263	*Macropus fuliginosus*	Western Grey Kangaroo			2009	12836	448	3.49	229	214	LC	1	0	0.3	1.3
33	58	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	S01265	*Macropus giganteus*	Eastern Grey Kangaroo		R	1977	36	2	5.56	1		RA	3	DD	0.0	3.0
34	60	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	U01266	*Macropus robustus*	Euro			2010	11547	4305	37.28	1150	1102	LC	1	0	0.3	1.3
35	62	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	W01275	*Macropus rufus*	Red Kangaroo			2010	28423	12228	43.02	2802	2542	LC	1	0	0.3	1.3
37	64	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	M09014	*Petrogale lateralis (McDonnell Ranges race)*	Black-footed Rock-wallaby	VU	E	2010	485	432	89.07	130	109	CR	6	-	0.4	6.4
38	66	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	S04205	*Petrogale xanthopus*	Yellow-footed Rock-wallaby	ssp	V	2009	6352	3329	52.41	405	387	RA	3	+	0.2	3.2
39	68	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	W01195	*Lagorchestes hirsutus*	Rufous Hare-wallaby (Mala)	EX	E	1899	1	1	100.00	1		RE	7			7.0
40	72	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	M01202	*Onychogalea lunata*	Crescent Nailtail Wallaby	EX	E	1899	4	3	75.00	3		RE	7			7.0
44	85	MAMMALIA	EMBALLONURIDAE	Sheathtail-bats	C01321	*Saccolaimus flaviventris*	Yellow-bellied Sheathtail-bat		R	1988	17	4	23.53	4		DD	0	DD	0.0	0.0
45	86	MAMMALIA	EMBALLONURIDAE	Sheathtail-bats	G01323	*Taphozous hilli*	Hill's Sheathtail-bat		R	2001	11	11	100.00	6	1	RA	3	0	0.3	3.3
46	87	MAMMALIA	MEGADERMATIDAE	False vampires	Q01300	*Macroderma gigas*	Ghost Bat		E	1933	12	12	100.00	5		RE	7			7.0
46.1	88	MAMMALIA	MOLOSSIDAE	Freetail-bats	Q04352	*Mormopterus eleryi*	Hairy-nosed Freetail Bat			2008	3	3	100.00			RA	3	DD	0.0	3.0
48	90	MAMMALIA	MOLOSSIDAE	Freetail-bats	M04350	*Mormopterus species 3 "little dick"*	Inland Freetail-bat			2001	114	6	5.26	1	1	LC	1	0	0.3	1.3
48.1	91	MAMMALIA	MOLOSSIDAE	Freetail-bats	Z04351	*Mormopterus species 4 "big dick"*	Southern Freetail-bat									LC	1	0	0.3	1.3
49	92	MAMMALIA	MOLOSSIDAE	Freetail-bats	Y01324	*Tadarida australis*	White-striped Freetail-bat			2010	780	131	16.79	95	62	LC	1	0	0.3	1.3
50	94	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01335	*Nyctophilus geoffroyi*	Lesser Long-eared Bat			2009	1961	458	23.36	179	121	LC	1	0	0.3	1.3
51	96	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Y01332	*Nyctophilus timoriensis*	Greater Long-eared Bat	ssp	ssp	1991	172	1	0.58	1		DD	0	DD	0.0	0.0
52	98	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	C01349	*Chalinolobus gouldii*	Gould's Wattled Bat			2010	2920	409	14.01	112	72	LC	1	0	0.3	1.3
53	99	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01351	*Chalinolobus morio*	Chocolate Wattled Bat			2009	549	124	22.59	44	31	LC	1	0	0.3	1.3
53.1	100	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Q01352	*Chalinolobus picatus*	Little Pied Bat		E		17	1	5.88			DD	0	DD	0.0	0.0
54	103	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	E04162	*Scotorepens balstoni*	Inland Broad-nosed Bat			2010	229	70	30.57	37	24	LC	1	0	0.3	1.3
55	104	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	U01362	*Scotorepens greyii*	Little Broad-nosed Bat			2008	114	114	100.00	52	33	LC	1	0	0.3	1.3
56	105	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	E01382	*Vespadelus baverstocki*	Inland Forest Bat			2010	469	157	33.48	67	59	LC	1	0	0.3	1.3
57	107	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	G01383	*Vespadelus finlaysoni*	Finlayson's Cave Bat			2001	103	92	89.32	42	17	LC	1	0	0.3	1.3
58	110	MAMMALIA	CANIDAE	Dingo, Fox	M04106	*Canis lupus dingo*	Dingo			2011	1198	928	77.46	722	642	RA	3	-	0.4	3.4
59	163	MAMMALIA	MURIDAE	Murids	U01426	*Conilurus albipes*	White-footed Tree-rat		E	1899	7	1	14.29	1		RE	7			7.0
60	164	MAMMALIA	MURIDAE	Murids	Z01415	*Hydromys chrysogaster*	Water-rat			1998	164	13	7.93	8	1	RA	3	DD	0.0	3.0
61	165	MAMMALIA	MURIDAE	Murids	S01441	*Leggadina forresti*	Forrest's Mouse			2010	1913	1359	71.04	272	207	LC	1	0	0.3	1.3
62	166	MAMMALIA	MURIDAE	Murids	M01430	*Leporillus apicalis*	Lesser Stick-nest Rat	EX	E	2003	39	20	51.28	18	2	RE	7			7.0
63	167	MAMMALIA	MURIDAE	Murids	C01429	*Leporillus conditor*	Greater Stick-nest Rat	VU	V	2004	211	25	11.85	20	6	VU	4	0	0.3	4.3
64	168	MAMMALIA	MURIDAE	Murids	K01481	*Notomys alexis*	Spinifex Hopping-mouse			2011	712	511	71.77	158	120	LC	1	0	0.3	1.3
65	169	MAMMALIA	MURIDAE	Murids	A01488	*Notomys amplus*	Short-tailed Hopping-mouse	EX	E	1899	18	13	72.22	8		RE	7			7.0
66	170	MAMMALIA	MURIDAE	Murids	Z01483	*Notomys cervinus*	Fawn Hopping-mouse		V	2008	131	124	94.66	36	28	VU	4	0	0.3	4.3
67	171	MAMMALIA	MURIDAE	Murids	M01482	*Notomys fuscus*	Dusky Hopping-mouse	VU	V	2011	866	510	58.89	127	87	LC	1	DD	0.0	1.0
68	172	MAMMALIA	MURIDAE	Murids	S01485	*Notomys longicaudatus*	Long-tailed Hopping-mouse	EX	E	1899	86	66	76.74	20		RE	7			7.0
69	173	MAMMALIA	MURIDAE	Murids	Y01480	*Notomys mitchellii*	Mitchell's Hopping-mouse			1987	770	3	0.39	1		LC	1	0	0.3	1.3
70	174	MAMMALIA	MURIDAE	Murids	M04414	*Notomys robustus*	Broad-cheeked Hopping-mouse			1899	7	5	71.43	4		RE	7			7.0
71	176	MAMMALIA	MURIDAE	Murids	S01469	*Pseudomys australis*	Plains Mouse (Plains Rat)	VU	V	2003	1648	1282	77.79	71	30	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
72	177	MAMMALIA	MURIDAE	Murids	M01474	*Pseudomys bolami*	Bolam's Mouse			2010	753	204	27.09	54	39	LC	1	0	0.3	1.3
73	178	MAMMALIA	MURIDAE	Murids	E01446	*Pseudomys desertor*	Desert Mouse (Brown Desert Mouse)			2011	521	311	59.69	131	104	LC	1	0	0.3	1.3
74	180	MAMMALIA	MURIDAE	Murids	C01461	*Pseudomys gouldii*	Gould's Mouse	EX	E	1899	196	140	71.43	25		RE	7			7.0
75	181	MAMMALIA	MURIDAE	Murids	K01449	*Pseudomys hermannsburgensis*	Sandy Inland Mouse			2011	2750	2091	76.04	530	421	LC	1	0	0.3	1.3
76	189	MAMMALIA	MURIDAE	Murids	A01400	*Rattus villosissimus*	Long-haired Rat (Plague Rat)			2011	730	572	78.36	176	80	RA	3	DD	0.0	3.0
77	194	AVES	CASUARIIDAE	Emus	C00001	*Dromaius novaehollandiae*	Emu			2010	8331	2361	28.34	1433	1269	LC	1	0	0.3	1.3
78	196	AVES	MEGAPODIIDAE	Megapodes	Z00007	*Leipoa ocellata*	Malleefowl	VU	V	2004	7133	86	1.21	43	42	VU	4	0	0.3	4.3
79	197	AVES	PHASIANIDAE	Pheasants, quails and allies	A04240	*Coturnix pectoralis*	Stubble Quail			2010	1575	103	6.54	87	75	LC	1	0	0.3	1.3
80	198	AVES	PHASIANIDAE	Pheasants, quails and allies	G00011	*Coturnix ypsilophora*	Brown Quail		V	2001	168	3	1.79	2	2	RA	3	DD	0.0	3.0
81	228	AVES	COLUMBIDAE	Pigeons and doves	Z00031	*Geopelia cuneata*	Diamond Dove			2010	1033	957	92.64	573	526	LC	1	0	0.3	1.3
82	229	AVES	COLUMBIDAE	Pigeons and doves	Q04168	*Geopelia placida*	Peaceful Dove			2010	4542	833	18.34	434	402	LC	1	0	0.3	1.3
83	230	AVES	COLUMBIDAE	Pigeons and doves	U00042	*Geophaps plumifera*	Spinifex Pigeon		R	2009	38	36	94.74	25	21	VU	4	-	0.4	4.4
84	231	AVES	COLUMBIDAE	Pigeons and doves	W00043	*Ocyphaps lophotes*	Crested Pigeon			2010	22111	3675	16.62	1884	1783	LC	1	0	0.3	1.3
85	232	AVES	COLUMBIDAE	Pigeons and doves	U00034	*Phaps chalcoptera*	Common Bronzewing			2010	8456	481	5.69	288	275	LC	1	0	0.3	1.3
89	234	AVES	COLUMBIDAE	Pigeons and doves	A00036	*Phaps histrionica*	Flock Bronzewing		R	2011	105	104	99.05	73	59	RA	3	+	0.2	3.2
90	237	AVES	PODARGIDAE	Frogmouths	K00313	*Podargus strigoides*	Tawny Frogmouth			2010	1236	160	12.94	131	111	LC	1	0	0.3	1.3
91	238	AVES	CAPRIMULGIDAE	Nightjars	Z00331	*Eurostopodus argus*	Spotted Nightjar			2010	536	141	26.31	115	105	LC	1	0	0.3	1.3
92	240	AVES	AEGOTHELIDAE	Owlet-nightjars	S00317	*Aegotheles cristatus*	Australian Owlet-nightjar			2010	1653	339	20.51	254	228	LC	1	0	0.3	1.3
93	242	AVES	APODIDAE	Swifts	W04179	*Apus pacificus*	Fork-tailed Swift			2005	346	28	8.09	25	22	NT	2	-	0.4	2.4
94	329	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S04125	*Accipiter cirrocephalus*	Collared Sparrowhawk			2010	1758	159	9.04	130	123	LC	1	0	0.3	1.3
95	330	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04152	*Accipiter fasciatus*	Brown Goshawk			2010	2544	210	8.25	164	156	LC	1	0	0.3	1.3
97	332	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	G04139	*Aquila audax*	Wedge-tailed Eagle			2010	7309	2143	29.32	1532	1469	LC	1	0	0.3	1.3
98	333	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Z00219	*Circus approximans*	Swamp Harrier			2010	2230	73	3.27	55	51	RA	3	-	0.4	3.4
99	334	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	M00218	*Circus assimilis*	Spotted Harrier			2010	998	171	17.13	139	122	LC	1	0	0.3	1.3
100	335	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04196	*Elanus axillaris*	Black-shouldered Kite			2010	4651	108	2.32	90	83	LC	1	0	0.3	1.3
101	336	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K00233	*Elanus scriptus*	Letter-winged Kite		R	2007	88	55	62.50	34	22	VU	4	-	0.4	4.4
102	338	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Q00228	*Haliastur sphenurus*	Whistling Kite			2009	4165	828	19.88	505	468	LC	1	0	0.3	1.3
103	339	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	G00231	*Hamirostra melanosternon*	Black-breasted Buzzard		R	2009	155	145	93.55	126	110	RA	3	-	0.4	3.4
104	340	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K04077	*Hieraaetus morphnoides*	Little Eagle			2008	1213	249	20.53	191	166	NT	2	-	0.4	2.4
105	341	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	E00230	*Lophoictinia isura*	Square-tailed Kite		E	2004	55	14	25.45	10	1	EN	5	DD	0.0	5.0
106	342	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S00229	*Milvus migrans*	Black Kite			2010	3515	1978	56.27	1189	1084	LC	1	0	0.3	1.3
107	344	AVES	FALCONIDAE	Falcons	W00239	*Falco berigora*	Brown Falcon			2010	5821	1559	26.78	1164	1085	LC	1	0	0.3	1.3
108	345	AVES	FALCONIDAE	Falcons	C04129	*Falco cenchroides*	Nankeen Kestrel			2010	9954	1956	19.65	1331	1293	LC	1	0	0.3	1.3
109	346	AVES	FALCONIDAE	Falcons	Q00236	*Falco hypoleucos*	Grey Falcon		R	2010	125	75	60.00	68	46	EN	5	-	0.4	5.4
110	347	AVES	FALCONIDAE	Falcons	Z00235	*Falco longipennis*	Australian Hobby			2010	2038	212	10.40	164	152	LC	1	0	0.3	1.3
111	348	AVES	FALCONIDAE	Falcons	S00237	*Falco peregrinus*	Peregrine Falcon		R	2009	1236	84	6.80	70	66	VU	4	0	0.3	4.3
112	349	AVES	FALCONIDAE	Falcons	U00238	*Falco subniger*	Black Falcon			2010	661	112	16.94	100	90	RA	3	-	0.4	3.4
113	361	AVES	OTIDIDAE	Bustards	A00176	*Ardeotis australis*	Australian Bustard		V	2008	377	176	46.68	157	123	VU	4	0	0.3	4.3
114	362	AVES	BURHINIDAE	Stone-curlews	U00174	*Burhinus grallarius*	Bush Stone-curlew		R	1999	390	10	2.56	10	3	CR	6	-	0.4	6.4
115	384	AVES	PEDIONOMIDAE	Plains-wanderer	Y00020	*Pedionomus torquatus*	Plains-wanderer	VU	E	2010	59	7	11.86	6	2	EN	5	DD	0.0	5.0
117	421	AVES	TURNICIDAE	Button-quails	U04178	*Turnix varius*	Painted Button-quail		R	1996	585	2	0.34	2	2	EN	5	DD	0.0	5.0
118	422	AVES	TURNICIDAE	Button-quails	U00018	*Turnix velox*	Little Button-quail			2010	757	275	36.33	214	201	LC	1	0	0.3	1.3
120	424	AVES	GLAREOLIDAE	Pratincoles and coursers	S00173	*Stiltia isabella*	Australian Pratincole			2008	407	292	71.74	210	190	LC	1	DD	0.0	1.0
122	449	AVES	CACATUIDAE	Cockatoos	W00271	*Cacatua sanguinea*	Little Corella			2010	5794	2338	40.35	1252	1172	LC	1	0	0.3	1.3
123	452	AVES	CACATUIDAE	Cockatoos	A00264	*Calyptorhynchus banksii*	Red-tailed Black-Cockatoo	ssp	ssp	2006	496	12	2.42	8	8	EN	5	0	0.3	5.3
124	456	AVES	CACATUIDAE	Cockatoos	C00273	*Eolophus roseicapilla*	Galah			2010	30243	3839	12.69	1928	1823	LC	1	0	0.3	1.3
125	457	AVES	CACATUIDAE	Cockatoos	U00270	*Cacatua leadbeateri*	Major Mitchell's Cockatoo		R	2005	691	70	10.13	51	44	EN	5	-	0.4	5.4
126	458	AVES	CACATUIDAE	Cockatoos	E00274	*Nymphicus hollandicus*	Cockatiel			2010	2101	654	31.13	463	440	LC	1	0	0.3	1.3
127	459	AVES	PSITTACIDAE	Parrots and allies	M04246	*Aprosmictus erythropterus*	Red-winged Parrot		R	2004	13	13	100.00	13	11	VU	4	0	0.3	4.3
128	460	AVES	PSITTACIDAE	Parrots and allies	M00294	*Barnardius zonarius*	Australian Ringneck			2010	9683	1459	15.07	811	765	LC	1	0	0.3	1.3
130	465	AVES	PSITTACIDAE	Parrots and allies	E00310	*Melopsittacus undulatus*	Budgerigar			2010	4617	2654	57.48	1479	1369	LC	1	0	0.3	1.3
131	467	AVES	PSITTACIDAE	Parrots and allies	M00306	*Neophema chrysostoma*	Blue-winged Parrot		V	2009	774	73	9.43	60	51	VU	4	0	0.3	4.3
132	468	AVES	PSITTACIDAE	Parrots and allies	Z00307	*Neophema elegans*	Elegant Parrot		R	2009	1945	233	11.98	126	114	RA	3	0	0.3	3.3
133	471	AVES	PSITTACIDAE	Parrots and allies	G00303	*Neophema splendida*	Scarlet-chested Parrot		R	2001	166	22	13.25	18	8	EN	5	-	0.4	5.4
134	472	AVES	PSITTACIDAE	Parrots and allies	Y00304	*Neopsephotus bourkii*	Bourke's Parrot			2008	474	411	86.71	282	255	LC	1	0	0.3	1.3
135	473	AVES	PSITTACIDAE	Parrots and allies	S00297	*Northiella haematogaster*	Blue Bonnet		ssp	2008	2398	697	29.07	437	392	LC	1	0	0.3	1.3
136	475	AVES	PSITTACIDAE	Parrots and allies	Y00312	*Pezoporus occidentalis*	Night Parrot	EN	E	1980	4	2	50.00	2		CR	6	DD	0.0	6.0
139	479	AVES	PSITTACIDAE	Parrots and allies	Z00279	*Polytelis alexandrae*	Princess Parrot	VU	V	1933	13	2	15.38	2		EN	5	DD	0.0	5.0
140	482	AVES	PSITTACIDAE	Parrots and allies	Z00295	*Psephotus haematonotus*	Red-rumped Parrot			2010	9604	384	4.00	211	174	NT	2	0	0.3	2.3
141	483	AVES	PSITTACIDAE	Parrots and allies	Q00296	*Psephotus varius*	Mulga Parrot			2010	4759	1039	21.83	680	644	LC	1	0	0.3	1.3
144	485	AVES	CUCULIDAE	Cuckoos	S04141	*Cacomantis flabelliformis*	Fan-tailed Cuckoo			2000	2077	10	0.48	6	4	RA	3	0	0.3	3.3
145	486	AVES	CUCULIDAE	Cuckoos	C00337	*Cacomantis pallidus*	Pallid Cuckoo			2009	1905	380	19.95	314	298	NT	2	-	0.4	2.4
146	488	AVES	CUCULIDAE	Cuckoos	U00342	*Chalcites basalis*	Horsfield's Bronze-Cuckoo			2010	4687	766	16.34	555	503	LC	1	0	0.3	1.3
148	490	AVES	CUCULIDAE	Cuckoos	S00341	*Chalcites osculans*	Black-eared Cuckoo			2009	672	156	23.21	123	114	RA	3	0	0.3	3.3
149	492	AVES	CUCULIDAE	Cuckoos	Y00348	*Scythrops novaehollandiae*	Channel-billed Cuckoo			1984	2	1	50.00	1		RA	3	--	0.5	3.5
150	493	AVES	STRIGIDAE	Typical owls	Q04204	*Ninox connivens*	Barking Owl		R	2004	66	32	48.48	23	17	EN	5	0	0.3	5.3
151	494	AVES	STRIGIDAE	Typical owls	M00242	*Ninox boobook*	Southern Boobook			2010	2372	229	9.65	180	166	LC	1	0	0.3	1.3
152	496	AVES	TYTONIDAE	Barn owls	C00249	*Tyto delicatula*	Australian Barn Owl			2010	928	122	13.15	100	92	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
153	497	AVES	TYTONIDAE	Barn owls	Q00252	*Tyto longimembris*	Eastern Grass Owl		R	2001	13	10	76.92	7	2	CR	6	0	0.3	6.3
154	498	AVES	TYTONIDAE	Barn owls	Q04248	*Tyto novaehollandiae*	Australian Masked Owl		E	1985	9	3	33.33	3		CR	6	DD	0.0	6.0
155	500	AVES	HALCYONIDAE	Tree kingfishers	S04169	*Dacelo novaeguineae*	Laughing Kookaburra			2005	7337	18	0.25	14	14	RA	3	0	0.3	3.3
156	501	AVES	HALCYONIDAE	Tree kingfishers	S00325	*Todiramphus pyrrhopygius*	Red-backed Kingfisher			2010	1383	866	62.62	597	556	LC	1	0	0.3	1.3
157	502	AVES	HALCYONIDAE	Tree kingfishers	U00326	*Todiramphus sanctus*	Sacred Kingfisher			2010	2080	136	6.54	95	91	RA	3	0	0.3	3.3
158	503	AVES	MEROPIDAE	Bee-eaters	C00329	*Merops ornatus*	Rainbow Bee-eater			2010	3802	947	24.91	550	506	LC	1	0	0.3	1.3
159	505	AVES	CLIMACTERIDAE	Australopapuan treecreepers	S00561	*Climacteris affinis*	White-browed Treecreeper		R	2009	415	36	8.67	26	21	EN	5	-	0.4	5.4
160	506	AVES	CLIMACTERIDAE	Australopapuan treecreepers	G04171	*Climacteris picumnus*	Brown Treecreeper			2009	5081	250	4.92	121	98	NT	2	0	0.3	2.3
162	509	AVES	PTILONORHYNCHIDAE	Bowerbirds	A08008	*Chlamydera guttata*	Western Bowerbird		R	2005	98	96	97.96	59	56	RA	3	0	0.3	3.3
163	511	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	W00871	*Amytornis barbatus*	Grey Grasswren	VU	R	2009	142	141	99.30	56	52	VU	4	0	0.3	4.3
164	512	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	G00515	*Amytornis goyderi*	Eyrean Grasswren			2008	425	417	98.12	214	182	NT	2	0	0.3	2.3
165	513	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	W09387	*Amytornis merrotsyi*	Short-tailed Grasswren			2009	261	219	83.91	79	70	RA	3	0	0.3	3.3
166	514	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Z04167	*Amytornis purnelli*	Dusky Grasswren			2005	69	69	100.00	42	37	RA	3	0	0.3	3.3
167	515	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	C00513	*Amytornis striatus*	Striated Grasswren		R	2002	720	34	4.72	22	19	RA	3	-	0.4	3.4
168	517	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	C09389	*Amytornis textilis modestus*	Thick-billed Grasswren	VU		2008	125	119	95.20	65	51	RA	3	0	0.3	3.3
170	521	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Q00536	*Malurus lamberti*	Variegated Fairy-wren			2010	7073	2424	34.27	1264	1168	LC	1	0	0.3	1.3
171	522	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Z00535	*Malurus leucopterus*	White-winged Fairy-wren			2010	6044	3798	62.84	1780	1656	LC	1	0	0.3	1.3
172	524	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Y00532	*Malurus splendens*	Splendid Fairy-wren			2009	2088	304	14.56	210	186	NT	2	0	0.3	2.3
173	532	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Q00528	*Stipiturus ruficeps*	Rufous-crowned Emu-wren		R	1999	47	47	100.00	22	19	RA	3	-	0.4	3.4
174	535	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	A00476	*Acanthiza apicalis*	Inland Thornbill			2010	4566	1029	22.54	416	397	LC	1	0	0.3	1.3
175	536	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	E00486	*Acanthiza chrysorrhoa*	Yellow-rumped Thornbill			2009	10133	727	7.17	400	380	LC	1	0	0.3	1.3
176	537	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00482	*Acanthiza iredalei*	Slender-billed Thornbill	ssp	ssp	2003	265	7	2.64	3	1	CR	6	DD	0.0	6.0
181	545	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Q00480	*Acanthiza robustirostris*	Slaty-backed Thornbill			2009	113	91	80.53	53	46	RA	3	0	0.3	3.3
182	546	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00481	*Acanthiza uropygialis*	Chestnut-rumped Thornbill			2010	5819	1233	21.19	740	702	LC	1	0	0.3	1.3
183	547	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00466	*Aphelocephala leucopsis*	Southern Whiteface			2010	5637	1427	25.31	876	816	LC	1	0	0.3	1.3
184	548	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	C00469	*Aphelocephala nigricincta*	Banded Whiteface			2008	682	671	98.39	352	320	NT	2	0	0.3	2.3
185	549	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	A00468	*Aphelocephala pectoralis*	Chestnut-breasted Whiteface		R	2007	128	122	95.31	51	39	RA	3	0	0.3	3.3
186	550	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	W08007	*Calamanthus campestris*	Rufous Fieldwren			2010	993	474	47.73	242	228	LC	1	0	0.3	1.3
187	554	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00463	*Gerygone fusca*	Western Gerygone		R	2003	88	22	25.00	20	17	RA	3	0	0.3	3.3
188	555	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00499	*Calamanthus cautus*	Shy Heathwren		R	2005	1343	14	1.04	9	7	EN	5	DD	0.0	5.0
190	560	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	K00497	*Pyrrholaemus brunneus*	Redthroat			2010	1154	268	23.22	168	155	NT	2	0	0.3	2.3
192	562	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00465	*Smicrornis brevirostris*	Weebill			2010	13163	1049	7.97	451	431	LC	1	0	0.3	1.3
193	563	AVES	PARDALOTIDAE	Pardalotes	G04227	*Pardalotus punctatus*	Spotted Pardalote			2009	8619	12	0.14	8	8	EN	5	DD	0.0	5.0
194	564	AVES	PARDALOTIDAE	Pardalotes	U00570	*Pardalotus rubricatus*	Red-browed Pardalote			2008	353	346	98.02	269	245	NT	2	0	0.3	2.3
195	565	AVES	PARDALOTIDAE	Pardalotes	Q00976	*Pardalotus striatus*	Striated Pardalote			2010	17042	1044	6.13	511	479	LC	1	0	0.3	1.3
196	566	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S04117	*Acanthagenys rufogularis*	Spiny-cheeked Honeyeater			2010	15400	2943	19.11	1497	1438	LC	1	0	0.3	1.3
198	568	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W04127	*Anthochaera carunculata*	Red Wattlebird			2006	24157	45	0.19	23	21	RA	3	0	0.3	3.3
200	571	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Y00452	*Ashbyia lovensis*	Gibberbird			2010	336	322	95.83	219	193	NT	2	0	0.3	2.3
201	572	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E00602	*Certhionyx variegatus*	Pied Honeyeater			2010	863	505	58.52	381	368	LC	1	0	0.3	1.3
202	573	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W00599	*Conopophila whitei*	Grey Honeyeater		R	2001	5	5	100.00	4	1	EN	5	DD	0.0	5.0
203	575	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z04131	*Epthianura albifrons*	White-fronted Chat			2009	4620	53	1.15	28	25	NT	2	0	0.3	2.3
204	576	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E00450	*Epthianura aurifrons*	Orange Chat			2010	1612	1127	69.91	671	611	LC	1	0	0.3	1.3
205	577	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G00451	*Epthianura crocea*	Yellow Chat		E	2005	25	23	92.00	5	3	EN	5	-	0.4	5.4
206	578	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00449	*Epthianura tricolor*	Crimson Chat			2010	1889	1241	65.70	819	771	LC	1	0	0.3	1.3
207	579	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00593	*Gliciphila melanops*	Tawny-crowned Honeyeater			2006	1633	24	1.47	15	14	VU	4	DD	0.0	4.0
208	580	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U00598	*Grantiella picta*	Painted Honeyeater		R	2005	11	4	36.36	3	1	EN	5	DD	0.0	5.0
210	585	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00621	*Lichenostomus keartlandi*	Grey-headed Honeyeater			2003	33	32	96.97	21	16	LC	1	0	0.3	1.3
211	586	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E04218	*Nesoptilotis leucotis*	White-eared Honeyeater			2006	4269	56	1.31	24	21	EN	5	0	0.3	5.3
212	588	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00622	*Lichenostomus ornatus*	Yellow-plumed Honeyeater			2009	7295	97	1.33	42	39	RA	3	0	0.3	3.3
213	589	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00625	*Lichenostomus penicillatus*	White-plumed Honeyeater			2010	16559	2533	15.30	1103	1033	LC	1	0	0.3	1.3
214	590	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z00623	*Lichenostomus plumulus*	Grey-fronted Honeyeater			2009	1359	460	33.85	238	225	NT	2	0	0.3	2.3
216	591	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Q00608	*Lichenostomus virescens*	Singing Honeyeater			2010	18387	4077	22.17	1931	1832	LC	1	0	0.3	1.3
217	592	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M04166	*Lichmera indistincta*	Brown Honeyeater		R	2005	64	36	56.25	24	16	RA	3	DD	0.0	3.0
218	593	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U04118	*Manorina flavigula*	Yellow-throated Miner			2010	8406	2849	33.89	1536	1439	LC	1	0	0.3	1.3
220	597	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G00583	*Melithreptus brevirostris*	Brown-headed Honeyeater			2009	5944	104	1.75	56	50	NT	2	0	0.3	2.3
221	600	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E04286	*Melithreptus gularis laetior*	Golden-backed Honeyeater		R	1979	1	1	100.00	1		EN	5	DD	0.0	5.0
226	607	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00594	*Purnella albifrons*	White-fronted Honeyeater			2010	5195	335	6.45	246	236	LC	1	0	0.3	1.3
227	608	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00589	*Sugomel nigrum*	Black Honeyeater			2008	292	91	31.16	76	62	NT	2	0	0.3	2.3
228	609	AVES	POMATOSTOMIDAE	Australopapuan babblers	M00446	*Pomatostomus ruficeps*	Chestnut-crowned Babbler			2010	1947	286	14.69	200	158	NT	2	0	0.3	2.3
229	610	AVES	POMATOSTOMIDAE	Australopapuan babblers	K00445	*Pomatostomus superciliosus*	White-browed Babbler			2010	11164	1577	14.13	878	837	LC	1	0	0.3	1.3
230	611	AVES	POMATOSTOMIDAE	Australopapuan babblers	G00443	*Pomatostomus temporalis*	Grey-crowned Babbler		ssp	2005	51	29	56.86	22	21	EN	5	DD	0.0	5.0
231	614	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	K00437	*Cinclosoma castanotum*	Chestnut Quail-thrush		ssp	2007	1820	85	4.67	63	59	RA	3	0	0.3	3.3
232	616	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	Z00439	*Cinclosoma cinnamomeum*	Cinnamon Quail-thrush			2010	1411	1286	91.14	890	826	LC	1	0	0.3	1.3
233	621	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	E00866	*Psophodes cristatus*	Chirruping Wedgebill			2010	1338	948	70.85	597	547	LC	1	0	0.3	1.3
234	625	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	C00865	*Psophodes occidentalis*	Chiming Wedgebill			2007	536	431	80.41	279	259	LC	1	0	0.3	1.3
235	626	AVES	NEOSITTIDAE	Sittellas	C00549	*Daphoenositta chrysoptera*	Varied Sittella			2007	2644	48	1.82	39	38	RA	3	0	0.3	3.3
236	627	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	W00423	*Coracina maxima*	Ground Cuckoo-shrike			2009	367	174	47.41	146	140	NT	2	0	0.3	2.3
237	628	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Y04120	*Coracina novaehollandiae*	Black-faced Cuckoo-shrike			2010	10653	1142	10.72	718	688	LC	1	0	0.3	1.3
239	631	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Z04255	*Lalage tricolor*	White-winged Triller			2010	2243	680	30.32	475	436	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO in OU All km2	AofO in OU Recent km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
240	632	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	A00408	*Colluricincla harmonica*	Grey Shrike-thrush			2010	21514	1322	6.14	697	649	LC	1	0	0.3	1.3
241	634	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	G00419	*Oreoica gutturalis*	Crested Bellbird			2010	5892	1324	22.47	802	766	LC	1	0	0.3	1.3
242	635	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	Z00403	*Pachycephala inornata*	Gilbert's Whistler		R	2009	1420	22	1.55	18	14	RA	3	0	0.3	3.3
243	638	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	E00398	*Pachycephala pectoralis*	Golden Whistler			1990	7495	1	0.01	2		RE	7			7.0
244	639	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	K04149	*Pachycephala rufiventris*	Rufous Whistler			2010	6989	1299	18.59	746	711	LC	1	0	0.3	1.3
246	642	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Z04115	*Artamus cinereus*	Black-faced Woodswallow			2010	4263	2868	67.28	1760	1664	LC	1	0	0.3	1.3
247	643	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W00547	*Artamus cyanopterus*	Dusky Woodswallow			2010	5632	83	1.47	61	54	NT	2	0	0.3	2.3
248	644	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Z00543	*Artamus leucorynchus*	White-breasted Woodswallow			2010	623	530	85.07	304	271	LC	1	+	0.2	1.2
249	645	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	A00548	*Artamus minor*	Little Woodswallow			2009	118	93	78.81	70	61	RA	3	0	0.3	3.3
250	646	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Q00544	*Artamus personatus*	Masked Woodswallow			2010	2559	537	20.98	387	347	LC	1	0	0.3	1.3
251	647	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00545	*Artamus superciliosus*	White-browed Woodswallow			2010	2260	170	7.52	131	117	NT	2	-	0.4	2.4
252	648	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Y00700	*Cracticus nigrogularis*	Pied Butcherbird			2007	1205	494	41.00	308	299	NT	2	+	0.2	2.2
253	649	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00705	*Gymnorhina tibicen*	Australian Magpie			2010	35988	3105	8.63	1755	1671	LC	1	0	0.3	1.3
255	650	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W04151	*Cracticus torquatus*	Grey Butcherbird			2010	8961	1134	12.65	593	569	NT	2	0	0.3	2.3
256	653	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	C00697	*Strepera versicolor*	Grey Currawong		ssp	1999	10941	8	0.07	4	2	EN	5	DD	0.0	5.0
257	656	AVES	RHIPIDURIDAE	Fantails	C00361	*Rhipidura albiscapa*	Grey Fantail			2009	12154	157	1.29	124	109	RA	3	0	0.3	3.3
258	657	AVES	RHIPIDURIDAE	Fantails	M04114	*Rhipidura leucophrys*	Willie Wagtail			2010	26918	3399	12.63	1930	1858	LC	1	0	0.3	1.3
259	659	AVES	CORVIDAE	Crows	Z00691	*Corvus bennetti*	Little Crow			2010	3162	2218	70.15	1360	1238	LC	1	0	0.3	1.3
260	660	AVES	CORVIDAE	Crows	A04144	*Corvus coronoides*	Australian Raven			2010	9688	2915	30.09	1475	1399	LC	1	0	0.3	1.3
261	661	AVES	CORVIDAE	Crows	E00954	*Corvus mellori*	Little Raven			2010	18851	17	0.09	17	16	RA	3	+	0.2	3.2
262	662	AVES	CORVIDAE	Crows	Q00692	*Corvus orru*	Torresian Crow			2006	208	202	97.12	133	127	NT	2	0	0.3	2.3
263	664	AVES	MONARCHIDAE	Monarch flycatchers and magpie-larks	W00415	*Grallina cyanoleuca*	Magpie-lark			2010	19674	1577	8.02	809	780	LC	1	0	0.3	1.3
265	667	AVES	MONARCHIDAE	Monarch flycatchers and magpie-larks	K04173	*Myiagra inquieta*	Restless Flycatcher		R	2006	2032	53	2.61	44	36	RA	3	0	0.3	3.3
266	670	AVES	CORCORACIDAE	Australian mudnesters	Z00675	*Struthidea cinerea*	Apostlebird			2006	519	6	1.16	6	6	RA	3	+	0.2	3.2
267	671	AVES	PETROICIDAE	Australopapuan robins and allies	C00441	*Drymodes brunneopygia*	Southern Scrub-robin			2006	2282	28	1.23	15	9	EN	5	-	0.4	5.4
268	674	AVES	PETROICIDAE	Australopapuan robins and allies	S00385	*Melanodryas cucullata*	Hooded Robin		ssp	2009	3672	305	8.31	234	221	NT	2	0	0.3	2.3
269	676	AVES	PETROICIDAE	Australopapuan robins and allies	S00377	*Microeca fascinans*	Jacky Winter		ssp	2010	4615	83	1.80	67	62	RA	3	DD	0.0	3.0
271	679	AVES	PETROICIDAE	Australopapuan robins and allies	K00381	*Petroica goodenovii*	Red-capped Robin			2010	6783	2003	29.53	1088	1021	LC	1	0	0.3	1.3
272	684	AVES	ALAUDIDAE	Larks	Y00648	*Mirafra javanica*	Horsfield's Bushlark			2007	661	31	4.69	28	19	RA	3	DD	0.0	3.0
273	686	AVES	ACROCEPHALIDAE	Reed-warblers	C04233	*Acrocephalus australis*	Australian Reed Warbler			2008	2845	255	8.96	107	96	RA	3	0	0.3	3.3
275	687	AVES	LOCUSTELLIDAE	Grasshopper warblers, grassbirds and allies	Y00508	*Cincloramphus cruralis*	Brown Songlark			2010	3162	750	23.72	571	532	LC	1	0	0.3	1.3
276	688	AVES	LOCUSTELLIDAE	Grasshopper warblers, grassbirds and allies	K00509	*Cincloramphus mathewsi*	Rufous Songlark			2010	1772	567	32.00	410	381	LC	1	0	0.3	1.3
277	689	AVES	LOCUSTELLIDAE	Grasshopper warblers, grassbirds and allies	G00507	*Eremiornis carteri*	Spinifexbird		E	2001	6	6	100.00	3	3	EN	5	DD	0.0	5.0
278	690	AVES	LOCUSTELLIDAE	Grasshopper warblers, grassbirds and allies	E00522	*Megalurus gramineus*	Little Grassbird			2006	2873	235	8.18	95	85	NT	2	0	0.3	2.3
279	691	AVES	TIMALIIDAE	Asian babblers, white-eyes and allies	E00574	*Zosterops lateralis*	Silvereye			2009	11767	166	1.41	99	91	LC	1	0	0.3	1.3
280	692	AVES	HIRUNDINIDAE	Swallows and martins	M00358	*Cheramoeca leucosterna*	White-backed Swallow			2008	1570	1107	70.51	736	672	LC	1	0	0.3	1.3
281	693	AVES	HIRUNDINIDAE	Swallows and martins	K00357	*Hirundo neoxena*	Welcome Swallow			2009	19240	791	4.11	415	406	LC	1	0	0.3	1.3
283	695	AVES	HIRUNDINIDAE	Swallows and martins	A00360	*Petrochelidon ariel*	Fairy Martin			2010	2273	670	29.48	442	407	LC	1	0	0.3	1.3
284	696	AVES	HIRUNDINIDAE	Swallows and martins	A04128	*Petrochelidon nigricans*	Tree Martin			2010	9695	1408	14.52	850	803	LC	1	0	0.3	1.3
285	701	AVES	NECTARINIIDAE	Sunbirds and flowerpeckers	U04150	*Dicaeum hirundinaceum*	Mistletoebird			2010	5757	1128	19.59	680	650	LC	1	0	0.3	1.3
286	702	AVES	ESTRILDIDAE	Waxbills (grass-finches) and allies	E00654	*Emblema pictum*	Painted Finch		R	2010	52	47	90.38	37	30	RA	3	0	0.3	3.3
287	703.1	AVES	ESTRILDIDAE	Waxbills (grass-finches) and allies	Q04512	*Neochmia modesta*	Plum-headed Finches			2011	1	1	100.00	1	1	RA	3	DD	0.0	3.0
288	707	AVES	ESTRILDIDAE	Waxbills (grass-finches) and allies	C00653	*Taeniopygia guttata*	Zebra Finch			2010	6174	4838	78.36	2369	2259	LC	1	0	0.3	1.3
289	709	AVES	MOTACILLIDAE	Wagtails and pipits	G00647	*Anthus australis*	Australian Pipit			2010	7063	1907	27.00	1183	1105	LC	1	0	0.3	1.3
290	202	AVES	ANSERANATIDAE	Magpie Goose	Z00199	*Anseranas semipalmata*	Magpie Goose		E	2000	101	2	1.98	2	2	EN	5	DD	0.0	5.0
291	203	AVES	ANATIDAE	Geese, swans and ducks	U00210	*Anas castanea*	Chestnut Teal			2007	5999	38	0.63	30	27	RA	3	0	0.3	3.3
293	205	AVES	ANATIDAE	Geese, swans and ducks	Y04148	*Anas gracilis*	Grey Teal			2010	12704	857	6.75	450	429	LC	1	0	0.3	1.3
294	208	AVES	ANATIDAE	Geese, swans and ducks	M04182	*Anas rhynchotis*	Australasian Shoveler		R	2009	2875	44	1.53	32	31	RA	3	0	0.3	3.3
295	209	AVES	ANATIDAE	Geese, swans and ducks	E04146	*Anas superciliosa*	Pacific Black Duck			2009	14156	489	3.45	257	242	LC	1	0	0.3	1.3
296	211	AVES	ANATIDAE	Geese, swans and ducks	G00215	*Aythya australis*	Hardhead			2009	3797	351	9.24	183	179	LC	1	0	0.3	1.3
297	212	AVES	ANATIDAE	Geese, swans and ducks	K00217	*Biziura lobata*	Musk Duck		R	2007	3329	130	3.91	51	46	RA	3	0	0.3	3.3
298	214	AVES	ANATIDAE	Geese, swans and ducks	U00202	*Chenonetta jubata*	Australian Wood Duck			2009	6986	422	6.04	273	258	LC	1	0	0.3	1.3
299	215	AVES	ANATIDAE	Geese, swans and ducks	W00203	*Cygnus atratus*	Black Swan			2009	11952	252	2.11	123	109	RA	3	0	0.3	3.3
300	216	AVES	ANATIDAE	Geese, swans and ducks	C00205	*Dendrocygna eytoni*	Plumed Whistling-Duck			2008	60	24	40.00	16	8	RA	3	0	0.3	3.3
301	217	AVES	ANATIDAE	Geese, swans and ducks	C00213	*Malacorhynchus membranaceus*	Pink-eared Duck			2009	1680	416	24.76	244	227	LC	1	0	0.3	1.3
302	218	AVES	ANATIDAE	Geese, swans and ducks	Y00216	*Oxyura australis*	Blue-billed Duck		R	2007	536	32	5.97	24	22	RA	3	0	0.3	3.3
303	219	AVES	ANATIDAE	Geese, swans and ducks	E00214	*Stictonetta naevosa*	Freckled Duck		V	2007	809	83	10.26	41	31	RA	3	0	0.3	3.3
305	222	AVES	ANATIDAE	Geese, swans and ducks	G00207	*Tadorna tadornoides*	Australian Shelduck			2009	7864	93	1.18	60	55	RA	3	0	0.3	3.3
306	224	AVES	PODICIPEDIDAE	Grebes	A00060	*Podiceps cristatus*	Great Crested Grebe		R	2004	3165	40	1.26	22	19	RA	3	0	0.3	3.3
307	225	AVES	PODICIPEDIDAE	Grebes	E00062	*Poliocephalus poliocephalus*	Hoary-headed Grebe			2010	5881	349	5.93	179	171	LC	1	0	0.3	1.3
308	226	AVES	PODICIPEDIDAE	Grebes	C00061	*Tachybaptus novaehollandiae*	Australasian Grebe			2008	4467	306	6.85	154	152	LC	1	0	0.3	1.3
309	305	AVES	ANHINGIDAE	Darters	K00101	*Anhinga novaehollandiae*	Australasian Darter		R	2009	1619	231	14.27	122	118	RA	3	0	0.3	3.3
310	306	AVES	PHALACROCORACIDAE	Cormorants	C04137	*Microcarbo melanoleucos*	Little Pied Cormorant			2007	11509	212	1.84	122	115	RA	3	0	0.3	3.3
311	307	AVES	PHALACROCORACIDAE	Cormorants	A00096	*Phalacrocorax carbo*	Great Cormorant			2010	7109	225	3.17	135	124	RA	3	0	0.3	3.3
312	309	AVES	PHALACROCORACIDAE	Cormorants	C00097	*Phalacrocorax sulcirostris*	Little Black Cormorant			2010	6195	293	4.73	169	164	RA	3	0	0.3	3.3
313	310	AVES	PHALACROCORACIDAE	Cormorants	G00099	*Phalacrocorax varius*	Pied Cormorant			2009	5857	145	2.48	90	86	RA	3	0	0.3	3.3
314	311	AVES	PELECANIDAE	Pelicans	U00106	*Pelecanus conspicillatus*	Australian Pelican			2009	14149	298	2.11	178	169	RA	3	0	0.3	3.3
316	313	AVES	ARDEIDAE	Herons and bitterns	G00187	*Ardea alba*	Great Egret			2009	6093	262	4.30	144	142	RA	3	0	0.3	3.3
318	315	AVES	ARDEIDAE	Herons and bitterns	E00186	*Ardea intermedia*	Intermediate Egret		R	2003	175	35	20.00	28	28	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
319	316	AVES	ARDEIDAE	Herons and bitterns	K00189	*Ardea pacifica*	White-necked Heron			2010	934	385	41.22	253	242	RA	3	0	0.3	3.3
321	318	AVES	ARDEIDAE	Herons and bitterns	E04198	*Egretta garzetta*	Little Egret		R	2004	1677	29	1.73	16	16	RA	3	0	0.3	3.3
322	319	AVES	ARDEIDAE	Herons and bitterns	G04199	*Egretta novaehollandiae*	White-faced Heron			2010	13698	638	4.66	363	346	LC	1	0	0.3	1.3
325	323	AVES	ARDEIDAE	Herons and bitterns	A00192	*Nycticorax caledonicus*	Nankeen Night-Heron			2008	731	137	18.74	88	81	RA	3	0	0.3	3.3
326	324	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	U00182	*Platalea flavipes*	Yellow-billed Spoonbill			2009	2381	214	8.99	127	118	RA	3	0	0.3	3.3
327	325	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	S00181	*Platalea regia*	Royal Spoonbill			2008	2677	120	4.48	83	78	RA	3	0	0.3	3.3
328	326	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	E00178	*Plegadis falcinellus*	Glossy Ibis		R	2009	334	51	15.27	39	33	RA	3	0	0.3	3.3
329	327	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	A04216	*Threskiornis molucca*	Australian White Ibis			2009	8978	78	0.87	47	46	RA	3	0	0.3	3.3
330	328	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	Q00180	*Threskiornis spinicollis*	Straw-necked Ibis			2009	3354	154	4.59	98	96	RA	3	0	0.3	3.3
331	350	AVES	GRUIDAE	Cranes	C00177	*Grus rubicunda*	Brolga		V	2008	438	224	51.14	139	124	VU	4	0	0.3	4.3
332	351	AVES	RALLIDAE	Rails, crakes and allies	Z00059	*Fulica atra*	Eurasian Coot			2009	7374	387	5.25	152	147	NT	2	0	0.3	2.3
333	352	AVES	RALLIDAE	Rails, crakes and allies	C04145	*Gallinula tenebrosa*	Dusky Moorhen			2007	3833	72	1.88	39	36	RA	3	0	0.3	3.3
334	353	AVES	RALLIDAE	Rails, crakes and allies	E00046	*Gallirallus philippensis*	Buff-banded Rail			2004	333	14	4.20	13	12	RA	3	0	0.3	3.3
336	355	AVES	RALLIDAE	Rails, crakes and allies	M00058	*Porphyrio porphyrio*	Purple Swamphen			2007	4685	138	2.95	47	45	RA	3	0	0.3	3.3
337	356	AVES	RALLIDAE	Rails, crakes and allies	K00049	*Porzana fluminea*	Australian Spotted Crake			2005	831	96	11.55	45	38	RA	3	0	0.3	3.3
338	357	AVES	RALLIDAE	Rails, crakes and allies	U00050	*Porzana pusilla*	Baillon's Crake			2001	216	19	8.80	12	11	RA	3	0	0.3	3.3
339	358	AVES	RALLIDAE	Rails, crakes and allies	W00051	*Porzana tabuensis*	Spotless Crake		R	2005	321	51	15.89	17	15	RA	3	0	0.3	3.3
340	360	AVES	RALLIDAE	Rails, crakes and allies	G00055	*Tribonyx ventralis*	Black-tailed Native-hen			2010	3941	435	11.04	255	231	LC	1	0	0.3	1.3
341	365	AVES	RECURVIROSTRIDAE	Avocets and stilts	Z00147	*Cladorhynchus leucocephalus*	Banded Stilt		V	2007	1968	112	5.69	36	29	RA	3	0	0.3	3.3
342	366	AVES	RECURVIROSTRIDAE	Avocets and stilts	M00146	*Himantopus himantopus*	Black-winged Stilt			2008	6827	338	4.95	147	138	RA	3	0	0.3	3.3
343	367	AVES	RECURVIROSTRIDAE	Avocets and stilts	Q00148	*Recurvirostra novaehollandiae*	Red-necked Avocet			2008	2847	316	11.10	178	159	RA	3	0	0.3	3.3
344	368	AVES	CHARADRIIDAE	Plovers and dotterels	K00145	*Charadrius australis*	Inland Dotterel			2008	404	275	68.07	225	191	LC	1	0	0.3	1.3
347	374	AVES	CHARADRIIDAE	Plovers and dotterels	G00143	*Charadrius ruficapillus*	Red-capped Plover			2008	6605	238	3.60	143	126	RA	3	0	0.3	3.3
348	375	AVES	CHARADRIIDAE	Plovers and dotterels	E00142	*Charadrius veredus*	Oriental Plover			2005	64	9	14.06	9	5	RA	3	0	0.3	3.3
349	376	AVES	CHARADRIIDAE	Plovers and dotterels	Y00144	*Elseyornis melanops*	Black-fronted Dotterel			2009	3552	862	24.27	425	399	LC	1	0	0.3	1.3
350	377	AVES	CHARADRIIDAE	Plovers and dotterels	A00132	*Erythrogonys cinctus*	Red-kneed Dotterel			2008	2145	177	8.25	115	106	NT	2	0	0.3	2.3
353	382	AVES	CHARADRIIDAE	Plovers and dotterels	G04219	*Vanellus miles*	Masked Lapwing			2008	15271	545	3.57	241	215	LC	1	0	0.3	1.3
354	383	AVES	CHARADRIIDAE	Plovers and dotterels	G00135	*Vanellus tricolor*	Banded Lapwing			2009	1409	301	21.36	255	234	NT	2	0	0.3	2.3
356	387	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	S00157	*Actitis hypoleucos*	Common Sandpiper		R	2004	778	19	2.44	11	9	RA	3	0	0.3	3.3
358	389	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	Z00163	*Calidris acuminata*	Sharp-tailed Sandpiper			2007	4990	91	1.82	55	48	RA	3	0	0.3	3.3
360	393	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	K00161	*Calidris ferruginea*	Curlew Sandpiper			2005	2603	12	0.46	10	6	RA	3	-	0.4	3.4
362	397	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	M00162	*Calidris ruficollis*	Red-necked Stint			2007	6326	28	0.44	16	10	RA	3	0	0.3	3.3
363	398	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	K00965	*Calidris subminuta*	Long-toed Stint		R	2005	161	4	2.48	3	2	RA	3	0	0.3	3.3
365	400	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	A00168	*Gallinago hardwickii*	Latham's Snipe		R	2001	343	4	1.17	3	3	RA	3	0	0.3	3.3
366	405	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	Y00152	*Limosa limosa*	Black-tailed Godwit		R	2005	380	12	3.16	5	4	RA	3	0	0.3	3.3
369	414	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	M00154	*Tringa glareola*	Wood Sandpiper		R	2007	316	25	7.91	18	15	RA	3	0	0.3	3.3
370	415	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	U00158	*Tringa nebularia*	Common Greenshank			2008	6365	82	1.29	50	47	RA	3	0	0.3	3.3
371	416	AVES	SCOLOPACIDAE	Woodcock, sandpipers and allies	W00159	*Tringa stagnatilis*	Marsh Sandpiper			2004	941	30	3.19	20	16	RA	3	0	0.3	3.3
373	430	AVES	LARIDAE	Gulls, terns and noddies	M00110	*Chlidonias hybrida*	Whiskered Tern			2007	6224	115	1.85	68	58	RA	3	0	0.3	3.3
375	432	AVES	LARIDAE	Gulls, terns and noddies	C04065	*Chroicocephalus novaehollandiae*	Silver Gull			2007	19804	313	1.58	155	147	LC	1	+	0.2	1.2
376	433	AVES	LARIDAE	Gulls, terns and noddies	Z00111	*Gelochelidon nilotica*	Gull-billed Tern			2008	540	242	44.81	127	106	RA	3	0	0.3	3.3
377	434	AVES	LARIDAE	Gulls, terns and noddies	Q00112	*Hydroprogne caspia*	Caspian Tern			2007	7283	119	1.63	84	80	RA	3	0	0.3	3.3
381	718	REPTILIA	CHELIDAE	Side-necked Tortoises	E02034	*Emydura macquarii*	Macquarie Tortoise		V	1998	127	93	73.23	14	1	VU	4	0	0.3	4.3
382	722	REPTILIA	AGAMIDAE	Dragon Lizards	M04318	*Amphibolurus burnsi*	Channel Dragon			1998	13	12	92.31	6	4	LC	1	0	0.3	1.3
383	723	REPTILIA	AGAMIDAE	Dragon Lizards	G02247	*Amphibolurus longirostris*	Long-nosed Dragon			2006	178	165	92.70	67	48	LC	1	0	0.3	1.3
384	727	REPTILIA	AGAMIDAE	Dragon Lizards	Z02179	*Ctenophorus clayi*	Black-collared Dragon			2001	46	16	34.78	11	9	LC	1	0	0.3	1.3
385	728	REPTILIA	AGAMIDAE	Dragon Lizards	A02180	*Ctenophorus cristatus*	Crested Dragon			2005	551	16	2.90	12	8	LC	1	0	0.3	1.3
386	729	REPTILIA	AGAMIDAE	Dragon Lizards	C02181	*Ctenophorus decresii*	Tawny Dragon			2005	667	241	36.13	68	39	LC	1	0	0.3	1.3
387	730	REPTILIA	AGAMIDAE	Dragon Lizards	Y02184	*Ctenophorus fionni*	Peninsula Dragon			2003	870	2	0.23	2	2	NT	2	0	0.3	2.3
388	731	REPTILIA	AGAMIDAE	Dragon Lizards	K02185	*Ctenophorus fordi*	Mallee Dragon			1997	1942	267	13.75	54	22	LC	1	0	0.3	1.3
389	732	REPTILIA	AGAMIDAE	Dragon Lizards	M02186	*Ctenophorus gibba*	Gibber Dragon			1998	133	132	99.25	83	61	LC	1	0	0.3	1.3
390	733	REPTILIA	AGAMIDAE	Dragon Lizards	Z02187	*Ctenophorus isolepis*	Military Dragon			2008	774	442	57.11	127	101	LC	1	0	0.3	1.3
392	735	REPTILIA	AGAMIDAE	Dragon Lizards	S02189	*Ctenophorus maculosus*	Lake Eyre Dragon			2009	154	90	58.44	29	12	NT	2	0	0.3	2.3
393	737	REPTILIA	AGAMIDAE	Dragon Lizards	Q02196	*Ctenophorus nuchalis*	Central Netted Dragon			2010	963	804	83.49	338	233	LC	1	0	0.3	1.3
394	738	REPTILIA	AGAMIDAE	Dragon Lizards	W02199	*Ctenophorus pictus*	Painted Dragon			2009	2231	1195	53.56	480	333	LC	1	0	0.3	1.3
395	739	REPTILIA	AGAMIDAE	Dragon Lizards	A02200	*Ctenophorus reticulatus*	Western Netted Dragon			2009	78	34	43.59	21	17	LC	1	0	0.3	1.3
396	740	REPTILIA	AGAMIDAE	Dragon Lizards	C02201	*Ctenophorus rufescens*	Rusty Dragon			2005	102	102	100.00	48	35	LC	1	0	0.3	1.3
397	742	REPTILIA	AGAMIDAE	Dragon Lizards	E04014	*Ctenophorus tjantjalka*	Ochre Dragon			2003	84	84	100.00	39	29	LC	1	0	0.3	1.3
398	743	REPTILIA	AGAMIDAE	Dragon Lizards	G02203	*Ctenophorus vadnappa*	Red-barred Dragon			2009	281	276	98.22	136	96	LC	1	0	0.3	1.3
399	745	REPTILIA	AGAMIDAE	Dragon Lizards	Z02195	*Diporiphora nobbi*	Nobbi Dragon			2009	178	52	29.21	29	21	LC	1	0	0.3	1.3
400	747	REPTILIA	AGAMIDAE	Dragon Lizards	W02235	*Diporiphora winneckei*	Canegrass Dragon			2008	227	221	97.36	117	74	LC	1	0	0.3	1.3
401	748	REPTILIA	AGAMIDAE	Dragon Lizards	W02251	*Moloch horridus*	Thorny Devil			2005	400	80	20.00	49	45	LC	1	0	0.3	1.3
403	751	REPTILIA	AGAMIDAE	Dragon Lizards	Y02192	*Pogona minor*	Dwarf Bearded Dragon			2005	454	50	11.01	27	21	LC	1	0	0.3	1.3
404	753	REPTILIA	AGAMIDAE	Dragon Lizards	Y02204	*Pogona vitticeps*	Central Bearded Dragon			2011	1144	569	49.74	439	310	LC	1	0	0.3	1.3
405	754	REPTILIA	AGAMIDAE	Dragon Lizards	K04017	*Tympanocryptis centralis*	Centralian Earless Dragon			2008	87	86	98.85	32	19	LC	1	0	0.3	1.3
406	756	REPTILIA	AGAMIDAE	Dragon Lizards	E02254	*Tympanocryptis intima*	Smooth-snouted Earless Dragon			2010	541	513	94.82	270	182	LC	1	0	0.3	1.3
407	757	REPTILIA	AGAMIDAE	Dragon Lizards	G02255	*Tympanocryptis lineata*	Five-lined Earless Dragon			2006	411	156	37.96	75	48	LC	1	0	0.3	1.3
408	758	REPTILIA	AGAMIDAE	Dragon Lizards	K02257	*Tympanocryptis tetraporophora*	Eyrean Earless Dragon			2010	1091	907	83.13	386	291	LC	1	0	0.3	1.3
409	760	REPTILIA	GEKKONIDAE	Typical Geckos	M02126	*Christinus marmoratus*	Marbled Gecko			1983	3166	6	0.19	6		NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO in OU All km2	AofO in OU Recent km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
410	761	REPTILIA	GEKKONIDAE	Typical Geckos	S04193	*Gehyra lazelli*	Southern Rock Dtella			2009	807	166	20.57	50	39	NT	2	0	0.3	2.3
411	762	REPTILIA	GEKKONIDAE	Typical Geckos	W02083	*Gehyra montium*	Central Rock Dtella			2001	51	51	100.00	20	17	LC	1	0	0.3	1.3
412	763	REPTILIA	GEKKONIDAE	Typical Geckos	K02089	*Gehyra purpurascens*	Purple Dtella			2009	458	399	87.12	189	151	LC	1	0	0.3	1.3
413	764	REPTILIA	GEKKONIDAE	Typical Geckos	A02092	*Gehyra variegata*	Tree Dtella			2010	2394	1705	71.22	637	478	LC	1	0	0.3	1.3
414	766	REPTILIA	GEKKONIDAE	Typical Geckos	C02105	*Heteronotia binoei*	Bynoe's Gecko			2010	2938	1769	60.21	793	551	LC	1	0	0.3	1.3
415	768	REPTILIA	CARPHODACTYLIDAE	Odd-tailed Geckos	W02111	*Nephrurus laevissimus*	Pale Knob-tailed Gecko			2005	436	83	19.04	47	40	LC	1	0	0.3	1.3
416	769	REPTILIA	CARPHODACTYLIDAE	Odd-tailed Geckos	A02112	*Nephrurus levis*	Smooth Knob-tailed Gecko			2010	988	747	75.61	385	300	LC	1	0	0.3	1.3
417	770	REPTILIA	CARPHODACTYLIDAE	Odd-tailed Geckos	U02138	*Nephrurus milii*	Barking Gecko			2010	1177	295	25.06	188	145	LC	1	0	0.3	1.3
418	772	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Z02047	*Crenadactylus ocellatus*	Clawless Gecko			2004	41	41	100.00	13	9	LC	1	0	0.3	1.3
419	774	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	M02054	*Diplodactylus conspicillatus*	Fat-tailed Gecko			2008	414	297	71.74	117	91	LC	1	0	0.3	1.3
420	775	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Z04491	*Diplodactylus furcosus*	Ranges Stone Gecko			2009	397	124	31.23	58	45	LC	1	0	0.3	1.3
421	776	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	S02057	*Diplodactylus galeatus*	Mesa Gecko			2010	79	79	100.00	32	26	LC	1	0	0.3	1.3
422	778	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	A02076	*Diplodactylus tessellatus*	Tessellated Gecko			2010	609	438	71.92	241	184	LC	1	0	0.3	1.3
423	782	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Y02052	*Lucasium byrnei*	Pink-blotched Gecko			2010	655	429	65.50	158	130	LC	1	0	0.3	1.3
424	783	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	K02109	*Lucasium damaeum*	Beaded Gecko			2008	1642	887	54.02	307	225	LC	1	0	0.3	1.3
425	785	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Q04424	*Lucasium stenodactylum (revised)*	Sandplain Gecko			2008	583	453	77.70	174	132	LC	1	0	0.3	1.3
426	786	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Z02119	*Oedura marmorata*	Marbled Velvet Gecko		R	2009	40	33	82.50	13	9	RA	3	0	0.3	3.3
427	787	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	S02137	*Rhynchoedura ornata*	Beaked Gecko			2010	1461	1164	79.67	412	337	LC	1	0	0.3	1.3
428	789	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	K02053	*Strophurus ciliaris*	Northern Spiny-tailed Gecko			2005	199	163	81.91	86	66	LC	1	0	0.3	1.3
429	790	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	Z02055	*Strophurus elderi*	Jewelled Gecko			2009	181	65	35.91	27	19	LC	1	0	0.3	1.3
430	791	REPTILIA	DIPLODACTYLIDAE	Australasian Geckos	W02059	*Strophurus intermedius*	Southern Spiny-tailed Gecko			2010	290	100	34.48	55	37	LC	1	0	0.3	1.3
432	795	REPTILIA	PYGOPODIDAE	Legless Lizards	S02145	*Aprasia pseudopulchella*	Flinders Worm-lizard	VU		1985	87	5	5.75	4		RA	3	0	0.3	3.3
433	797	REPTILIA	PYGOPODIDAE	Legless Lizards	U02154	*Delma australis*	Barred Snake-lizard			2008	538	167	31.04	93	64	LC	1	0	0.3	1.3
434	798	REPTILIA	PYGOPODIDAE	Legless Lizards	Q04416	*Delma borea*	Northern Snake-lizard		R	1993	10	10	100.00	2	2	RA	3	DD	0.0	3.0
435	799	REPTILIA	PYGOPODIDAE	Legless Lizards	W04259	*Delma butleri*	Spinifex Snake-lizard			2009	286	76	26.57	48	28	LC	1	0	0.3	1.3
436	800	REPTILIA	PYGOPODIDAE	Legless Lizards	S04417	*Delma desmosa*	Desert Snake-lizard		R	2004	3	3	100.00	3	3	RA	3	DD	0.0	3.0
437	803	REPTILIA	PYGOPODIDAE	Legless Lizards	S02161	*Delma molleri*	Adelaide Snake-lizard			2005	278	11	3.96	9	5	LC	1	0	0.3	1.3
438	804	REPTILIA	PYGOPODIDAE	Legless Lizards	U02162	*Delma nasuta*	Centralian Snake-lizard			1997	18	18	100.00	10	10	LC	1	0	0.3	1.3
439	806	REPTILIA	PYGOPODIDAE	Legless Lizards	C02165	*Delma tincta*	Black-necked Snake-lizard			2011	65	58	89.23	27	19	LC	1	0	0.3	1.3
440	807	REPTILIA	PYGOPODIDAE	Legless Lizards	U02170	*Lialis burtonis*	Burton's Legless Lizard			2010	298	125	41.95	90	69	LC	1	0	0.3	1.3
441	808	REPTILIA	PYGOPODIDAE	Legless Lizards	W02171	*Ophidiocephalus taeniatus*	Bronzeback Legless Lizard	VU	R	2010	56	56	100.00	22	17	VU	4	-	0.4	4.4
442	809	REPTILIA	PYGOPODIDAE	Legless Lizards	E02174	*Pygopus lepidopodus*	Common Scaly-foot			1985	281	3	1.07	3		RA	3	0	0.3	3.3
443	810	REPTILIA	PYGOPODIDAE	Legless Lizards	G02175	*Pygopus nigriceps*	Black-headed Scaly-foot			2008	60	38	63.33	29	14	LC	1	0	0.3	1.3
444	811	REPTILIA	PYGOPODIDAE	Legless Lizards	Q04044	*Pygopus schraderi*	Hooded Scaly-foot			2010	40	23	57.50	16	11	LC	1	0	0.3	1.3
445	814	REPTILIA	SCINCIDAE	Skinks	G02319	*Carlia triacantha*	Desert Rainbow Skink			1995	7	7	100.00	3	3	LC	1	0	0.3	1.3
446	815	REPTILIA	SCINCIDAE	Skinks	G04323	*Cryptoblepharus australis*	Desert Wall Skink			2010	390	189	48.46	136	97	LC	1	0	0.3	1.3
447	816	REPTILIA	SCINCIDAE	Skinks	S04329	*Cryptoblepharus ochrus*	Eyrean Wall Skink			2005	77	77	100.00	43	25	LC	1	0	0.3	1.3
448	817	REPTILIA	SCINCIDAE	Skinks	Q04328	*Cryptoblepharus pannosus*	Speckled Wall Skink			1999	201	12	5.97	10	5	NT	2	0	0.3	2.3
449	819	REPTILIA	SCINCIDAE	Skinks	Z02339	*Ctenotus ariadnae*	Pin-striped Ctenotus			2008	43	43	100.00	15	10	LC	1	0	0.3	1.3
450	820	REPTILIA	SCINCIDAE	Skinks	U04310	*Ctenotus astarte*	Ashy Downs Ctenotus		R	2004	6	6	100.00	4	4	RA	3	0	0.3	3.3
451	822	REPTILIA	SCINCIDAE	Skinks	E02342	*Ctenotus brachyonyx*	Brown Ctenotus			2008	132	74	56.06	38	21	LC	1	0	0.3	1.3
452	823	REPTILIA	SCINCIDAE	Skinks	G02343	*Ctenotus brooksi*	Sandhill Ctenotus			2008	180	62	34.44	21	20	LC	1	0	0.3	1.3
453	824	REPTILIA	SCINCIDAE	Skinks	Y02344	*Ctenotus calurus*	Blue-tailed Skink			1996	72	62	86.11	23	23	LC	1	0	0.3	1.3
454	825	REPTILIA	SCINCIDAE	Skinks	S02349	*Ctenotus dux*	Narrow-lined Ctenotus			2001	48	27	56.25	13	13	LC	1	0	0.3	1.3
455	827	REPTILIA	SCINCIDAE	Skinks	K04113	*Ctenotus grandis*	Giant Desert Ctenotus		R	1996	6	6	100.00	2	2	RA	3	0	0.3	3.3
456	828	REPTILIA	SCINCIDAE	Skinks	M02354	*Ctenotus greeri*	Greer's Ctenotus		R	1996	4	4	100.00	2	1	RA	3	0	0.3	3.3
457	830	REPTILIA	SCINCIDAE	Skinks	Y02360	*Ctenotus joanae*	Blacksoil Ctenotus		R	1994	16	16	100.00	4	4	RA	3	0	0.3	3.3
458	831	REPTILIA	SCINCIDAE	Skinks	Q02364	*Ctenotus leae*	Centralian Coppertail			2008	241	188	78.01	85	64	LC	1	0	0.3	1.3
459	832	REPTILIA	SCINCIDAE	Skinks	S02365	*Ctenotus leonhardii*	Common Desert Ctenotus			2010	448	421	93.97	159	130	LC	1	0	0.3	1.3
460	833	REPTILIA	SCINCIDAE	Skinks	Q04108	*Ctenotus olympicus*	Saltbush Ctenotus			2010	618	443	71.68	183	153	LC	1	0	0.3	1.3
461	834	REPTILIA	SCINCIDAE	Skinks	A04188	*Ctenotus orientalis*	Spotted Ctenotus			2009	664	62	9.34	27	19	LC	1	0	0.3	1.3
462	835	REPTILIA	SCINCIDAE	Skinks	M02370	*Ctenotus pantherinus*	Leopard Skink			2008	243	164	67.49	63	50	LC	1	0	0.3	1.3
463	836	REPTILIA	SCINCIDAE	Skinks	Z02371	*Ctenotus piankai*	Paleface Ctenotus		R	1996	6	6	100.00	5	5	RA	3	0	0.3	3.3
464	837	REPTILIA	SCINCIDAE	Skinks	S02373	*Ctenotus quattuordecimlineatus*	Many-lined Ctenotus			2003	193	105	54.40	42	39	LC	1	0	0.3	1.3
465	838	REPTILIA	SCINCIDAE	Skinks	U02374	*Ctenotus regius*	Eastern Desert Ctenotus			2010	1848	1229	66.50	472	320	LC	1	0	0.3	1.3
466	839	REPTILIA	SCINCIDAE	Skinks	W02375	*Ctenotus robustus*	Eastern Striped Skink			2010	1076	280	26.02	126	98	LC	1	0	0.3	1.3
467	840	REPTILIA	SCINCIDAE	Skinks	U04418	*Ctenotus saxatilis*	Centralian Striped Skink			2008	11	11	100.00	8	6	LC	1	0	0.3	1.3
468	841	REPTILIA	SCINCIDAE	Skinks	G02379	*Ctenotus schomburgkii*	Sandplain Ctenotus			2010	1922	532	27.68	207	151	LC	1	0	0.3	1.3
469	842	REPTILIA	SCINCIDAE	Skinks	G02211	*Ctenotus septenarius*	Gibber Ctenotus			2010	103	103	100.00	48	42	LC	1	0	0.3	1.3
470	843	REPTILIA	SCINCIDAE	Skinks	A02384	*Ctenotus strauchii*	Short-legged Ctenotus			2010	530	477	90.00	204	148	LC	1	0	0.3	1.3
471	844	REPTILIA	SCINCIDAE	Skinks	C04189	*Ctenotus taeniatus*	Eyrean Ctenotus			2008	1239	1132	91.36	377	250	LC	1	0	0.3	1.3
472	845	REPTILIA	SCINCIDAE	Skinks	K02573	*Cyclodomorphus melanops*	Spinifex Slender Bluetongue			2009	317	107	33.75	60	43	LC	1	0	0.3	1.3
473	846	REPTILIA	SCINCIDAE	Skinks	E04110	*Cyclodomorphus venustus*	Saltbush Slender Bluetongue			2008	42	36	85.71	24	21	LC	1	0	0.3	1.3
474	849	REPTILIA	SCINCIDAE	Skinks	Z02427	*Egernia stokesii*	Gidgee Skink			2009	232	133	57.33	88	52	LC	1	0	0.3	1.3
475	850	REPTILIA	SCINCIDAE	Skinks	S02429	*Egernia striolata*	Eastern Tree Skink			1999	469	63	13.43	31	20	LC	1	0	0.3	1.3
476	851	REPTILIA	SCINCIDAE	Skinks	S02437	*Eremiascincus fasciolatus*	Narrow-banded Sandswimmer			2008	942	938	99.58	266	190	LC	1	0	0.3	1.3
477	852	REPTILIA	SCINCIDAE	Skinks	U02438	*Eremiascincus richardsonii*	Broad-banded Sandswimmer			2010	673	427	63.45	185	129	LC	1	0	0.3	1.3
478	856	REPTILIA	SCINCIDAE	Skinks	K02441	*Hemiergis decresiensis*	Three-toed Earless Skink			2005	1397	5	0.36	3	3	RA	3	0	0.3	3.3
479	858	REPTILIA	SCINCIDAE	Skinks	S02445	*Hemiergis millewae*	Rusty Earless Skink			1999	297	6	2.02	6	4	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
482	862	REPTILIA	SCINCIDAE	Skinks	Q02524	*Lerista aericeps*	Yellow-tailed Slider			2004	74	52	70.27	35	17	LC	1	0	0.3	1.3
483	865	REPTILIA	SCINCIDAE	Skinks	C02473	*Lerista bipes*	Western Two-toed Slider			2003	78	68	87.18	23	22	LC	1	0	0.3	1.3
484	866	REPTILIA	SCINCIDAE	Skinks	G02475	*Lerista bougainvillii*	Bougainville's Skink			2005	1249	12	0.96	11	9	LC	1	0	0.3	1.3
485	867	REPTILIA	SCINCIDAE	Skinks	M02478	*Lerista desertorum*	Great Desert Slider			2010	380	225	59.21	102	76	LC	1	0	0.3	1.3
486	869	REPTILIA	SCINCIDAE	Skinks	E02482	*Lerista dorsalis*	Southern Four-toed Slider			1999	881	8	0.91	6	3	LC	1	0	0.3	1.3
487	871	REPTILIA	SCINCIDAE	Skinks	A02260	*Lerista elongata*	Woomera Slider			1996	19	19	100.00	14	9	RA	3	DD	0.0	3.0
488	872	REPTILIA	SCINCIDAE	Skinks	Z02487	*Lerista labialis*	Eastern Two-toed Slider			2008	1294	1043	80.60	343	234	LC	1	0	0.3	1.3
489	874	REPTILIA	SCINCIDAE	Skinks	W02499	*Lerista punctatovittata*	Spotted Slider			2009	367	78	21.25	43	36	LC	1	0	0.3	1.3
490	875	REPTILIA	SCINCIDAE	Skinks	A02324	*Lerista speciosa*	Musgrave Slider		V	2004	6	6	100.00	5	4	RA	3	DD	0.0	3.0
491	876	REPTILIA	SCINCIDAE	Skinks	A02332	*Lerista taeniata*	Ribbon Slider			1996	30	3	10.00	2	1	RA	3	DD	0.0	3.0
493	878	REPTILIA	SCINCIDAE	Skinks	K04421	*Lerista timida*	Dwarf Three-toed Slider			2010	700	386	55.14	204	152	LC	1	0	0.3	1.3
494	879	REPTILIA	SCINCIDAE	Skinks	C02413	*Liopholis inornata*	Desert Skink			2008	815	457	56.07	169	136	LC	1	0	0.3	1.3
495	880	REPTILIA	SCINCIDAE	Skinks	G02415	*Liopholis kintorei*	Tjakura	VU	E	2007	303	302	99.67	14	13	EN	5	-	0.4	5.4
496	881	REPTILIA	SCINCIDAE	Skinks	M02418	*Liopholis margaretae*	Masked Rock Skink			2009	218	154	70.64	66	46	LC	1	0	0.3	1.3
497	882	REPTILIA	SCINCIDAE	Skinks	A02420	*Liopholis multiscutata*	Bull Skink			1983	369	3	0.81	2		VU	4	0	0.3	4.3
499	884	REPTILIA	SCINCIDAE	Skinks	Q02428	*Liopholis striata*	Night Skink			1996	80	80	100.00	14	10	LC	1	0	0.3	1.3
500	887	REPTILIA	SCINCIDAE	Skinks	W02519	*Menetia greyii*	Dwarf Skink			2010	2953	1001	33.90	487	350	LC	1	0	0.3	1.3
501	888	REPTILIA	SCINCIDAE	Skinks	S02525	*Morethia adelaidensis*	Adelaide Snake-eye			2009	1013	379	37.41	186	89	LC	1	0	0.3	1.3
502	889	REPTILIA	SCINCIDAE	Skinks	U02526	*Morethia boulengeri*	Common Snake-eye			2010	2223	881	39.63	384	279	LC	1	0	0.3	1.3
503	890	REPTILIA	SCINCIDAE	Skinks	W02527	*Morethia butleri*	Butler's Snake-eye			1996	70	4	5.71	2	2	RA	3	DD	0.0	3.0
504	892	REPTILIA	SCINCIDAE	Skinks	Z02531	*Morethia ruficauda*	Fire-tailed Skink			2009	20	20	100.00	14	13	LC	1	0	0.3	1.3
505	894	REPTILIA	SCINCIDAE	Skinks	U02534	*Notoscincus ornatus*	Desert Glossy Skink		R	1998	16	16	100.00	11	7	LC	1	0	0.3	1.3
506	895	REPTILIA	SCINCIDAE	Skinks	Q04192	*Proablepharus kinghorni*	Blacksoil Skink		R	1996	6	6	100.00	2	2	RA	3	DD	0.0	3.0
507	896	REPTILIA	SCINCIDAE	Skinks	E02538	*Proablepharus reginae*	Silvereye Skink			1960	5	1	20.00	1		RA	3	DD	0.0	3.0
508	902	REPTILIA	SCINCIDAE	Skinks	S02577	*Tiliqua multifasciata*	Centralian Bluetongue			2002	51	48	94.12	34	24	LC	1	0	0.3	1.3
509	904	REPTILIA	SCINCIDAE	Skinks	W02579	*Tiliqua occipitalis*	Western Bluetongue			2009	268	52	19.40	39	31	LC	1	0	0.3	1.3
510	905	REPTILIA	SCINCIDAE	Skinks	Z02583	*Tiliqua rugosa*	Sleepy Lizard			2010	3054	331	10.84	230	184	LC	1	0	0.3	1.3
511	906	REPTILIA	SCINCIDAE	Skinks	Y02580	*Tiliqua scincoides*	Eastern Bluetongue			2005	279	23	8.24	17	13	NT	2	0	0.3	2.3
512	907	REPTILIA	VARANIDAE	Goannas	Y04112	*Varanus brevicauda*	Short-tailed Pygmy Goanna		R	1996	8	4	50.00	3	3	RA	3	DD	0.0	3.0
513	908	REPTILIA	VARANIDAE	Goannas	M02266	*Varanus eremius*	Desert Pygmy Goanna			2008	91	52	57.14	30	24	LC	1	0	0.3	1.3
514	909	REPTILIA	VARANIDAE	Goannas	Z02267	*Varanus giganteus*	Perentie			2005	69	69	100.00	60	46	LC	1	0	0.3	1.3
515	910	REPTILIA	VARANIDAE	Goannas	Q02268	*Varanus gilleni*	Pygmy Mulga Goanna			2005	101	55	54.46	35	29	LC	1	0	0.3	1.3
516	911	REPTILIA	VARANIDAE	Goannas	G02271	*Varanus gouldii*	Sand Goanna			2010	952	500	52.52	379	268	LC	1	0	0.3	1.3
517	913	REPTILIA	VARANIDAE	Goannas	M02282	*Varanus tristis*	Black-headed Goanna			2001	34	31	91.18	20	16	LC	1	0	0.3	1.3
518	915	REPTILIA	TYPHLOPIDAE	Blind Snakes	C04365	*Ramphotyphlops bicolor*	Southern Blind Snake			1985	203	6	2.96	6		RA	3	0	0.3	3.3
519	916	REPTILIA	TYPHLOPIDAE	Blind Snakes	A02588	*Ramphotyphlops bituberculatus*	Rough-nosed Blind Snake			2009	263	70	26.62	55	28	LC	1	0	0.3	1.3
520	917	REPTILIA	TYPHLOPIDAE	Blind Snakes	Q02592	*Ramphotyphlops endoterus*	Centralian Blind Snake			2008	180	142	78.89	82	52	LC	1	0	0.3	1.3
521	918	REPTILIA	TYPHLOPIDAE	Blind Snakes	K04309	*Ramphotyphlops grypus*	Hook-nosed Blind Snake			2001	2	2	100.00	1	1	RA	3	DD	0.0	3.0
522	919	REPTILIA	TYPHLOPIDAE	Blind Snakes	W04347	*Ramphotyphlops waitii (centralis)*	Slender Blind Snake			2001	18	18	100.00	12	12	LC	1	0	0.3	1.3
523	920	REPTILIA	BOIDAE	Boas and Pythons	G02619	*Antaresia stimsoni*	Stimson's Python			2011	62	56	90.32	48	33	LC	1	0	0.3	1.3
524	921	REPTILIA	BOIDAE	Boas and Pythons	S02613	*Aspidites ramsayi*	Woma		R	2011	75	67	89.33	51	40	NT	2	0	0.3	2.3
525	922	REPTILIA	BOIDAE	Boas and Pythons	C02625	*Morelia spilota*	Carpet Python		R	2009	286	14	4.90	14	10	RA	3	-	0.4	3.4
526	924	REPTILIA	ELAPIDAE	Elapid Snakes	C02641	*Acanthophis pyrrhus*	Desert Death Adder		V	1950	2	1	50.00	1		EN	5	0	0.3	5.3
527	927	REPTILIA	ELAPIDAE	Elapid Snakes	W02711	*Brachyurophis australis*	Coral Snake			2001	38	4	10.53	4	3	RA	3	0	0.3	3.3
528	928	REPTILIA	ELAPIDAE	Elapid Snakes	C02713	*Brachyurophis fasciolatus*	Narrow-banded Snake			2003	45	42	93.33	24	12	LC	1	0	0.3	1.3
529	929	REPTILIA	ELAPIDAE	Elapid Snakes	G02715	*Brachyurophis semifasciatus*	Half-girdled Snake			2001	97	15	15.46	11	9	LC	1	0	0.3	1.3
530	930	REPTILIA	ELAPIDAE	Elapid Snakes	Z02655	*Demansia psammophis*	Yellow-faced Whipsnake			2009	112	29	25.89	24	15	LC	1	0	0.3	1.3
531	931	REPTILIA	ELAPIDAE	Elapid Snakes	C04049	*Demansia reticulata*	Desert Whipsnake			2008	128	45	35.16	35	28	LC	1	0	0.3	1.3
532	932	REPTILIA	ELAPIDAE	Elapid Snakes	G04111	*Demansia rimicola*	Channel Country Whipsnake		R	1981	1	1	100.00	1		RA	3	0	0.3	3.3
533	936	REPTILIA	ELAPIDAE	Elapid Snakes	C02669	*Furina diadema*	Red-naped Snake			1999	34	17	50.00	13	3	LC	1	0	0.3	1.3
534	937	REPTILIA	ELAPIDAE	Elapid Snakes	Z02807	*Furina ornata*	Moon Snake			1996	6	6	100.00	4	3	RA	3	DD	0.0	3.0
535	941	REPTILIA	ELAPIDAE	Elapid Snakes	K02689	*Oxyuranus microlepidotus*	Inland Taipan			2008	23	22	95.65	19	10	LC	1	0	0.3	1.3
536	943	REPTILIA	ELAPIDAE	Elapid Snakes	S02729	*Parasuta monachus*	Hooded Snake			1998	21	12	57.14	10	5	LC	1	0	0.3	1.3
537	944	REPTILIA	ELAPIDAE	Elapid Snakes	Y02724	*Parasuta nigriceps*	Mitchell's Short-tailed Snake			1999	117	5	4.27	5	2	RA	3	0	0.3	3.3
538	945	REPTILIA	ELAPIDAE	Elapid Snakes	K02813	*Parasuta spectabilis*	Mallee Black-headed Snake			2010	186	7	3.76	7	2	LC	1	0	0.3	1.3
539	946	REPTILIA	ELAPIDAE	Elapid Snakes	U02690	*Pseudechis australis*	Mulga Snake			2007	298	180	60.40	137	101	LC	1	0	0.3	1.3
540	949	REPTILIA	ELAPIDAE	Elapid Snakes	S04425	*Pseudonaja aspidorhyncha*	Patch-nosed Brown Snake			2003	50	18	36.00	16	8	LC	1	0	0.3	1.3
542	952	REPTILIA	ELAPIDAE	Elapid Snakes	U04426	*Pseudonaja mengdeni*	Gwardar			2010	22	17	77.27	15	7	LC	1	0	0.3	1.3
543	953	REPTILIA	ELAPIDAE	Elapid Snakes	K02697	*Pseudonaja modesta*	Five-ringed Snake			2008	206	142	68.93	56	35	LC	1	0	0.3	1.3
544	954	REPTILIA	ELAPIDAE	Elapid Snakes	Z02699	*Pseudonaja textilis*	Eastern Brown Snake			1999	638	7	1.10	6	2	LC	1	0	0.3	1.3
545	955	REPTILIA	ELAPIDAE	Elapid Snakes	Q02808	*Simoselaps anomalus*	Centralian Banded Snake			1996	17	13	76.47	7	6	LC	1	0	0.3	1.3
546	956	REPTILIA	ELAPIDAE	Elapid Snakes	A02712	*Simoselaps bertholdi*	Desert Banded Snake			2005	221	66	29.86	42	20	LC	1	0	0.3	1.3
547	957	REPTILIA	ELAPIDAE	Elapid Snakes	E02722	*Suta suta*	Curl Snake			2010	588	541	92.01	201	147	LC	1	0	0.3	1.3
548	958	REPTILIA	ELAPIDAE	Elapid Snakes	M02734	*Vermicella annulata*	Common Bandy Bandy		R	2007	19	4	21.05	4	2	RA	3	DD	0.0	3.0
549	959	AMPHIBIA	HYLIDAE	Tree Frogs	Y03020	*Cyclorana cultripes*	Knife-footed Frog		R	2000	18	18	100.00	6	4	RA	3	DD	0.0	3.0
550	960	AMPHIBIA	HYLIDAE	Tree Frogs	Z03023	*Cyclorana maini*	Main's Frog			2002	107	107	100.00	17	15	LC	1	0	0.3	1.3
551	961	AMPHIBIA	HYLIDAE	Tree Frogs	S03025	*Cyclorana platycephala*	Water-holding Frog			2005	145	142	97.93	51	33	LC	1	0	0.3	1.3
552	962	AMPHIBIA	HYLIDAE	Tree Frogs	Z03171	*Litoria caerulea*	Green Tree Frog			2002	11	11	100.00	11	5	LC	1	0	0.3	1.3
554	964	AMPHIBIA	HYLIDAE	Tree Frogs	W03191	*Litoria latopalmata*	Broad-palmed Frog			1998	13	13	100.00	10	2	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in OU	TOTAL in SA	TOTAL in Outback	% OU REGIONS	AofO_in_OU_All_km2	AofO_in_OU_Recent_km2	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
555	967	AMPHIBIA	HYLIDAE	Tree Frogs	U03210	*Litoria rubella*	Desert Tree Frog			2010	230	228	99.13	99	71	LC	1	0	0.3	1.3
556	968	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	Y03128	*Crinia deserticola*	Desert Froglet			2000	41	41	100.00	20	9	LC	1	0	0.3	1.3
557	970	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	E03010	*Crinia riparia*	Flinders Ranges Froglet			2009	274	204	74.45	61	34	LC	1	0	0.3	1.3
559	976	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	G03063	*Limnodynastes tasmaniensis*	Spotted Marsh Frog			2005	5069	262	5.17	71	36	LC	1	0	0.3	1.3
560	978	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	S03085	*Neobatrachus pictus*	Burrowing frog			1998	960	2	0.21	2	1	RA	3	DD	0.0	3.0
561	979	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	Z04503	*Neobatrachus sudelli*	Sudell's Frog			2011	1014	611	60.26	188	125	LC	1	0	0.3	1.3
562	980	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	W03087	*Neobatrachus sutor*	Shoemaker Frog		V	1998	54	54	100.00	5	4	RA	3	0	0.3	3.3
563	981	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	S03113	*Platyplectrum spenceri*	Spencer's Burrowing Frog			2004	91	91	100.00	30	21	LC	1	0	0.3	1.3
564	982	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03117	*Pseudophryne bibronii*	Brown Toadlet		R	2003	432	20	4.63	9	4	EN	5	--	0.5	5.5
565	983	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	A03124	*Pseudophryne cf. occidentalis*	Everard Ranges Toadlet		V	2009	34	34	100.00	10	6	EN	5	-	0.4	5.4
566	985	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	K03013	*Uperoleia capitulata*	Small-headed Toadlet		R	1989	1	1	100.00	1		RA	3	DD	0.0	3.0
567	990	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	C09805	*Craterocephalus dalhousiensis*	Dalhousie Hardyhead			1990	36	36	100.00	3		VU	4	DD	0.0	4.0
568	991	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	E09806	*Craterocephalus eyresii*	Lake Eyre Hardyhead			2004	145	138	95.17	102	39	RA	3	DD	0.0	3.0
569	993	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	W04291	*Craterocephalus gloveri*	Glover's Hardyhead			1989	8	8	100.00	2		VU	4	DD	0.0	4.0
570	994	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	U04398	*Craterocephalus stercusmuscarum stercusmuscarum*	Fly-specked Hardyhead			2003	5	5	100.00	2	2	VU	4	DD	0.0	4.0
571	998	OSTEICHTHYES	MELANOTAENIDAE	Rainbow Fishes	U09810	*Melanotaenia splendida tatei*	Desert Rainbow Fish			2005	67	67	100.00	55	43	RA	3	DD	0.0	3.0
572	1000	OSTEICHTHYES	CLUPEIDAE	Bony Bream, Herrings, Pilchards and Sprats	A09812	*Nematalosa erebi*	Bony Bream			2005	1040	97	9.33	73	52	RA	3	DD	0.0	3.0
573	1000.1	OSTEICHTHYES	AMBASSIDAE	Chanda perches and allies	A04292	*Ambassis mulleri*	Muellers Perchlet									DD	0	DD	0.0	0.0
574	1000.2	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	M09818	*Hypseleotris klunzingeri*	Western Carp Gudgeon				3		0.00			RA	3	DD	0.0	3.0
575	1012	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	G09823	*Mogurnda clivicola*	Flinders Ranges Purple-Spotted G	VU		2003	12	12	100.00	7	2	CR	6	-	0.4	6.4
576	1014	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	G04307	*Mogurnda thermophila*	Dalhousie Purple-spotted Gudgeon			1985	23	23	100.00	2		VU	4	DD	0.0	4.0
577	1019	OSTEICHTHYES	GOBIIDAE	Gobies	Z09827	*Chlamydogobius eremius*	Desert Goby			2005	239	239	100.00	110	41	RA	3	DD	0.0	3.0
578	1020	OSTEICHTHYES	GOBIIDAE	Gobies	Q09828	*Chlamydogobius gloveri*	Dalhousie Goby			1985	45	45	100.00	3		VU	4	DD	0.0	4.0
579	1020.1	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater basses, cods	C04293	*Macquaria sp. A*	Lake Eyre Golden Perch									RA	3	DD	0.0	3.0
580	1035	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	Y09840	*Amniataba percoides*	Barred Grunter			2005	13	13	100.00	12	11	RA	3	DD	0.0	3.0
581	1038	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	M09842	*Bidyanus welchi*	Welch's Grunter			2003	42	42	100.00	33	25	RA	3	DD	0.0	3.0
582	1039	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	Z09843	*Leiopotherapon unicolor*	Spangled Perch			2011	117	115	98.29	89	50	NT	2	DD	0.0	2.0
584	1040	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	Q09844	*Scortum barcoo*	Barcoo Grunter			2003	26	26	100.00	23	19	RA	3	DD	0.0	3.0
585	1049	OSTEICHTHYES	RETROPINNIDAE	Smelt	Z09851	*Retropinna semoni*	Australian Smelt			2003	461	28	6.07	22	16	RA	3	DD	0.0	3.0
586	1054	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	E09858	*Neosiluroides cooperensis*	Cooper Creek Tandan			2003	8	8	100.00	7	2	RA	3	DD	0.0	3.0
587	1055	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	C09857	*Neosilurus gloveri*	Glover's Catfish			1985	33	33	100.00	3		VU	4	DD	0.0	4.0
588	1056	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	A09856	*Neosilurus hyrtlii*	Hyrtl's Tandan			2003	26	26	100.00	25	20	RA	3	DD	0.0	3.0
589	1057	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	W09855	*Porochilus argenteus*	Silver Tandan			2003	32	32	100.00	27	20	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_ Records	%_ Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_ Records	%_ Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_ Records	%_ Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Short-beaked Echidna	24	1.66	LC	LC	1	0	0.3	more research/monitoring needed; get Peggy Rismillers	79	5.47	LC	LC	1	0	0.3		3	0.21	LC	LC	1	0	0.3	
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00							1	0.76	RE	RE	7			owl pellet in Chambers Gorge		0.00						
Ampurta		0.00								0.00							4	1.90	LC	LC	1	+	0.2	additional records; increase but questionable if sustaine
Western Quoll		0.00							2	22.22	RE	RE	7			Confirmed by D Peacock		0.00						
Fat-tailed Pseudantechinus		0.00								0.00								0.00						
Red-tailed Phascogale		0.00							4	44.44	RE	RE	7					0.00						
Wongai ningaui		0.00								0.00								0.00						
Giles' Planigale (Paucident Planig		0.00							1	0.24	LC	LC	1	0	0.3	southern edge of range (check record)	5	1.21	LC	LC	1	0	0.3	check eastern border record
Long-tailed Planigale		0.00								0.00							2	4.44	LC	LC	1	0	0.3	
Narrow-nosed Planigale	4	2.17	LC	LC	1	0	0.3		23	12.50	LC	LC	1	0	0.3		3	1.63	LC	LC	1	0	0.3	
Kultarr	2	0.56	RE	RE	7			presumed extinct	8	2.24	RE	RE	7			presumed extinct		0.00						
Fat-tailed Dunnart	64	2.19	LC	LC	1	0	0.3		151	5.17	LC	LC	1	0	0.3		92	3.15	LC	LC	1	0	0.3	
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	36	1.62	LC	LC	1	0	0.3		225	10.10	LC	LC	1	0	0.3		65	2.92	LC	LC	1	0	0.3	
Common Dunnart		0.00							7	3.02	RA d(i,ii)	RA	3	DD	0.0	northern edge of range; outlier		0.00						
Ooldea Dunnart		0.00								0.00								0.00						
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00							4	50.00	RE	RE	7					0.00						
Golden Bandicoot	1	4.76	RE	RE	7				12	57.14	RE	RE	7					0.00						
Western Barred Bandicoot		0.00							6	22.22	RE	RE	7					0.00						
Bilby (Greater Bilby)	1	3.33	RE	RE	7				2	6.67	RE	RE	7				1	3.33	RE	RE	7			
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)		0.00								0.00								0.00						
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum	3	0.18	RE	RE	7			presumed extinct	3	0.18	RE	RE	7			presumed extinct		0.00						
Burrowing Bettong (Boodie)	1	2.86	RE	RE	7			extinct		0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo	169	1.32	LC	LC	1	0	0.3	fluctuating populations; overall stable	81	0.63	LC	LC	1	0	0.3	fluctuating populations; overall stable	9	0.07	LC	LC	1	0	0.3	fluctuating populations; overall stable
Eastern Grey Kangaroo		0.00								0.00							2	5.56	RA d(i,ii)	RA	3	DD	0.0	edge of range
Euro	1863	16.13	LC	LC	1	0	0.3		2165	18.75	LC	LC	1	0	0.3			0.00						
Red Kangaroo	681	2.40	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	1590	5.59	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	303	1.07	LC	LC	1	0	0.3	
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby	1137	17.90	RA c(i); d(i,ii)	RA	3	+	0.2	population fluctuations; managed for conservation (cons	2192	34.51	RA c(i); d(i,ii)	RA	3	+	0.2	population fluctuations; managed for conservation (conservatio		0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby	1	25.00	RE	RE	7				1	25.00	RE	RE	7					0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00							12	100.00	RE	RE	7			presumed extinct		0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00								0.00	LC	LC	1	DD	0.0	no records; reasonably common	6	5.26	LC	LC	1	0	0.3	good records - T Reardon
Southern Freetail-bat			LC	LC	1	0	0.3	no records but known to occur here (see NC records spp complex)			LC	LC	1	0	0.3	no records but known to occur here (see NC records spp complex)								
White-striped Freetail-bat	10	1.28	LC	LC	1	0	0.3		27	3.46	LC	LC	1	0	0.3		6	0.77	LC	LC	1	0	0.3	
Lesser Long-eared Bat	22	1.12	LC	LC	1	0	0.3		92	4.69	LC	LC	1	0	0.3		16	0.82	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	28	0.96	LC	LC	1	0	0.3		212	7.26	LC	LC	1	0	0.3		5	0.17	LC	LC	1	0	0.3	
Chocolate Wattled Bat	19	3.46	LC	LC	1	0	0.3		36	6.56	LC	LC	1	0	0.3			0.00						
Little Pied Bat		0.00								0.00							1	5.88	DD	DD	0	DD	0.0	no records - Anabat record near Quinyambie HS - T Re
Inland Broad-nosed Bat		0.00							6	2.62	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3	
Little Broad-nosed Bat	1	0.88	LC	LC	1	0	0.3		1	0.88	LC	LC	1	0	0.3		13	11.40	LC	LC	1	0	0.3	
Inland Forest Bat	17	3.62	LC	LC	1	0	0.3		60	12.79	LC	LC	1	0	0.3		1	0.21	LC	LC	1	0	0.3	
Finlayson's Cave Bat	7	6.80	LC	LC	1	0	0.3		42	40.78	LC	LC	1	0	0.3			0.00						
Dingo	4	0.33	RA c(i)	RA	3	+	0.2	probable increase in range south of Dog Fence	14	1.17	RA c(i)	RA	3	+	0.2	probable increase in range south of Dog Fence	64	5.34	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline
White-footed Tree-rat	1	14.29	RE	RE	7					0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse		0.00							34	1.78	LC	LC	1	0	0.3		26	1.36	LC	LC	1	0	0.3	
Lesser Stick-nest Rat	2	5.13	RE	RE	7				11	28.21	RE	RE	7			presumed extinct		0.00						
Greater Stick-nest Rat	1	0.47	RE	RE	7				12	5.69	RE	RE	7					0.00						
Spinifex Hopping-mouse		0.00								0.00							1	0.14	LC	LC	1	0	0.3	boom & bust species; edge of range
Short-tailed Hopping-mouse		0.00							12	66.67	RE	RE	7			presumed extinct		0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse	3	0.35	DD	DD	0	DD	0.0	get them during booms but unlikely in busts/edge of ran	48	5.54	DD	DD	0	DD	0.0	get them during booms but unlikely in busts/edge of ran	341	39.38	LC	LC	1	DD	0.0	attributed to seasonal conditions & based on distributio
Long-tailed Hopping-mouse	3	3.49	RE	RE	7				54	62.79	RE	RE	7					0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00							5	71.43	RE	RE	7			extinct		0.00						
Plains Mouse (Plains Rat)	6	0.36	RE	RE	7				64	3.80	RE	RE	7				1	0.06	RA d(i,ii)	RA	3	DD	0.0	additional record missing (skull)

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_ Records	%_ Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_ Records	%_ Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_ Records	%_ Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Bolam's Mouse	4	0.53	LC	LC	1	0	0.3	fluctuates	170	22.58	LC	LC	1	0	0.3	fluctuates	1	0.13	LC	LC	1	0	0.3	fluctuates
Desert Mouse (Brown Desert Mou	3	0.58	RE	RE	7			southern extent of range	25	4.80	RA d(i,ii)	RA	3	DD	0.0	boom & bust spp.; missing record	7	1.34	LC	LC	1	0	0.3	not picked up in surveys
Gould's Mouse	8	4.08	RE	RE	7				121	61.73	RE	RE	7					0.00						
Sandy Inland Mouse	1	0.04	RA d(i,ii)	RA	3	DD	0.0		7	0.25	RA d(i,ii)	RA	3	DD	0.0		137	4.98	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	9	1.23	RE	RE	7			boom & bust; missing records across most regions	57	7.81	RE	RE	7				7	0.96	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	383	4.60	LC	LC	1	0	0.3	records increase in areas of regular fox baiting	347	4.17	LC	LC	1	0	0.3	records increase in areas of regular fox baiting	73	0.88	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	21	1.33	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as little buttor		0.00							4	0.25	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA
Diamond Dove	38	3.68	LC	LC	1	0	0.3	not common; some increases noted	29	2.81	LC	LC	1	0	0.3		65	6.29	LC	LC	1	0	0.3	
Peaceful Dove	188	4.14	LC	LC	1	0	0.3	core areas along creeks	113	2.49	LC	LC	1	0	0.3	core areas along creeks	22	0.48	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00								0.00								0.00						
Crested Pigeon	156	0.71	LC	LC	1	0	0.3		271	1.23	LC	LC	1	0	0.3		224	1.01	LC	LC	1	0	0.3	
Common Bronzewing	132	1.56	LC	LC	1	0	0.3		124	1.47	LC	LC	1	0	0.3		10	0.12	LC	LC	1	0	0.3	
Flock Bronzewing		0.00								0.00							6	5.71	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du
Tawny Frogmouth	9	0.73	LC	LC	1	0	0.3	benefit from recent rodent plagues	25	2.02	LC	LC	1	0	0.3	benefit from recent rodent plagues	7	0.57	LC	LC	1	0	0.3	
Spotted Nightjar		0.00							8	1.49	LC	LC	1	0	0.3		2	0.37	LC	LC	1	0	0.3	
Australian Owlet-nightjar	28	1.69	LC	LC	1	0	0.3		64	3.87	LC	LC	1	0	0.3		14	0.85	LC	LC	1	0	0.3	
Fork-tailed Swift		0.00							1	0.29	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habita		0.00						
Collared Sparrowhawk	22	1.25	LC	LC	1	0	0.3		28	1.59	LC	LC	1	0	0.3		5	0.28	LC	LC	1	0	0.3	
Brown Goshawk	39	1.53	LC	LC	1	0	0.3		39	1.53	LC	LC	1	0	0.3		5	0.20	LC	LC	1	0	0.3	
Wedge-tailed Eagle	369	5.05	LC	LC	1	0	0.3		446	6.10	LC	LC	1	0	0.3		100	1.37	LC	LC	1	0	0.3	
Swamp Harrier		0.00								0.00							4	0.18	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a
Spotted Harrier	8	0.80	LC	LC	1	0	0.3	probable increase over last 10 years	4	0.40	LC	LC	1	0	0.3	probable increase over last 10 years	17	1.70	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	8	0.17	LC	LC	1	0	0.3	not common; increase with mouse plagues	4	0.09	LC	LC	1	0	0.3	not common; increase with mouse plagues	7	0.15	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite		0.00								0.00							9	10.23	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth
Whistling Kite	15	0.36	LC	LC	1	0	0.3	serious decline 30yrs ago in Agric areas in SA & NSW	13	0.31	LC	LC	1	0	0.3		24	0.58	LC	LC	1	0	0.3	
Black-breasted Buzzard		0.00							3	1.94	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	14	9.03	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	12	0.99	NT	NT	2	-	0.4	probably declining	19	1.57	NT	NT	2	-	0.4	probably declining	12	0.99	NT	NT	2	-	0.4	probably declining
Square-tailed Kite	1	1.82	CR D - EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black K	1	1.82	CR D - EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black K	5	9.09	CR D -> EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black K
Black Kite	90	2.56	LC	LC	1	0	0.3	have come back from a historic decline	78	2.22	LC	LC	1	0	0.3	have come back from a historic decline	184	5.23	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	83	1.43	LC	LC	1	0	0.3		101	1.74	LC	LC	1	0	0.3		138	2.37	LC	LC	1	0	0.3	
Nankeen Kestrel	235	2.36	LC	LC	1	0	0.3		269	2.70	LC	LC	1	0	0.3		93	0.93	LC	LC	1	0	0.3	
Grey Falcon	3	2.40	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	11	8.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo
Australian Hobby	12	0.59	LC	LC	1	0	0.3		8	0.39	LC	LC	1	0	0.3		4	0.20	LC	LC	1	0	0.3	
Peregrine Falcon	21	1.70	RA c(i)	RA	3	0	0.3	stronghold; likes rocky ranges	16	1.29	RA c(i)	RA	3	0	0.3	stronghold; likes rocky ranges	1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	6	0.91	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they were know		0.00							13	1.97	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	5	1.33	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	3	0.80	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	5	1.33	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew	2	0.51	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats		0.00								0.00						
Plains-wanderer	1	1.69	EN D	EN	5	DD	0.0	some records not recorded; highly cryptic spp.		0.00								0.00						
Painted Button-quail	1	0.17	EN D	EN	5	DD	0.0	edge of range; in Flinder Ranges NP; limited habitat	1	0.17	EN D	EN	5	DD	0.0	edge of range; in Gammon Ranges NP; limited habitat		0.00						
Little Button-quail	15	1.96	LC	LC	1	0	0.3		7	0.92	LC	LC	1	0	0.3		9	1.19	LC	LC	1	0	0.3	
Australian Pratincole	1	0.25	LC	LC	1	DD	0.0	migratory spp, could be stable	8	1.97	LC	LC	1	DD	0.0	migratory spp, could be stable	4	0.98	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	332	5.73	LC	LC	1	0	0.3		313	5.40	LC	LC	1	0	0.3		170	2.93	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	591	1.95	LC	LC	1	0	0.3		352	1.16	LC	LC	1	0	0.3		162	0.54	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00								0.00							1	0.14	CR D -> EN D	EN	5	-	0.4	influence from Eastern states
Cockatiel	13	0.62	LC	LC	1	0	0.3	could be possible decline	18	0.86	LC	LC	1	0	0.3	could be possible decline	36	1.71	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00							1	7.69	EN D -> VU D1	VU	4	0	0.3	edge of range; NE Aust spp.
Australian Ringneck	439	4.53	LC	LC	1	0	0.3		375	3.87	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3	
Budgerigar	28	0.61	LC	LC	1	0	0.3	boom/bust spp	43	0.93	LC	LC	1	0	0.3	boom/bust spp	203	4.40	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot	8	1.03	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.	7	0.90	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.	8	1.03	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot	156	8.02	RA c(i)	RA	3	0	0.3		64	3.29	RA c(i)	RA	3	0	0.3			0.00						
Scarlet-chested Parrot		0.00							2	1.20	CR D	CR	6	-	0.4			0.00						
Bourke's Parrot		0.00							3	0.63	RA c(i)	RA	3	0	0.3			0.00						
Blue Bonnet		0.00							1	0.04	RA d(i,ii)	RA	3	0	0.3		120	5.00	LC	LC	1	0	0.3	
Night Parrot	1	25.00	CR D	CR	6	DD	0.0			0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot	87	0.91	LC	LC	1	0	0.3		17	0.18	LC	LC	1	0	0.3		39	0.41	LC	LC	1	0	0.3	
Mulga Parrot	90	1.89	LC	LC	1	0	0.3		178	3.74	LC	LC	1	0	0.3		11	0.23	RA c(i)	RA	3	0	0.3	
Fan-tailed Cuckoo	7	0.34	RA c(ii)	RA	3	0	0.3	migratory spp		0.00								0.00						
Pallid Cuckoo	14	0.73	NT	NT	2	-	0.4		41	2.15	NT	NT	2	-	0.4		19	1.00	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	59	1.26	LC	LC	1	0	0.3		75	1.60	LC	LC	1	0	0.3		58	1.24	LC	LC	1	0	0.3	
Black-eared Cuckoo	20	2.98	LC	LC	1	0	0.3		45	6.70	LC	LC	1	0	0.3		8	1.19	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00							4	6.06	CR D	CR	6	-	0.4	lack of prey (med sized mammals & birds) has led to decline		0.00						
Southern Boobook	53	2.23	LC	LC	1	0	0.3		70	2.95	LC	LC	1	0	0.3		6	0.25	LC	LC	1	0	0.3	
Australian Barn Owl	6	0.65	LC	LC	1	0	0.3		5	0.54	LC	LC	1	0	0.3		11	1.19	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_ Records	%_ Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_ Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_ Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Eastern Grass Owl		0.00								0.00								0.00						
Australian Masked Owl	1	11.11	CR D - EN D	EN	5	DD	0.0	very little known about this spp.		0.00								0.00						
Laughing Kookaburra	16	0.22	RA c(i)	RA	3	0	0.3	northern edge of range	2	0.03						vagrant		0.00						
Red-backed Kingfisher	40	2.89	LC	LC	1	0	0.3		93	6.72	LC	LC	1	0	0.3		46	3.33	LC	LC	1	0	0.3	
Sacred Kingfisher	35	1.68	LC	LC	1	0	0.3		24	1.15	LC	LC	1	0	0.3		3	0.14	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	81	2.13	LC	LC	1	0	0.3		56	1.47	LC	LC	1	0	0.3		39	1.03	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00							18	4.34	EN D	EN	5	-	0.4	habitat degradation		0.00						
Brown Treecreeper	103	2.03	RA c(i)	RA	3	0	0.3		54	1.06	RA c(i)	RA	3	0	0.3			0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren		0.00								0.00							55	12.94	NT	NT	2	0	0.3	
Short-tailed Grasswren	193	73.95	RA d(i)	RA	3	0	0.3		26	9.96	RA d(i)	RA	3	0	0.3			0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren		0.00							26	20.80	VU B1ab(i,ii)+2ab(i,ii)	VU	4	-	0.4	Taxonomic change to Amytornis modestus ssp raglessi: record		0.00	RA c(i)	RA	3	0	0.3	no records, taxonomic change to Amytornis modestus s
Variegated Fairy-wren	200	2.83	LC	LC	1	0	0.3		353	4.99	LC	LC	1	0	0.3		127	1.80	LC	LC	1	0	0.3	
White-winged Fairy-wren	70	1.16	LC	LC	1	0	0.3		254	4.20	LC	LC	1	0	0.3		292	4.83	LC	LC	1	0	0.3	
Splendid Fairy-wren	1	0.05	EN D	EN	5	0	0.3		38	1.82	VU D1	VU	4	0	0.3			0.00						
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill	472	10.34	LC	LC	1	0	0.3		364	7.97	LC	LC	1	0	0.3			0.00						
Yellow-rumped Thornbill	313	3.09	LC	LC	1	0	0.3		161	1.59	LC	LC	1	0	0.3			0.00						
Slender-billed Thornbill		0.00							3	1.13	RE	RE	7			presumed extinct		0.00						
Slaty-backed Thornbill		0.00							1	0.88	CR D	CR	6	DD	0.0			0.00						
Chestnut-rumped Thornbill	125	2.15	LC	LC	1	0	0.3		242	4.16	LC	LC	1	0	0.3		18	0.31	NT	NT	2	0	0.3	
Southern Whiteface	256	4.54	LC	LC	1	0	0.3		210	3.73	LC	LC	1	0	0.3		58	1.03	LC	LC	1	0	0.3	
Banded Whiteface		0.00								0.00							45	6.60	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface		0.00							88	68.75	RA c(i)	RA	3	0	0.3			0.00						
Rufous Fieldwren		0.00							75	7.55	LC	LC	1	0	0.3		11	1.11	LC	LC	1	0	0.3	
Western Gerygone		0.00								0.00								0.00						
Shy Heathwren	13	0.97	EN D	EN	5	DD	0.0	needs monitoring	1	0.07	CR D	CR	6	DD	0.0	needs monitoring		0.00						
Redthroat	67	5.81	LC	LC	1	0	0.3		106	9.19	LC	LC	1	0	0.3		3	0.26	EN D	EN	5	DD	0.0	
Weebill	416	3.16	LC	LC	1	0	0.3		376	2.86	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3	
Spotted Pardalote	2	0.02	EN D	EN	5	DD	0.0	edge of range	10	0.12	EN D	EN	5	DD	0.0	edge of range		0.00						
Red-browed Pardalote		0.00							11	3.12	NT	NT	2	0	0.3		36	10.20	NT	NT	2	0	0.3	
Striated Pardalote	394	2.31	LC	LC	1	0	0.3		446	2.62	LC	LC	1	0	0.3		16	0.09	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	457	2.97	LC	LC	1	0	0.3		633	4.11	LC	LC	1	0	0.3		26	0.17	LC	LC	1	0	0.3	
Red Wattlebird	44	0.18	RA c(i)	RA	3	0	0.3	edge of range		0.00								0.00						
Gibberbird		0.00							16	4.76	NT	NT	2	0	0.3		1	0.30	NT	NT	2	0	0.3	
Pied Honeyeater	7	0.81	LC	LC	1	0	0.3	numbers can fluctuate a lot	35	4.06	LC	LC	1	0	0.3	numbers can fluctuate a lot	48	5.56	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat	10	0.22	LC	LC	1	0	0.3	is declining in parts of range further south & East	3	0.06	LC	LC	1	0	0.3	is declining in parts of range further south & East	2	0.04	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East
Orange Chat	7	0.43	LC	LC	1	0	0.3		26	1.61	LC	LC	1	0	0.3		99	6.14	LC	LC	1	0	0.3	
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	17	0.90	LC	LC	1	0	0.3		41	2.17	LC	LC	1	0	0.3		73	3.86	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater	20	1.22	RA c(i); d (i)	RA	3	DD	0.0		4	0.24	EN D	EN	5	DD	0.0			0.00						
Painted Honeyeater		0.00								0.00							2	18.18	EN D	EN	5	DD	0.0	irregular visitors
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater	49	1.15	EN D	EN	5	0	0.3		7	0.16	EN D	EN	5	0	0.3			0.00						
Yellow-plumed Honeyeater	67	0.92	RA c(i)	RA	3	0	0.3		30	0.41	RA c(i)	RA	3	0	0.3			0.00						
White-plumed Honeyeater	219	1.32	LC	LC	1	0	0.3		266	1.61	LC	LC	1	0	0.3		66	0.40	LC	LC	1	0	0.3	
Grey-fronted Honeyeater	66	4.86	LC	LC	1	0	0.3		208	15.31	LC	LC	1	0	0.3		1	0.07	RA c(i); d(i, ii)	RA	3	DD	0.0	
Singing Honeyeater	139	0.76	LC	LC	1	0	0.3		383	2.08	LC	LC	1	0	0.3		300	1.63	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	287	3.41	LC	LC	1	0	0.3		253	3.01	LC	LC	1	0	0.3		166	1.97	LC	LC	1	0	0.3	
Brown-headed Honeyeater	49	0.82	NT	NT	2	0	0.3		53	0.89	NT	NT	2	0	0.3			0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	26	0.50	LC	LC	1	0	0.3		65	1.25	LC	LC	1	0	0.3		3	0.06	RA c(i)	RA	3	0	0.3	
Black Honeyeater	6	2.05	NT	NT	2	0	0.3	nomadic spp.	3	1.03	NT	NT	2	0	0.3	nomadic spp.	21	7.19	NT	NT	2	0	0.3	nomadic spp.
Chestnut-crowned Babbler	7	0.36	RA c(i)	RA	3	0	0.3	not common	39	2.00	RA c(i)	RA	3	0	0.3	not common	105	5.39	LC	LC	1	0	0.3	
White-browed Babbler	200	1.79	LC	LC	1	0	0.3		286	2.56	LC	LC	1	0	0.3		3	0.03	RA c(i)	RA	3	0	0.3	
Grey-crowned Babbler		0.00								0.00								0.00						
Chestnut Quail-thrush		0.00							5	0.27	EN D	EN	5	-	0.4			0.00						
Cinnamon Quail-thrush	2	0.14	LC	LC	1	0	0.3		82	5.81	LC	LC	1	0	0.3		54	3.83	LC	LC	1	0	0.3	
Chirruping Wedgebill	29	2.17	LC	LC	1	0	0.3		188	14.05	LC	LC	1	0	0.3		82	6.13	LC	LC	1	0	0.3	
Chiming Wedgebill		0.00								0.00								0.00						
Varied Sittella	8	0.30	NT	NT	2	0	0.3	needs tall shrubland/woodland	12	0.45	NT	NT	2	0	0.3	needs tall shrubland/woodland		0.00						
Ground Cuckoo-shrike	5	1.36	NT	NT	2	0	0.3		4	1.09	NT	NT	2	0	0.3		10	2.72	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	149	1.40	LC	LC	1	0	0.3		202	1.90	LC	LC	1	0	0.3		24	0.23	LC	LC	1	0	0.3	
White-winged Triller	37	1.65	LC	LC	1	0	0.3	migratory spp	57	2.54	LC	LC	1	0	0.3	migratory spp	40	1.78	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_ Records	%_ Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_ Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_ Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Grey Shrike-thrush	338	1.57	LC	LC	1	0	0.3		333	1.55	LC	LC	1	0	0.3		5	0.02	NT	NT	2	0	0.3	
Crested Bellbird	13	0.22	LC	LC	1	0	0.3		128	2.17	LC	LC	1	0	0.3		8	0.14	RA c(i)	RA	3	0	0.3	
Gilbert's Whistler	4	0.28	RA c(i)	RA	3	0	0.3		13	0.92	RA c(i)	RA	3	0	0.3			0.00						
Golden Whistler	1	0.01	RE	RE	7			presumed extinct		0.00								0.00						
Rufous Whistler	308	4.41	LC	LC	1	0	0.3		397	5.68	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3	
Black-faced Woodswallow	21	0.49	LC	LC	1	0	0.3		137	3.21	LC	LC	1	0	0.3		207	4.86	LC	LC	1	0	0.3	
Dusky Woodswallow	19	0.34	NT	NT	2	0	0.3		56	0.99	NT	NT	2	0	0.3			0.00						
White-breasted Woodswallow	3	0.48	LC	LC	1	+	0.2	around water; generally uncommon	1	0.16	LC	LC	1	+	0.2	around water; generally uncommon	27	4.33	LC	LC	1	+	0.2	around water; generally uncommon
Little Woodswallow	5	4.24	RA c(ii)	RA	3	0	0.3	migratory spp	42	35.59	NT	NT	2	+	0.2	migratory spp		0.00						
Masked Woodswallow	7	0.27	LC	LC	1	0	0.3		19	0.74	LC	LC	1	0	0.3		17	0.66	LC	LC	1	0	0.3	
White-browed Woodswallow	6	0.27	NT	NT	2	-	0.4		15	0.66	NT	NT	2	-	0.4		21	0.93	NT	NT	2	-	0.4	
Pied Butcherbird	1	0.08	RA c(iii)	RA	3	+	0.2			0.00	RA c(iii)	RA	3	+	0.2	no records but occurs here		0.00						
Australian Magpie	631	1.75	LC	LC	1	0	0.3		366	1.02	LC	LC	1	0	0.3		167	0.46	LC	LC	1	0	0.3	
Grey Butcherbird	242	2.70	LC	LC	1	0	0.3		295	3.29	LC	LC	1	0	0.3		3	0.03	RA c(i)	RA	3	0	0.3	
Grey Currawong	2	0.02	EN D	EN	5	DD	0.0		1	0.01	EN D	EN	5	DD	0.0			0.00						
Grey Fantail	25	0.21	NT	NT	2	DD	0.0	not common	45	0.37	NT	NT	2	DD	0.0	not common	2	0.02	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	235	0.87	LC	LC	1	0	0.3		394	1.46	LC	LC	1	0	0.3		203	0.75	LC	LC	1	0	0.3	
Little Crow	52	1.64	LC	LC	1	0	0.3		128	4.05	LC	LC	1	0	0.3		225	7.12	LC	LC	1	0	0.3	
Australian Raven	646	6.67	LC	LC	1	0	0.3		513	5.30	LC	LC	1	0	0.3		153	1.58	LC	LC	1	0	0.3	
Little Raven	11	0.06	RA c(i)	RA	3	+	0.2			0.00								0.00						
Torresian Crow		0.00								0.00								0.00						
Magpie-lark	71	0.36	LC	LC	1	0	0.3		64	0.33	LC	LC	1	0	0.3		86	0.44	LC	LC	1	0	0.3	
Restless Flycatcher	2	0.10	RA c(iii)	RA	3	0	0.3	irregular winter visitors	7	0.34	RA c(iii)	RA	3	0	0.3	irregular winter visitors	3	0.15	RA c(iii)	RA	3	0	0.3	irregular winter visitors
Apostlebird	2	0.39	RA c(i)	RA	3	++	0.1	range expansion from nth Murray Mallee		0.00							4	0.77	RA c(i)	RA	3	+	0.2	range expansion from nth Murray Mallee
Southern Scrub-robin	15	0.66	EN D	EN	5	-	0.4		13	0.57	EN D	EN	5	-	0.4			0.00						
Hooded Robin	7	0.19	RA c(i)	RA	3	-	0.4		61	1.66	NT	NT	2	0	0.3		5	0.14	RA c(i)	RA	3	0	0.3	
Jacky Winter	9	0.20	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	9	0.20	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	3	0.07	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	430	6.34	LC	LC	1	0	0.3		411	6.06	LC	LC	1	0	0.3		32	0.47	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00							1	0.15	RA c(i, ii)	RA	3	DD	0.0	
Australian Reed Warbler	38	1.34	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	17	0.60	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	1	0.04	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	34	1.08	LC	LC	1	0	0.3		17	0.54	LC	LC	1	0	0.3		76	2.40	LC	LC	1	0	0.3	
Rufous Songlark	43	2.43	LC	LC	1	0	0.3		15	0.85	LC	LC	1	0	0.3		42	2.37	LC	LC	1	0	0.3	
Spinifexbird		0.00	CR D	CR	6	DD	0.0	no records but known to occur here		0.00								0.00						
Little Grassbird	3	0.10	NT	NT	2	0	0.3		7	0.24	NT	NT	2	0	0.3		18	0.63	NT	NT	2	0	0.3	
Silvereye	112	0.95	LC	LC	1	0	0.3		50	0.42	LC	LC	1	0	0.3			0.00						
White-backed Swallow	6	0.38	LC	LC	1	0	0.3		46	2.93	LC	LC	1	0	0.3		176	11.21	LC	LC	1	0	0.3	
Welcome Swallow	82	0.43	LC	LC	1	0	0.3		77	0.40	LC	LC	1	0	0.3		22	0.11	LC	LC	1	0	0.3	
Fairy Martin	18	0.79	LC	LC	1	0	0.3		21	0.92	LC	LC	1	0	0.3		63	2.77	LC	LC	1	0	0.3	
Tree Martin	274	2.83	LC	LC	1	0	0.3		314	3.24	LC	LC	1	0	0.3		59	0.61	LC	LC	1	0	0.3	
Mistletoebird	123	2.14	LC	LC	1	0	0.3		304	5.28	LC	LC	1	0	0.3		39	0.68	LC	LC	1	0	0.3	
Painted Finch	1	1.92	RA c(iii)	RA	3	DD	0.0		13	25.00	RA c(ii)	RA	3	0	0.3	regular visitors		0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	76	1.23	LC	LC	1	0	0.3		283	4.58	LC	LC	1	0	0.3		322	5.22	LC	LC	1	0	0.3	
Australian Pipit	211	2.99	LC	LC	1	0	0.3		203	2.87	LC	LC	1	0	0.3		93	1.32	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00							1	0.99	EN D	EN	5	DD	0.0	declines driven by eastern Australian declines, not local
Chestnut Teal	1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor		0.00							6	0.10	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Grey Teal	59	0.46	LC	LC	1	0	0.3	irruptive	48	0.38	LC	LC	1	0	0.3	irruptive	56	0.44	LC	LC	1	0	0.3	irruptive
Australasian Shoveler	1	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							3	0.10	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Pacific Black Duck	44	0.31	LC	LC	1	0	0.3		31	0.22	LC	LC	1	0	0.3		25	0.18	LC	LC	1	0	0.3	
Hardhead	4	0.11	LC	LC	1	0	0.3	irruptive	7	0.18	LC	LC	1	0	0.3	irruptive	17	0.45	LC	LC	1	0	0.3	irruptive
Musk Duck	4	0.12	RA c(iii)	RA	3	0	0.3		21	0.63	RA c(iii)	RA	3	0	0.3		2	0.06	RA c(iii)	RA	3	0	0.3	
Australian Wood Duck	41	0.59	LC	LC	1	0	0.3	possible increase	16	0.23	LC	LC	1	0	0.3	possible increase	25	0.36	LC	LC	1	0	0.3	possible increase
Black Swan		0.00							11	0.09	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	7	0.06	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck		0.00							11	0.65	LC	LC	1	0	0.3		26	1.55	LC	LC	1	0	0.3	
Blue-billed Duck		0.00							1	0.19	RA c(iii)	RA	3	0	0.3		1	0.19	RA c(iii)	RA	3	0	0.3	
Freckled Duck	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation of	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation of	3	0.37	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o
Australian Shelduck		0.00								0.00							35	0.45	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Great Crested Grebe		0.00							1	0.03	RA c(i)	RA	3	0	0.3		1	0.03	RA c(iii)	RA	3	0	0.3	
Hoary-headed Grebe	10	0.17	LC	LC	1	0	0.3		14	0.24	LC	LC	1	0	0.3		17	0.29	LC	LC	1	0	0.3	
Australasian Grebe	26	0.58	LC	LC	1	0	0.3	likes fresh water	17	0.38	LC	LC	1	0	0.3	likes fresh water	15	0.34	LC	LC	1	0	0.3	likes fresh water
Australasian Darter		0.00							2	0.12	RA c(iii)	RA	3	0	0.3		2	0.12	RA c(iii)	RA	3	0	0.3	
Little Pied Cormorant	13	0.11	RA c(ii)	RA	3	0	0.3		14	0.12	RA c(ii)	RA	3	0	0.3		7	0.06	RA c(ii)	RA	3	0	0.3	
Great Cormorant	1	0.01	RA c(ii)	RA	3	0	0.3		3	0.04	RA c(ii)	RA	3	0	0.3		8	0.11	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant	3	0.05	RA c(ii)	RA	3	0	0.3		8	0.13	RA c(ii)	RA	3	0	0.3		11	0.18	RA c(ii)	RA	3	0	0.3	
Pied Cormorant		0.00							2	0.03	RA c(ii)	RA	3	0	0.3		1	0.02	RA c(ii)	RA	3	0	0.3	
Australian Pelican		0.00							3	0.02	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	10	0.07	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret		0.00							5	0.08	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3	
Intermediate Egret		0.00								0.00							1	0.57	RA c(iii)	RA	3	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_ Records	%_ Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_ Records	%_ Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_ Records	%_ Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
White-necked Heron	8	0.86	RA c(iii)	RA	3	0	0.3		13	1.39	RA c(iii)	RA	3	0	0.3		12	1.28	RA c(iii)	RA	3	0	0.3	
Little Egret		0.00								0.00								0.00						
White-faced Heron	55	0.40	LC	LC	1	0	0.3		58	0.42	LC	LC	1	0	0.3		13	0.09	LC	LC	1	0	0.3	
Nankeen Night-Heron	2	0.27	RA c(ii)	RA	3	0	0.3		4	0.55	RA c(ii)	RA	3	0	0.3		1	0.14	RA c(ii)	RA	3	0	0.3	
Yellow-billed Spoonbill		0.00							1	0.04	RA c(ii)	RA	3	0	0.3		9	0.38	RA c(ii)	RA	3	0	0.3	
Royal Spoonbill		0.00							1	0.04	RA c(iii)	RA	3	0	0.3		2	0.07	RA c(iii)	RA	3	0	0.3	
Glossy Ibis		0.00								0.00							3	0.90	RA c(iii)	RA	3	0	0.3	
Australian White Ibis		0.00							1	0.01	RA c(iii)	RA	3	0	0.3		2	0.02	RA c(iii)	RA	3	0	0.3	
Straw-necked Ibis	6	0.18	RA c(ii)	RA	3	0	0.3		2	0.06	RA c(ii)	RA	3	0	0.3		2	0.06	RA c(ii)	RA	3	0	0.3	
Brolga		0.00								0.00							3	0.68	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regio
Eurasian Coot	14	0.19	NT	NT	2	0	0.3	regular visitors in larger numbers	15	0.20	NT	NT	2	0	0.3	regular visitors in larger numbers	5	0.07	NT	NT	2	0	0.3	regular visitors in larger numbers
Dusky Moorhen		0.00							1	0.03	RA c(iii)	RA	3	0	0.3		1	0.03	RA c(iii)	RA	3	0	0.3	
Buff-banded Rail		0.00							1	0.30	RA c(iii)	RA	3	0	0.3			0.00						
Purple Swamphen		0.00								0.00								0.00						
Australian Spotted Crake	7	0.84	RA c(iii)	RA	3	0	0.3		2	0.24	RA c(iii)	RA	3	0	0.3		17	2.05	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00								0.00							2	0.93	RA c(iii)	RA	3	0	0.3	
Spotless Crake		0.00								0.00							3	0.93	RA c(iii)	RA	3	0	0.3	
Black-tailed Native-hen	21	0.53	LC	LC	1	0	0.3	irruptive	10	0.25	LC	LC	1	0	0.3	irruptive	29	0.74	LC	LC	1	0	0.3	irruptive
Banded Stilt		0.00								0.00							62	3.15	VU A1be	VU	4	0	0.3	breeding site; silver gulls a threat
Black-winged Stilt	1	0.01	RA c(iii)	RA	3	0	0.3		1	0.01	RA c(iii)	RA	3	0	0.3		35	0.51	RA c(iii)	RA	3	0	0.3	occur in mound springs
Red-necked Avocet	1	0.04	RA c(ii)	RA	3	0	0.3		2	0.07	RA c(ii)	RA	3	0	0.3		37	1.30	RA c(ii)	RA	3	0	0.3	
Inland Dotterel	1	0.25	RA c(ii)	RA	3	DD	0.0		8	1.98	RA c(ii)	RA	3	DD	0.0		6	1.49	LC	LC	1	0	0.3	
Red-capped Plover		0.00							3	0.05	RA c(ii)	RA	3	0	0.3		17	0.26	RA c(ii)	RA	3	0	0.3	
Oriental Plover		0.00	RA c(iii)	RA	3	0	0.3	irregular visitors	1	1.56	RA c(iii)	RA	3	0	0.3	irregular visitors		0.00						
Black-fronted Dotterel	60	1.69	LC	LC	1	0	0.3		65	1.83	LC	LC	1	0	0.3		50	1.41	LC	LC	1	0	0.3	
Red-kneed Dotterel		0.00							3	0.14	NT	NT	2	0	0.3		16	0.75	NT	NT	2	0	0.3	
Masked Lapwing	42	0.28	LC	LC	1	0	0.3	likely to be resident in many areas	5	0.03	LC	LC	1	0	0.3	likely to be resident in many areas	57	0.37	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	9	0.64	NT	NT	2	DD	0.0	possible decline	19	1.35	NT	NT	2	DD	0.0	possible decline	23	1.63	NT	NT	2	DD	0.0	
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper		0.00								0.00							9	0.18	RA c(ii)	RA	3	0	0.3	
Curlew Sandpiper		0.00								0.00							1	0.04	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc
Red-necked Stint		0.00								0.00							1	0.02	RA c(iii)	RA	3	0	0.3	
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper		0.00								0.00								0.00						
Common Greenshank		0.00							3	0.05	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3	
Marsh Sandpiper		0.00								0.00							1	0.11	RA c(iii)	RA	3	0	0.3	
Whiskered Tern		0.00								0.00							7	0.11	RA c(iii)	RA	3	0	0.3	
Silver Gull	2	0.01	LC	LC	1	+	0.2	probable increase	2	0.01	LC	LC	1	+	0.2	probable increase	21	0.11	LC	LC	1	+	0.2	probable increase
Gull-billed Tern		0.00							3	0.56	RA c(ii)	RA	3	0	0.3		53	9.81	RA c(ii)	RA	3	0	0.3	
Caspian Tern		0.00							3	0.04	RA c(iii)	RA	3	0	0.3		3	0.04	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise		0.00							1	0.79						introduced		0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon		0.00								0.00								0.00						
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon	100	14.99	LC	LC	1	0	0.3		141	21.14	LC	LC	1	0	0.3			0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00							2	0.10	LC	LC	1	0	0.3		183	9.42	LC	LC	1	0	0.3	
Gibber Dragon		0.00								0.00								0.00						
Military Dragon		0.00								0.00								0.00						
Lake Eyre Dragon		0.00								0.00							14	9.09	RA d(i,ii)	RA	3	0	0.3	specific habitat requirements; boom/bust spp; riparian s
Central Netted Dragon	1	0.10	LC	LC	1	0	0.3		11	1.14	LC	LC	1	0	0.3		60	6.23	LC	LC	1	0	0.3	
Painted Dragon	3	0.13	LC	LC	1	0	0.3		18	0.81	LC	LC	1	0	0.3		95	4.26	LC	LC	1	0	0.3	
Western Netted Dragon		0.00								0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00								0.00								0.00						
Red-barred Dragon	29	10.32	LC	LC	1	0	0.3		218	77.58	LC	LC	1	0	0.3			0.00						
Nobbi Dragon	16	8.99	LC	LC	1	0	0.3	mallee dependent	34	19.10	LC	LC	1	0	0.3	mallee dependent		0.00						
Canegrass Dragon		0.00							2	0.88	LC	LC	1	0	0.3		20	8.81	LC	LC	1	0	0.3	
Thorny Devil		0.00								0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00								0.00						
Central Bearded Dragon	21	1.84	LC	LC	1	0	0.3		56	4.90	LC	LC	1	0	0.3		25	2.19	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon		0.00							30	5.55	LC	LC	1	0	0.3		3	0.55	LC	LC	1	0	0.3	
Five-lined Earless Dragon	1	0.24	LC	LC	1	0	0.3			0.00							12	2.92	LC	LC	1	0	0.3	
Eyrean Earless Dragon	52	4.77	LC	LC	1	0	0.3		127	11.64	LC	LC	1	0	0.3		3	0.27	LC	LC	1	0	0.3	
Marbled Gecko	3	0.09	LC	LC	1	0	0.3		3	0.09	RA d(i,ii)	RA	3	0	0.3	hard to find; climate change a threat		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Southern Rock Dtella	69	8.55	LC	LC	1	0	0.3	lives in rocky hills	94	11.65	LC	LC	1	0	0.3	lives in rocky hills		0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	2	0.44	LC	LC	1	0	0.3		39	8.52	LC	LC	1	0	0.3		26	5.68	LC	LC	1	0	0.3	
Tree Dtella	67	2.80	LC	LC	1	0	0.3		439	18.34	LC	LC	1	0	0.3		49	2.05	LC	LC	1	0	0.3	
Bynoe's Gecko	93	3.17	LC	LC	1	0	0.3		324	11.03	LC	LC	1	0	0.3		90	3.06	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko		0.00							3	0.30	LC	LC	1	0	0.3		84	8.50	LC	LC	1	0	0.3	
Barking Gecko	37	3.14	LC	LC	1	0	0.3		59	5.01	LC	LC	1	0	0.3			0.00						
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko		0.00								0.00							11	2.66	LC	LC	1	0	0.3	
Ranges Stone Gecko	67	16.88	LC	LC	1	0	0.3		57	14.36	LC	LC	1	0	0.3			0.00						
Mesa Gecko		0.00								0.00								0.00						
Tessellated Gecko	7	1.15	LC	LC	1	0	0.3		48	7.88	LC	LC	1	0	0.3		15	2.46	LC	LC	1	0	0.3	
Pink-blotched Gecko	12	1.83	LC	LC	1	0	0.3		113	17.25	LC	LC	1	0	0.3		53	8.09	LC	LC	1	0	0.3	
Beaded Gecko		0.00								0.00							150	9.14	LC	LC	1	0	0.3	
Sandplain Gecko		0.00							17	2.92	LC	LC	1	0	0.3		1	0.17	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00							33	82.50	RA d(i,ii)	RA	3	0	0.3	restricted to black-oak habitat		0.00						
Beaked Gecko	8	0.55	LC	LC	1	0	0.3		70	4.79	LC	LC	1	0	0.3		183	12.53	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko		0.00								0.00							15	7.54	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko	7	3.87	LC	LC	1	0	0.3	dependent on Triodia; often under-reported	20	11.05	LC	LC	1	0	0.3	dependent on Triodia; often under-reported		0.00						
Southern Spiny-tailed Gecko	23	7.93	LC	LC	1	0	0.3		21	7.24	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Flinders Worm-lizard	3	3.45	RA d(i,ii)	RA	3	0	0.3	should be de-listed EPBC; hard to find	2	2.30	RA d(i,ii)	RA	3	0	0.3	should be de-listed EPBC; hard to find		0.00						
Barred Snake-lizard	10	1.86	LC	LC	1	0	0.3		11	2.04	LC	LC	1	0	0.3			0.00						
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard	21	7.34	LC	LC	1	0	0.3		20	6.99	LC	LC	1	0	0.3		9	3.15	LC	LC	1	0	0.3	
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard	11	3.96	LC	LC	1	0	0.3			0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard		0.00								0.00								0.00						
Burton's Legless Lizard	15	5.03	LC	LC	1	0	0.3		17	5.70	LC	LC	1	0	0.3		4	1.34	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot	1	0.36	RA d(i,ii)	RA	3	0	0.3	edge of range	2	0.71	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Black-headed Scaly-foot		0.00								0.00								0.00						
Hooded Scaly-foot	2	5.00	LC	LC	1	0	0.3		2	5.00	LC	LC	1	0	0.3			0.00						
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink	23	5.90	LC	LC	1	0	0.3		113	28.97	LC	LC	1	0	0.3			0.00						
Eyrean Wall Skink		0.00								0.00							1	1.30	LC	LC	1	0	0.3	under surveyed
Speckled Wall Skink	10	4.98	LC	LC	1	0	0.3		2	1.00	RA d(ii)	RA	3	0	0.3	edge of range; isolated pops		0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00							39	29.55	LC	LC	1	0	0.3	
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail		0.00								0.00							9	3.73	LC	LC	1	0	0.3	
Common Desert Ctenotus		0.00							1	0.22	LC	LC	1	0	0.3		11	2.46	LC	LC	1	0	0.3	
Saltbush Ctenotus	22	3.56	LC	LC	1	0	0.3		95	15.37	LC	LC	1	0	0.3		1	0.16	LC	LC	1	0	0.3	
Spotted Ctenotus	18	2.71	LC	LC	1	0	0.3		41	6.17	LC	LC	1	0	0.3			0.00						
Leopard Skink	2	0.82	LC	LC	1	0	0.3		5	2.06	LC	LC	1	0	0.3			0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	21	1.14	LC	LC	1	0	0.3		54	2.92	LC	LC	1	0	0.3		65	3.52	LC	LC	1	0	0.3	
Eastern Striped Skink	105	9.76	LC	LC	1	0	0.3		147	13.66	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3	
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus		0.00							26	1.35	LC	LC	1	0	0.3		78	4.06	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus	20	3.77	LC	LC	1	0	0.3		31	5.85	LC	LC	1	0	0.3		29	5.47	LC	LC	1	0	0.3	
Eyrean Ctenotus	2	0.16	LC	LC	1	0	0.3		10	0.81	LC	LC	1	0	0.3		127	10.25	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue	9	2.84	LC	LC	1	0	0.3		37	11.67	LC	LC	1	0	0.3			0.00						
Saltbush Slender Bluetongue	2	4.76	RA d(i,ii)	RA	3	0	0.3	lack of records	2	4.76	RA d(i,ii)	RA	3	0	0.3	lack of records		0.00						
Gidgee Skink	9	3.88	LC	LC	1	0	0.3		39	16.81	LC	LC	1	0	0.3			0.00						
Eastern Tree Skink	24	5.12	LC	LC	1	0	0.3		39	8.32	LC	LC	1	0	0.3			0.00						
Narrow-banded Sandswimmer		0.00								0.00							384	40.76	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	8	1.19	LC	LC	1	0	0.3		54	8.02	LC	LC	1	0	0.3		6	0.89	LC	LC	1	0	0.3	
Three-toed Earless Skink	4	0.29	RA d(i,ii)	RA	3	0	0.3	lives in cool, wet areas; mountain tops	1	0.07	RA d(i,ii)	RA	3	0	0.3	lives in cool, wet areas; mountain tops		0.00						
Rusty Earless Skink		0.00							6	2.02	RA d(i,ii)	RA	3	0	0.3	lives in triodia		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_ Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Yellow-tailed Slider	1	1.35	LC	LC	1	0	0.3			0.00							13	17.57						
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink	7	0.56	LC	LC	1	0	0.3		5	0.40	LC	LC	1	0	0.3			0.00						
Great Desert Slider		0.00							5	1.32	RA d(i,ii)	RA	3	0	0.3	isolated pop in Leigh Ck		0.00						
Southern Four-toed Slider	4	0.45	LC	LC	1	0	0.3	edge of range	1	0.11	LC	LC	1	0	0.3	edge of range		0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider		0.00							13	1.00	LC	LC	1	0	0.3		100	7.73	LC	LC	1	0	0.3	
Spotted Slider	12	3.27	LC	LC	1	0	0.3		59	16.08	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3	restricted
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider	35	5.00	LC	LC	1	0	0.3		117	16.71	LC	LC	1	0	0.3			0.00						
Desert Skink		0.00							3	0.37	LC	LC	1	0	0.3		58	7.12	LC	LC	1	0	0.3	
Tjakura		0.00								0.00								0.00						
Masked Rock Skink	64	29.36	LC	LC	1	0	0.3		85	38.99	LC	LC	1	0	0.3			0.00						
Bull Skink	3	0.81	VU D1+2	VU	4	0	0.3	in Wilpena Pound		0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	66	2.24	LC	LC	1	0	0.3		68	2.30	LC	LC	1	0	0.3		40	1.35	LC	LC	1	0	0.3	
Adelaide Snake-eye	2	0.20	LC	LC	1	0	0.3		5	0.49	LC	LC	1	0	0.3		42	4.15	LC	LC	1	0	0.3	
Common Snake-eye	139	6.25	LC	LC	1	0	0.3		313	14.08	LC	LC	1	0	0.3		5	0.22	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00								0.00							4	7.84	LC	LC	1	0	0.3	
Western Bluetongue	1	0.37	LC	LC	1	0	0.3		1	0.37	LC	LC	1	0	0.3			0.00						
Sleepy Lizard	68	2.23	LC	LC	1	0	0.3		102	3.34	LC	LC	1	0	0.3		10	0.33	LC	LC	1	0	0.3	
Eastern Bluetongue	4	1.43	LC	LC	1	0	0.3		6	2.15	LC	LC	1	0	0.3			0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00								0.00								0.00						
Perentie		0.00								0.00								0.00						
Pygmy Mulga Goanna		0.00								0.00								0.00						
Sand Goanna	14	1.47	LC	LC	1	0	0.3		30	3.15	LC	LC	1	0	0.3		65	6.83	LC	LC	1	0	0.3	
Black-headed Goanna		0.00							1	2.94	DD	DD	0	DD	0.0			0.00						
Southern Blind Snake	2	0.99	RA d(i,ii)	RA	3	0	0.3	confined to higher rainfall areas; edge of range	3	1.48	RA d(i,ii)	RA	3	0	0.3	confined to higher rainfall areas; edge of range	1	0.49	RA d(i,ii)	RA	3	0	0.3	confined to higher rainfall areas; edge of range
Rough-nosed Blind Snake	6	2.28	LC	LC	1	0	0.3		8	3.04	LC	LC	1	0	0.3		3	1.14	LC	LC	1	0	0.3	
Centralian Blind Snake		0.00								0.00							16	8.89	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00								0.00								0.00						
Stimson's Python	1	1.61	LC	LC	1	0	0.3		11	17.74	LC	LC	1	0	0.3			0.00						
Woma		0.00								0.00							13	17.33	LC	LC	1	0	0.3	
Carpet Python	2	0.70	RA d(i,ii)	RA	3	-	0.4	should be more records	6	2.10	RA d(ii)	RA	3	-	0.4	more habitat here; likes big trees, creeks, rocky areas;	1	0.35	RA d(ii)	RA	3	-	0.4	likes big trees, creeks, rocky areas; eaten by foxes
Desert Death Adder		0.00								0.00								0.00						
Coral Snake	1	2.63	RA d(i,ii)	RA	3	0	0.3	not typical in this region; mallee spp.	3	7.89	RA d(i,ii)	RA	3	0	0.3	not typical in this region; mallee spp.		0.00						
Narrow-banded Snake		0.00								0.00							2	4.44	LC	LC	1	0	0.3	not often seen
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake	4	3.57	LC	LC	1	0	0.3		24	21.43	LC	LC	1	0	0.3			0.00						
Desert Whipsnake	7	5.47	LC	LC	1	0	0.3			0.00								0.00						
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake	3	8.82	LC	LC	1	0	0.3		8	23.53	LC	LC	1	0	0.3			0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan		0.00								0.00								0.00						
Hooded Snake		0.00								0.00								0.00						
Mitchell's Short-tailed Snake		0.00							5	4.27	RA d(ii)	RA	3	0	0.3	disjunct population		0.00						
Mallee Black-headed Snake	2	1.08	LC	LC	1	0	0.3	can live in very dry & diverse places; northern limit of ra	2	1.08	LC	LC	1	0	0.3	can live in very dry & diverse places; northern limit of ra	1	0.54	LC	LC	1	0	0.3	can live in very dry & diverse places; northern limit of ra
Mulga Snake	4	1.34	LC	LC	1	0	0.3			0.00								0.00						
Patch-nosed Brown Snake	1	2.00	LC	LC	1	0	0.3	under surveyed	1	2.00	LC	LC	1	0	0.3	under surveyed		0.00						
Gwardar		0.00							1	4.55	LC	LC	1	0	0.3	under surveyed		0.00						
Five-ringed Snake		0.00							2	0.97	LC	LC	1	0	0.3		2	0.97	LC	LC	1	0	0.3	
Eastern Brown Snake	3	0.47	LC	LC	1	0	0.3			0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake		0.00								0.00								0.00						
Curl Snake	11	1.87	LC	LC	1	0	0.3		24	4.08	LC	LC	1	0	0.3		9	1.53	LC	LC	1	0	0.3	
Common Bandy Bandy	1	5.26	RA d(i,ii)	RA	3	DD	0.0	edge of range	3	15.79	RA d(i,ii)	RA	3	DD	0.0	edge of range		0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog		0.00								0.00								0.00						
Water-holding Frog		0.00								0.00							1	0.69	LC	LC	1	0	0.3	
Green Tree Frog		0.00								0.00							1	9.09	LC	LC	1	0	0.3	
Broad-palmed Frog		0.00								0.00							1	7.69	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	01_ Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_ Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Desert Tree Frog	5	2.17	LC	LC	1	0	0.3		119	51.74	LC	LC	1	0	0.3			0.00						
Desert Froglet		0.00								0.00							1	2.44	LC	LC	1	0	0.3	
Flinders Ranges Froglet	85	31.02	LC	LC	1	0	0.3	S Donnellan has split into 2 spp, C riparia & C flindersei	119	43.43	LC	LC	1	0	0.3	S Donnellan has split into 2 spp, C riparia & C flindersensis - to		0.00						
Spotted Marsh Frog	80	1.58	LC	LC	1	0	0.3		71	1.40	LC	LC	1	0	0.3			0.00						
Burrowing frog	1	0.10	RA d(i,ii)	RA	3	DD	0.0		1	0.10	RA d(i,ii)	RA	3	DD	0.0	Mark Hutchinson to check ID		0.00						
Sudell's Frog		0.00							8	0.79	LC	LC	1	0	0.3		18	1.78	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog		0.00								0.00								0.00						
Brown Toadlet	9	2.08	EN A2c	EN	5	--	0.5	chytrid fungus & drought has decimated population; has	11	2.55	EN A2c	EN	5	--	0.5	chytrid fungus & drought has decimated population; has been s		0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead	4	2.76	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	7	4.83	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	7	4.83	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00								0.00							2	2.99	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp,
Bony Bream		0.00							1	0.10	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp	2	0.19	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00	RA d(i,ii)	RA	3	DD	0.0	no records; arid-adapted spp known from St Marys Pool & Leig		0.00						
Flinders Ranges Purple-Spotted G		0.00							12	100.00	CR B2ac(ii,iv)	CR	6	-	0.4	known only from Balcanoona Ck; pop ~150; threats: climate ch		0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby		0.00							1	0.42	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & temperat		0.00						
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch																			RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest
Barred Grunter		0.00								0.00								0.00						
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch		0.00							7	5.98	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.	5	4.27	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.
Barcoo Grunter		0.00								0.00								0.00						
Australian Smelt		0.00							1	0.22	RA d(i,ii)	RA	3	DD	0.0			0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan		0.00								0.00								0.00						
Silver Tandan		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Short-beaked Echidna	11	0.76	LC	LC	1	0	0.3		1	0.07	LC	LC	1	0	0.3			0.00						
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00								0.00								0.00						
Ampurta	129	61.14	LC	LC	1	+	0.2	questionable whether sustained increase or not; need t	40	18.96	LC	LC	1	0	0.3	now known as Crest-tailed Mulgara	1	0.47	LC	LC	1	+	0.2	new track records (see Reece)
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus		0.00								0.00								0.00						
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui	2	0.61	LC	LC	1	0	0.3		49	14.89	LC	LC	1	0	0.3			0.00						
Giles' Planigale (Paucident Planig	3	0.73	LC	LC	1	0	0.3		2	0.48	LC	LC	1	0	0.3		6	1.45	LC	LC	1	0	0.3	
Long-tailed Planigale	4	8.89	LC	LC	1	0	0.3	edge of range		0.00								0.00						
Narrow-nosed Planigale		0.00								0.00								0.00						
Kultarr	2	0.56	LC	LC	1	0	0.3	edge of range		0.00							4	1.12	LC	LC	1	0	0.3	edge of range
Fat-tailed Dunnart	176	6.03	LC	LC	1	0	0.3		33	1.13	LC	LC	1	0	0.3		10	0.34	LC	LC	1	0	0.3	
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	71	3.19	LC	LC	1	0	0.3		2	0.09	LC	LC	1	0	0.3		18	0.81	LC	LC	1	0	0.3	
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart		0.00								0.00								0.00						
Lesser Hairy-footed Dunnart		0.00							5	71.43	RA d(i,ii)	RA	3	DD	0.0	southern edge of range		0.00						
Pig-footed Bandicoot		0.00								0.00								0.00						
Golden Bandicoot		0.00								0.00								0.00						
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)		0.00								0.00								0.00						
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)		0.00								0.00	DD	DD	0	DD	0.0	(no records) trench surveys done, moles are here, data to be p	0.00							
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)		0.00								0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo		0.00								0.00								0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro		0.00								0.00								0.00						
Red Kangaroo	18	0.06	LC	LC	1	0	0.3		17	0.06	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3	
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat	1	5.88	DD	DD	0	DD	0.0	high flying spp; not easy to catch in nets; sparse distribution bu		0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00								0.00								0.00						
Southern Freetail-bat																								
White-striped Freetail-bat	24	3.08	LC	LC	1	0	0.3			0.00								0.00						
Lesser Long-eared Bat	17	0.87	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3			0.00						
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	4	0.14	LC	LC	1	0	0.3			0.00								0.00						
Chocolate Wattled Bat		0.00								0.00								0.00						
Little Pied Bat	ardon :	0.00								0.00								0.00						
Inland Broad-nosed Bat		0.00							1	0.44	LC	LC	1	0	0.3			0.00						
Little Broad-nosed Bat	13	11.40	LC	LC	1	0	0.3			0.00							1	0.88	LC	LC	1	0	0.3	
Inland Forest Bat		0.00								0.00							1	0.21	LC	LC	1	0	0.3	
Finlayson's Cave Bat		0.00								0.00								0.00						
Dingo	177	14.77	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	72	6.01	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	16	1.34	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat	3	1.83	RA d(ii)	RA	3	DD	0.0	edge of range		0.00								0.00						
Forrest's Mouse	60	3.14	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3	
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat		0.00								0.00								0.00						
Spinifex Hopping-mouse	15	2.11	LC	LC	1	0	0.3		12	1.69	LC	LC	1	0	0.3		43	6.04	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse	1	0.12	DD	DD	0	DD	0.0	edge of range; missing records		0.00								0.00						
Long-tailed Hopping-mouse		0.00								0.00								0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)	2	0.12	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Bolam's Mouse	1	0.13	LC	LC	1	0	0.3	fluctuates		0.00								0.00						
Desert Mouse (Brown Desert Mou	72	13.82	LC	LC	1	0	0.3	not picked up in surveys	18	3.45	LC	LC	1	0	0.3	not picked up in surveys	59	11.32	LC	LC	1	0	0.3	not picked up in surveys
Gould's Mouse		0.00								0.00								0.00						
Sandy Inland Mouse	278	10.11	LC	LC	1	0	0.3		462	16.80	LC	LC	1	0	0.3		15	0.56	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	8	1.10	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	6	0.82	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	36	4.93	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	73	0.88	LC	LC	1	0	0.3	uncommon outside dog fence	5	0.06	LC	LC	1	0	0.3	uncommon outside dog fence	9	0.11	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	11	0.70	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	3	0.19	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	2	0.13	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00								0.00								0.00						
Diamond Dove	81	7.84	LC	LC	1	0	0.3		26	2.52	LC	LC	1	0	0.3		20	1.94	LC	LC	1	0	0.3	
Peaceful Dove	52	1.14	LC	LC	1	0	0.3	core areas along creeks	3	0.07	LC	LC	1	0	0.3	core areas along creeks	4	0.09	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon	1	2.63						vagrant; 1 old record of eggs		0.00								0.00						
Crested Pigeon	261	1.18	LC	LC	1	0	0.3		83	0.38	LC	LC	1	0	0.3		107	0.48	LC	LC	1	0	0.3	
Common Bronzewing	2	0.02	LC	LC	1	0	0.3			0.00							1	0.01	LC	LC	1	0	0.3	
Flock Bronzewing	6	5.71	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly due to RH		0.00						
Tawny Frogmouth	7	0.57	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3	
Spotted Nightjar	6	1.12	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3	
Australian Owlet-nightjar	18	1.09	LC	LC	1	0	0.3		3	0.18	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Fork-tailed Swift	1	0.29	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habita		0.00								0.00						
Collared Sparrowhawk	2	0.11	LC	LC	1	0	0.3		2	0.11	LC	LC	1	0	0.3			0.00						
Brown Goshawk	8	0.31	LC	LC	1	0	0.3		3	0.12	LC	LC	1	0	0.3		9	0.35	LC	LC	1	0	0.3	
Wedge-tailed Eagle	90	1.23	LC	LC	1	0	0.3		20	0.27	LC	LC	1	0	0.3		32	0.44	LC	LC	1	0	0.3	
Swamp Harrier	6	0.27	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a	1	0.04	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur around		0.00						
Spotted Harrier	14	1.40	LC	LC	1	0	0.3	probable increase over last 10 years	8	0.80	LC	LC	1	0	0.3	probable increase over last 10 years	1	0.10	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite		0.00							1	0.02	LC	LC	1	0	0.3	not common; increase with mouse plagues	2	0.04	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite	10	11.36	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth	2	2.27	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like other rapto		0.00						
Whistling Kite	73	1.75	LC	LC	1	0	0.3		3	0.07	LC	LC	1	0	0.3		6	0.14	LC	LC	1	0	0.3	
Black-breasted Buzzard	16	10.32	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	2	1.29	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	1	0.65	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	16	1.32	NT	NT	2	-	0.4	probably declining	8	0.66	NT	NT	2	-	0.4	probably declining		0.00						
Square-tailed Kite	tes; mi	0.00								0.00								0.00						
Black Kite	253	7.20	LC	LC	1	0	0.3	have come back from a historic decline	54	1.54	LC	LC	1	0	0.3	have come back from a historic decline	22	0.63	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	155	2.66	LC	LC	1	0	0.3		86	1.48	LC	LC	1	0	0.3		27	0.46	LC	LC	1	0	0.3	
Nankeen Kestrel	126	1.27	LC	LC	1	0	0.3		48	0.48	LC	LC	1	0	0.3		33	0.33	LC	LC	1	0	0.3	
Grey Falcon	6	4.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not more than		0.00						
Australian Hobby	3	0.15	LC	LC	1	0	0.3		1	0.05	LC	LC	1	0	0.3		6	0.29	LC	LC	1	0	0.3	
Peregrine Falcon	1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges	1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00						
Black Falcon	8	1.21	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	1	0.15	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	2	0.30	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	13	3.45	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	1	0.27	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	1	0.27	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00							3	0.77	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats
Plains-wanderer		0.00								0.00								0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	29	3.83	LC	LC	1	0	0.3		29	3.83	LC	LC	1	0	0.3		5	0.66	LC	LC	1	0	0.3	
Australian Pratincole	45	11.06	LC	LC	1	DD	0.0	migratory spp, could be stable	2	0.49	LC	LC	1	DD	0.0	migratory spp, could be stable	2	0.49	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	129	2.23	LC	LC	1	0	0.3		11	0.19	LC	LC	1	0	0.3		34	0.59	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	196	0.65	LC	LC	1	0	0.3		31	0.10	LC	LC	1	0	0.3		52	0.17	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00								0.00								0.00						
Cockatiel	78	3.71	LC	LC	1	0	0.3	could be possible decline	11	0.52	LC	LC	1	0	0.3	could be possible decline	4	0.19	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00								0.00						
Australian Ringneck		0.00							2	0.02	LC	LC	1	0	0.3		11	0.11	LC	LC	1	0	0.3	
Budgerigar	314	6.80	LC	LC	1	0	0.3	boom/bust spp	215	4.66	LC	LC	1	0	0.3	boom/bust spp	46	1.00	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot	10	1.29	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.	3	0.39	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.	1	0.13	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot		0.00							1	0.60	EN D	EN	5	-	0.4			0.00						
Bourke's Parrot	3	0.63	RA c(i)	RA	3	0	0.3		2	0.42	LC	LC	1	0	0.3		6	1.27	LC	LC	1	0	0.3	
Blue Bonnet	86	3.59	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3			0.00						
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot		0.00								0.00								0.00						
Mulga Parrot	2	0.04	RA c(i)	RA	3	0	0.3		2	0.04	RA c(i)	RA	3	0	0.3			0.00						
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	27	1.42	NT	NT	2	-	0.4		19	1.00	NT	NT	2	-	0.4		7	0.37	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	98	2.09	LC	LC	1	0	0.3		45	0.96	LC	LC	1	0	0.3		12	0.26	LC	LC	1	0	0.3	
Black-eared Cuckoo	12	1.79	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	3	0.45	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	1	0.15	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	6	0.25	LC	LC	1	0	0.3		2	0.08	LC	LC	1	0	0.3			0.00						
Australian Barn Owl	1	0.11	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Eastern Grass Owl	1	7.69	CR D -> EN D	CR	6	0	0.3	occassional visitor from tropical grasslands		0.00								0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	67	4.84	LC	LC	1	0	0.3		49	3.54	LC	LC	1	0	0.3		10	0.72	LC	LC	1	0	0.3	
Sacred Kingfisher	2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor	2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor	1	0.05	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	20	0.53	LC	LC	1	0	0.3		20	0.53	LC	LC	1	0	0.3		4	0.11	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00								0.00								0.00						
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren	160	37.65	LC	LC	1	0	0.3		102	24.00	LC	LC	1	0	0.3			0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	sp un-r	0.00								0.00							3	2.40	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulha
Variegated Fairy-wren	139	1.97	LC	LC	1	0	0.3		138	1.95	LC	LC	1	0	0.3		43	0.61	LC	LC	1	0	0.3	
White-winged Fairy-wren	617	10.21	LC	LC	1	0	0.3		316	5.23	LC	LC	1	0	0.3		119	1.97	LC	LC	1	0	0.3	
Splendid Fairy-wren		0.00								0.00								0.00						
Rufous-crowned Emu-wren	2	4.26	RA c(i)	RA	3	-	0.4		44	93.62	RA c(i)	RA	3	-	0.4			0.00						
Inland Thornbill		0.00								0.00								0.00						
Yellow-rumped Thornbill		0.00								0.00							1	0.01	NT	NT	2	DD	0.0	
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill		0.00							1	0.88	RA c(i)	RA	3	0	0.3	edge of range		0.00						
Chestnut-rumped Thornbill	2	0.03	RA c(i)	RA	3	0	0.3		3	0.05	RA c(i)	RA	3	0	0.3		1	0.02	LC	LC	1	0	0.3	
Southern Whiteface	17	0.30	LC	LC	1	0	0.3		10	0.18	LC	LC	1	0	0.3		6	0.11	LC	LC	1	0	0.3	
Banded Whiteface	237	34.75	LC	LC	1	0	0.3		228	33.43	LC	LC	1	0	0.3		20	2.93	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface		0.00								0.00								0.00						
Rufous Fieldwren	17	1.71	LC	LC	1	0	0.3		7	0.70	RA c(i)	RA	3	0	0.3		26	2.62	LC	LC	1	0	0.3	
Western Gerygone		0.00								0.00								0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat	1	0.09	NT	NT	2	DD	0.0		29	2.51	NT	NT	2	DD	0.0			0.00						
Weebill		0.00							1	0.01	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	19	5.38	NT	NT	2	0	0.3		1	0.28	NT	NT	2	0	0.3		1	0.28	NT	NT	2	0	0.3	
Striated Pardalote	2	0.01	LC	LC	1	0	0.3			0.00							4	0.02	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	51	0.33	LC	LC	1	0	0.3		41	0.27	LC	LC	1	0	0.3		19	0.12	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird	19	5.65	NT	NT	2	0	0.3			0.00							4	1.19	NT	NT	2	0	0.3	
Pied Honeyeater	22	2.55	LC	LC	1	0	0.3	numbers can fluctuate a lot	23	2.67	LC	LC	1	0	0.3	numbers can fluctuate a lot	12	1.39	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat	7	0.15	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East		0.00								0.00						
Orange Chat	264	16.38	LC	LC	1	0	0.3		68	4.22	LC	LC	1	0	0.3		21	1.30	LC	LC	1	0	0.3	
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	193	10.22	LC	LC	1	0	0.3		147	7.78	LC	LC	1	0	0.3		18	0.95	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	95	0.57	LC	LC	1	0	0.3		5	0.03	LC	LC	1	0	0.3		44	0.27	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00							1	0.07	RA c(i)	RA	3	DD	0.0			0.00						
Singing Honeyeater	188	1.02	LC	LC	1	0	0.3		165	0.90	LC	LC	1	0	0.3		103	0.56	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	79	0.94	LC	LC	1	0	0.3		20	0.24	LC	LC	1	0	0.3		28	0.33	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	1	0.02	RA c(i)	RA	3	0	0.3		2	0.04	RA c(i)	RA	3	0	0.3		3	0.06	LC	LC	1	0	0.3	
Black Honeyeater	2	0.68	NT	NT	2	0	0.3	nomadic spp.	1	0.34	NT	NT	2	0	0.3	nomadic spp.		0.00						
Chestnut-crowned Babbler	14	0.72	LC	LC	1	0	0.3			0.00								0.00						
White-browed Babbler	13	0.12	LC	LC	1	0	0.3		34	0.30	NT	NT	2	0	0.3		32	0.29	LC	LC	1	0	0.3	
Grey-crowned Babbler		0.00								0.00								0.00						
Chestnut Quail-thrush		0.00								0.00								0.00						
Cinnamon Quail-thrush	256	18.14	LC	LC	1	0	0.3		57	4.04	LC	LC	1	0	0.3		55	3.90	LC	LC	1	0	0.3	
Chirruping Wedgebill	68	5.08	LC	LC	1	0	0.3		8	0.60	LC	LC	1	0	0.3		63	4.71	LC	LC	1	0	0.3	
Chiming Wedgebill		0.00							17	3.17	RA c(i)	RA	3	0	0.3			0.00						
Varied Sittella		0.00								0.00								0.00						
Ground Cuckoo-shrike		0.00								0.00							4	1.09	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	33	0.31	LC	LC	1	0	0.3		8	0.08	LC	LC	1	0	0.3		6	0.06	LC	LC	1	0	0.3	
White-winged Triller	57	2.54	LC	LC	1	0	0.3	migratory spp	40	1.78	LC	LC	1	0	0.3	migratory spp	3	0.13	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Grey Shrike-thrush	1	0.00	NT	NT	2	0	0.3		3	0.01	NT	NT	2	0	0.3			0.00						
Crested Bellbird	13	0.22	RA c(i)	RA	3	0	0.3		71	1.21	LC	LC	1	0	0.3		17	0.29	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	10	0.14	LC	LC	1	0	0.3		3	0.04	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3	
Black-faced Woodswallow	252	5.91	LC	LC	1	0	0.3		124	2.91	LC	LC	1	0	0.3		58	1.36	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00								0.00								0.00						
White-breasted Woodswallow	16	2.57	LC	LC	1	+	0.2	around water; generally uncommon	3	0.48	LC	LC	1	+	0.2	around water; generally uncommon	3	0.48	LC	LC	1	+	0.2	around water; generally uncommon
Little Woodswallow		0.00								0.00								0.00						
Masked Woodswallow	47	1.84	LC	LC	1	0	0.3		17	0.66	LC	LC	1	0	0.3		4	0.16	LC	LC	1	0	0.3	
White-browed Woodswallow	14	0.62	NT	NT	2	-	0.4		6	0.27	NT	NT	2	-	0.4		3	0.13	NT	NT	2	-	0.4	
Pied Butcherbird		0.00								0.00								0.00						
Australian Magpie	204	0.57	LC	LC	1	0	0.3		52	0.14	LC	LC	1	0	0.3		37	0.10	LC	LC	1	0	0.3	
Grey Butcherbird	1	0.01	RA c(i)	RA	3	0	0.3			0.00								0.00						
Grey Currawong		0.00								0.00								0.00						
Grey Fantail	8	0.07	RA c(ii)	RA	3	0	0.3	regular winter visitors	4	0.03	RA c(ii)	RA	3	0	0.3	regular winter visitors	2	0.02	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	142	0.53	LC	LC	1	0	0.3		68	0.25	LC	LC	1	0	0.3		55	0.20	LC	LC	1	0	0.3	
Little Crow	308	9.74	LC	LC	1	0	0.3		144	4.55	LC	LC	1	0	0.3		44	1.39	LC	LC	1	0	0.3	
Australian Raven	50	0.52	LC	LC	1	0	0.3		15	0.15	LC	LC	1	0	0.3		38	0.39	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow	1	0.48	RA c(i)	RA	3	DD	0.0		3	1.44	RA c(i)	RA	3	DD	0.0			0.00						
Magpie-lark	58	0.29	LC	LC	1	0	0.3		5	0.03	LC	LC	1	0	0.3		21	0.11	LC	LC	1	0	0.3	
Restless Flycatcher	4	0.20	RA c(iii)	RA	3	0	0.3	irregular winter visitors		0.00								0.00						
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	5	0.14	RA c(i)	RA	3	0	0.3		11	0.30	NT	NT	2	0	0.3		1	0.03	NT	NT	2	0	0.3	
Jacky Winter	2	0.04	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors		0.00						
Red-capped Robin	61	0.90	LC	LC	1	0	0.3		61	0.90	LC	LC	1	0	0.3		14	0.21	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00								0.00						
Australian Reed Warbler	3	0.11	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	12	0.42	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	1	0.04	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	128	4.05	LC	LC	1	0	0.3		42	1.33	LC	LC	1	0	0.3		6	0.19	LC	LC	1	0	0.3	
Rufous Songlark	56	3.16	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3		10	0.56	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird	6	0.21	NT	NT	2	0	0.3		12	0.42	NT	NT	2	0	0.3		1	0.03	NT	NT	2	0	0.3	
Silvereye		0.00								0.00								0.00						
White-backed Swallow	157	10.00	LC	LC	1	0	0.3		57	3.63	LC	LC	1	0	0.3		22	1.40	LC	LC	1	0	0.3	
Welcome Swallow	9	0.05	LC	LC	1	0	0.3		16	0.08	LC	LC	1	0	0.3		18	0.09	LC	LC	1	0	0.3	
Fairy Martin	51	2.24	LC	LC	1	0	0.3		7	0.31	LC	LC	1	0	0.3		7	0.31	LC	LC	1	0	0.3	
Tree Martin	48	0.50	LC	LC	1	0	0.3		7	0.07	LC	LC	1	0	0.3		9	0.09	LC	LC	1	0	0.3	
Mistletoebird	19	0.33	LC	LC	1	0	0.3		3	0.05	LC	LC	1	0	0.3		27	0.47	LC	LC	1	0	0.3	
Painted Finch		0.00								0.00								0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	544	8.81	LC	LC	1	0	0.3		202	3.27	LC	LC	1	0	0.3		123	1.99	LC	LC	1	0	0.3	
Australian Pipit	147	2.08	LC	LC	1	0	0.3		31	0.44	LC	LC	1	0	0.3		34	0.48	LC	LC	1	0	0.3	
Magpie Goose	habitat	0.00								0.00								0.00						
Chestnut Teal	2	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Grey Teal	57	0.45	LC	LC	1	0	0.3	irruptive	11	0.09	LC	LC	1	0	0.3	irruptive	13	0.10	LC	LC	1	0	0.3	irruptive
Australasian Shoveler	1	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00								0.00						
Pacific Black Duck	28	0.20	LC	LC	1	0	0.3		7	0.05	LC	LC	1	0	0.3		4	0.03	LC	LC	1	0	0.3	
Hardhead	25	0.66	LC	LC	1	0	0.3	irruptive	4	0.11	LC	LC	1	0	0.3	irruptive	3	0.08	LC	LC	1	0	0.3	irruptive
Musk Duck		0.00								0.00							1	0.03	RA c(iii)	RA	3	0	0.3	
Australian Wood Duck	31	0.44	LC	LC	1	0	0.3	possible increase	1	0.01	LC	LC	1	0	0.3	possible increase	5	0.07	LC	LC	1	0	0.3	possible increase
Black Swan	15	0.13	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	1	0.01	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	6	0.05	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck	42	2.50	LC	LC	1	0	0.3		2	0.12	LC	LC	1	0	0.3		2	0.12	LC	LC	1	0	0.3	
Blue-billed Duck		0.00								0.00								0.00						
Freckled Duck	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation of water		0.00						
Australian Shelduck	26	0.33	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							2	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Great Crested Grebe		0.00							1	0.03	RA c(iii)	RA	3	0	0.3			0.00						
Hoary-headed Grebe	23	0.39	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3		3	0.05	LC	LC	1	0	0.3	
Australasian Grebe	8	0.18	LC	LC	1	0	0.3	likes fresh water		0.00							1	0.02	LC	LC	1	0	0.3	likes fresh water
Australasian Darter	16	0.99	RA c(ii)	RA	3	0	0.3		1	0.06	RA c(iii)	RA	3	0	0.3			0.00						
Little Pied Cormorant	9	0.08	RA c(ii)	RA	3	0	0.3			0.00							2	0.02	RA c(ii)	RA	3	0	0.3	
Great Cormorant	40	0.56	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Little Black Cormorant	35	0.56	RA c(ii)	RA	3	0	0.3			0.00							2	0.03	RA c(ii)	RA	3	0	0.3	
Pied Cormorant	12	0.20	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Australian Pelican	46	0.33	NT	NT	2	0	0.3		1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	4	0.03	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret	27	0.44	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Intermediate Egret	2	1.14	RA c(iii)	RA	3	0	0.3			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
White-necked Heron	34	3.64	RA c(iii)	RA	3	0	0.3		3	0.32	RA c(iii)	RA	3	0	0.3		1	0.11	RA c(iii)	RA	3	0	0.3	
Little Egret		0.00								0.00								0.00						
White-faced Heron	29	0.21	LC	LC	1	0	0.3		4	0.03	LC	LC	1	0	0.3		13	0.09	LC	LC	1	0	0.3	
Nankeen Night-Heron	7	0.96	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Yellow-billed Spoonbill	16	0.67	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Royal Spoonbill	12	0.45	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Glossy Ibis	1	0.30	RA c(iii)	RA	3	0	0.3		1	0.30	RA c(iii)	RA	3	0	0.3			0.00						
Australian White Ibis	3	0.03	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Straw-necked Ibis	9	0.27	RA c(ii)	RA	3	0	0.3			0.00							1	0.03	RA c(ii)	RA	3	0	0.3	
Brolga	7	1.60	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in region		0.00								0.00						
Eurasian Coot	13	0.18	NT	NT	2	0	0.3	regular visitors in larger numbers	7	0.09	NT	NT	2	0	0.3	regular visitors in larger numbers		0.00						
Dusky Moorhen	3	0.08	RA c(iii)	RA	3	0	0.3		8	0.21	RA c(iii)	RA	3	0	0.3		1	0.03	RA c(iii)	RA	3	0	0.3	
Buff-banded Rail		0.00								0.00								0.00						
Purple Swamphen	2	0.04	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains	11	0.23	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains		0.00						
Australian Spotted Crake	1	0.12	RA c(iii)	RA	3	0	0.3		5	0.60	RA c(iii)	RA	3	0	0.3		1	0.12	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00								0.00								0.00						
Spotless Crake	1	0.31	RA c(iii)	RA	3	0	0.3		7	2.18	RA c(iii)	RA	3	0	0.3			0.00						
Black-tailed Native-hen	40	1.01	LC	LC	1	0	0.3	irruptive	3	0.08	LC	LC	1	0	0.3	irruptive	1	0.03	LC	LC	1	0	0.3	irruptive
Banded Stilt	6	0.30	VU A1be	VU	4	0	0.3	breeding site; silver gulls a threat		0.00							6	0.30	RA c(iii)	RA	3	0	0.3	
Black-winged Stilt	20	0.29	RA c(iii)	RA	3	0	0.3	occur in mound springs	12	0.18	RA c(iii)	RA	3	0	0.3	occur in mound springs	9	0.13	RA c(iii)	RA	3	0	0.3	occur in mound springs
Red-necked Avocet	43	1.51	RA c(ii)	RA	3	0	0.3			0.00							11	0.39	RA c(ii)	RA	3	0	0.3	
Inland Dotterel	30	7.43	LC	LC	1	0	0.3		2	0.50	LC	LC	1	0	0.3		7	1.73	LC	LC	1	0	0.3	
Red-capped Plover	44	0.67	RA c(ii)	RA	3	0	0.3		1	0.02	RA c(ii)	RA	3	0	0.3		9	0.14	RA cii)	RA	3	0	0.3	
Oriental Plover		0.00								0.00								0.00						
Black-fronted Dotterel	44	1.24	LC	LC	1	0	0.3		14	0.39	LC	LC	1	0	0.3		11	0.31	LC	LC	1	0	0.3	
Red-kneed Dotterel	9	0.42	NT	NT	2	0	0.3			0.00								0.00						
Masked Lapwing	28	0.18	LC	LC	1	0	0.3	likely to be resident in many areas	3	0.02	LC	LC	1	0	0.3	likely to be resident in many areas	9	0.06	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	48	3.41	NT	NT	2	DD	0.0		3	0.21	NT	NT	2	DD	0.0		8	0.57	NT	NT	2	DD	0.0	
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper	10	0.20	RA c(ii)	RA	3	0	0.3		2	0.04	RA c(ii)	RA	3	0	0.3			0.00						
Curlew Sandpiper	2	0.08	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inference for re		0.00							2	0.08	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc
Red-necked Stint	1	0.02	RA c(iii)	RA	3	0	0.3		1	0.02	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3	
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper	1	0.32	RA c(iii)	RA	3	0	0.3			0.00							2	0.63	RA c(iii)	RA	3	0	0.3	
Common Greenshank	9	0.14	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Marsh Sandpiper	2	0.21	RA c(iii)	RA	3	0	0.3			0.00							2	0.21	RA c(iii)	RA	3	0	0.3	
Whiskered Tern	4	0.06	RA c(iii)	RA	3	0	0.3		1	0.02	RA c(iii)	RA	3	0	0.3		3	0.05	RA c(iii)	RA	3	0	0.3	
Silver Gull	58	0.29	LC	LC	1	+	0.2	probable increase		0.00							12	0.06	LC	LC	1	+	0.2	probable increase
Gull-billed Tern	35	6.48	RA c(ii)	RA	3	0	0.3		2	0.37	RA c(ii)	RA	3	0	0.3		3	0.56	RA c(ii)	RA	3	0	0.3	
Caspian Tern	26	0.36	RA c(iii)	RA	3	0	0.3			0.00							3	0.04	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon	1	0.56	LC	LC	1	0	0.3	edge of range		0.00							11	6.18	LC	LC	1	0	0.3	
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00								0.00							1	0.75	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country
Military Dragon	1	0.13	LC	LC	1	0	0.3		55	7.11	LC	LC	1	0	0.3			0.00						
Lake Eyre Dragon	51	33.12	LC	LC	1	0	0.3	specific habitat requirements; boom/bust spp; riparian spp.		0.00								0.00						
Central Netted Dragon	13	1.35	LC	LC	1	0	0.3		5	0.52	LC	LC	1	0	0.3			0.00						
Painted Dragon	305	13.67	LC	LC	1	0	0.3		95	4.26	LC	LC	1	0	0.3		34	1.52	LC	LC	1	0	0.3	
Western Netted Dragon		0.00								0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00								0.00								0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon	48	21.15	LC	LC	1	0	0.3		60	26.43	LC	LC	1	0	0.3		7	3.08	LC	LC	1	0	0.3	
Thorny Devil		0.00								0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00								0.00						
Central Bearded Dragon	50	4.37	LC	LC	1	0	0.3		25	2.19	LC	LC	1	0	0.3		11	0.96	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon	1	0.18	LC	LC	1	0	0.3			0.00							15	2.77	LC	LC	1	0	0.3	
Five-lined Earless Dragon	36	8.76	LC	LC	1	0	0.3			0.00								0.00						
Eyrean Earless Dragon	3	0.27	LC	LC	1	0	0.3			0.00							12	1.10	LC	LC	1	0	0.3	
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	44	9.61	LC	LC	1	0	0.3		42	9.17	LC	LC	1	0	0.3			0.00						
Tree Dtella	47	1.96	LC	LC	1	0	0.3		12	0.50	LC	LC	1	0	0.3		28	1.17	LC	LC	1	0	0.3	
Bynoe's Gecko	91	3.10	LC	LC	1	0	0.3		25	0.85	LC	LC	1	0	0.3		18	0.61	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko	74	7.49	LC	LC	1	0	0.3		99	10.02	LC	LC	1	0	0.3		10	1.01	LC	LC	1	0	0.3	
Barking Gecko	2	0.17	LC	LC	1	0	0.3			0.00							7	0.59	LC	LC	1	0	0.3	
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko		0.00							13	3.14	LC	LC	1	0	0.3			0.00						
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00								0.00								0.00						
Tessellated Gecko	4	0.66	LC	LC	1	0	0.3			0.00							4	0.66	LC	LC	1	0	0.3	
Pink-blotched Gecko		0.00								0.00							3	0.46	LC	LC	1	0	0.3	
Beaded Gecko	227	13.82	LC	LC	1	0	0.3		150	9.14	LC	LC	1	0	0.3		25	1.52	LC	LC	1	0	0.3	
Sandplain Gecko	2	0.34	LC	LC	1	0	0.3		6	1.03	LC	LC	1	0	0.3		21	3.60	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	40	2.74	LC	LC	1	0	0.3		33	2.26	LC	LC	1	0	0.3		12	0.82	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko	2	1.01	LC	LC	1	0	0.3	patchy distribution	12	6.03	LC	LC	1	0	0.3	patchy distribution		0.00						
Jewelled Gecko		0.00								0.00								0.00						
Southern Spiny-tailed Gecko	5	1.72	LC	LC	1	0	0.3			0.00								0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard		0.00								0.00							1	0.19	LC	LC	1	0	0.3	
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00								0.00								0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00							4	22.22	LC	LC	1	0	0.3	under recorded; edge of range in SA		0.00						
Black-necked Snake-lizard		0.00							8	12.31	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines		0.00						
Burton's Legless Lizard	2	0.67	LC	LC	1	0	0.3		12	4.03	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot		0.00								0.00								0.00						
Hooded Scaly-foot		0.00								0.00								0.00						
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink		0.00								0.00								0.00						
Eyrean Wall Skink		0.00							3	3.90	LC	LC	1	0	0.3	under surveyed		0.00						
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00							8	18.60	LC	LC	1	0	0.3	difficult to find; edge of range; northern spp.		0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail	40	16.60	LC	LC	1	0	0.3		43	17.84	LC	LC	1	0	0.3			0.00						
Common Desert Ctenotus	1	0.22	LC	LC	1	0	0.3			0.00								0.00						
Saltbush Ctenotus		0.00							1	0.16	LC	LC	1	0	0.3		3	0.49	LC	LC	1	0	0.3	
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00							45	18.52	LC	LC	1	0	0.3			0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	124	6.71	LC	LC	1	0	0.3		66	3.57	LC	LC	1	0	0.3		43	2.33	LC	LC	1	0	0.3	
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	2	0.10	LC	LC	1	0	0.3		12	0.62	LC	LC	1	0	0.3		8	0.42	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus	23	4.34	LC	LC	1	0	0.3			0.00							5	0.94	LC	LC	1	0	0.3	
Eyrean Ctenotus	295	23.81	LC	LC	1	0	0.3		100	8.07	LC	LC	1	0	0.3		39	3.15	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00								0.00								0.00						
Saltbush Slender Bluetongue		0.00								0.00								0.00						
Gidgee Skink		0.00								0.00							1	0.43	LC	LC	1	0	0.3	
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer	117	12.42	LC	LC	1	0	0.3		99	10.51	LC	LC	1	0	0.3		17	1.80	LC	LC	1	0	0.3	
Broad-banded Sandswimmer		0.00								0.00							5	0.74	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Yellow-tailed Slider	2	2.70	LC	LC	1	0	0.3		6	8.11	LC	LC	1	0	0.3			0.00						
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider		0.00							17	4.47	LC	LC	1	0	0.3			0.00						
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	51	3.94	LC	LC	1	0	0.3		69	5.33	LC	LC	1	0	0.3		9	0.70	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider		0.00							3	0.43	LC	LC	1	0	0.3		10	1.43	LC	LC	1	0	0.3	
Desert Skink	76	9.33	LC	LC	1	0	0.3		148	18.16	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3	
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	30	1.02	LC	LC	1	0	0.3		42	1.42	LC	LC	1	0	0.3		15	0.51	LC	LC	1	0	0.3	
Adelaide Snake-eye	83	8.19	LC	LC	1	0	0.3		22	2.17	LC	LC	1	0	0.3		22	2.17	LC	LC	1	0	0.3	
Common Snake-eye	5	0.22	LC	LC	1	0	0.3			0.00							1	0.04	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink	2	12.50	DD	DD	0	DD	0.0	sightings only	14	87.50	LC	LC	1	0	0.3	edge of range		0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00							21	41.18	LC	LC	1	0	0.3			0.00						
Western Bluetongue		0.00								0.00							2	0.75	LC	LC	1	0	0.3	
Sleepy Lizard	4	0.13	LC	LC	1	0	0.3			0.00							1	0.03	LC	LC	1	0	0.3	
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00							19	20.88	LC	LC	1	0	0.3	abundant throughout; hard to see		0.00						
Perentie	1	1.45	LC	LC	1	0	0.3			0.00								0.00						
Pygmy Mulga Goanna		0.00							1	0.99	LC	LC	1	0	0.3			0.00						
Sand Goanna	36	3.78	LC	LC	1	0	0.3		19	2.00	LC	LC	1	0	0.3		5	0.53	LC	LC	1	0	0.3	
Black-headed Goanna		0.00								0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00								0.00							3	1.14	LC	LC	1	0	0.3	
Centralian Blind Snake		0.00							6	3.33	LC	LC	1	0	0.3		3	1.67	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00								0.00								0.00						
Stimson's Python		0.00								0.00								0.00						
Woma	6	8.00	LC	LC	1	0	0.3			0.00							1	1.33	RA d(ii)	RA	3	DD	0.0	
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00								0.00								0.00						
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake		0.00								0.00								0.00						
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan	1	4.35	LC	LC	1	0	0.3			0.00								0.00						
Hooded Snake		0.00								0.00								0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake	nge	0.00								0.00								0.00						
Mulga Snake	1	0.34	LC	LC	1	0	0.3		6	2.01	LC	LC	1	0	0.3		5	1.68	LC	LC	1	0	0.3	
Patch-nosed Brown Snake	5	10.00	LC	LC	1	0	0.3	under surveyed		0.00								0.00						
Gwardar		0.00								0.00								0.00						
Five-ringed Snake		0.00							4	1.94	LC	LC	1	0	0.3			0.00						
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake		0.00								0.00								0.00						
Curl Snake	6	1.02	LC	LC	1	0	0.3			0.00								0.00						
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog		0.00								0.00								0.00						
Water-holding Frog		0.00								0.00								0.00						
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Wariner	Comments (Warriner)
Desert Tree Frog		0.00								0.00							3	1.30	LC	LC	1	0	0.3	
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog	2	0.04	LC	LC	1	0	0.3			0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	25	2.47	LC	LC	1	0	0.3		6	0.59	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog		0.00							1	1.10	LC	LC	1	0	0.3			0.00						
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead	15	10.34	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & temperat		0.00							7	4.83	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00								0.00								0.00						
Bony Bream	6	0.58	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp		0.00							2	0.19	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby	5	2.09	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & temperat		0.00							38	15.90	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch	and habitat chang		RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest and habitat change depleting refuge pops in isolated pools during dry periods																
Barred Grunter		0.00								0.00								0.00						
Welch's Grunter	2	4.76	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						
Spangled Perch	2	1.71	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.		0.00							3	2.56	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.
Barcoo Grunter	1	3.85	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to over ha		0.00								0.00						
Australian Smelt	1	0.22	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan	1	3.85	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						
Silver Tandan		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Short-beaked Echidna		0.00							1	0.07	LC	LC	1	0	0.3		8	0.55	LC	LC	1	0	0.3	
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00								0.00							127	96.95	VU B1ab(i,ii)c(iv)	VU	4	-	0.4	fluctuating pops, absent from Kachumba Plain; Cowrie
Ampurta		0.00								0.00							15	7.11	LC	LC	1	0	0.3	edge of range; irruptive presence; now known as Crest
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus		0.00								0.00								0.00						
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui	8	2.43	LC	LC	1	0	0.3		20	6.08	LC	LC	1	0	0.3			0.00						
Giles' Planigale (Paucident Planig	22	5.33	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3	
Long-tailed Planigale	3	6.67	LC	LC	1	0	0.3		3	6.67	LC	LC	1	0	0.3		25	55.56	LC	LC	1	0	0.3	
Narrow-nosed Planigale		0.00								0.00								0.00						
Kultarr		0.00								0.00							136	38.10	LC	LC	1	0	0.3	
Fat-tailed Dunnart	250	8.56	LC	LC	1	0	0.3		28	0.96	LC	LC	1	0	0.3		141	4.83	LC	LC	1	0	0.3	
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	56	2.51	LC	LC	1	0	0.3		39	1.75	LC	LC	1	0	0.3		150	6.73	LC	LC	1	0	0.3	
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart		0.00								0.00								0.00						
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00								0.00						
Golden Bandicoot	1	4.76	RE	RE	7					0.00								0.00						
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)	1	3.33	RE	RE	7					0.00							1	3.33	RE	RE	7			
Lesser Bilby		0.00								0.00							2	100.00	RE	RE	7			extinct
Marsupial Mole (Itjara Itjara)		0.00								0.00								0.00						
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)		0.00								0.00								0.00						
Desert Rat-kangaroo		0.00								0.00							2	100.00	RE	RE	7			extinct
Western Grey Kangaroo		0.00								0.00								0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro		0.00								0.00								0.00						
Red Kangaroo	8	0.03	LC	LC	1	0	0.3		12	0.04	LC	LC	1	0	0.3		33	0.12	LC	LC	1	0	0.3	
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat	2	11.76	DD	DD	0	DD	0.0	high flying spp; not easy to catch in nets; sparse distribution bu		0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records spp comp		0.00								0.00						
Southern Freetail-bat																								
White-striped Freetail-bat	11	1.41	LC	LC	1	0	0.3		6	0.77	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3	
Lesser Long-eared Bat	16	0.82	LC	LC	1	0	0.3		19	0.97	LC	LC	1	0	0.3		31	1.58	LC	LC	1	0	0.3	
Greater Long-eared Bat	1	0.58	DD	DD	0	DD	0.0	T Reardon checking record, possible; now known as N major		0.00								0.00						
Gould's Wattled Bat	13	0.45	LC	LC	1	0	0.3		3	0.10	LC	LC	1	0	0.3		19	0.65	LC	LC	1	0	0.3	
Chocolate Wattled Bat		0.00								0.00								0.00						
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat		0.00							4	1.75	LC	LC	1	0	0.3			0.00						
Little Broad-nosed Bat	23	20.18	LC	LC	1	0	0.3		4	3.51	LC	LC	1	0	0.3		21	18.42	LC	LC	1	0	0.3	
Inland Forest Bat		0.00								0.00								0.00						
Finlayson's Cave Bat		0.00								0.00								0.00						
Dingo	14	1.17	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	31	2.59	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	64	5.34	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat	8	4.88	DD	DD	0	DD	0.0	yabbie nets a potential threat		0.00							2	1.22	RA d(ii)	RA	3	DD	0.0	edge of range
Forrest's Mouse	29	1.52	LC	LC	1	0	0.3		10	0.52	LC	LC	1	0	0.3		63	3.29	LC	LC	1	0	0.3	
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat		0.00								0.00								0.00						
Spinifex Hopping-mouse	7	0.98	LC	LC	1	0	0.3		10	1.40	LC	LC	1	0	0.3			0.00						
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00							83	63.36	VU B2ac(iv)	VU	4	0	0.3	currently stable, increased over last 20yrs
Dusky Hopping-mouse	8	0.92	LC	LC	1	DD	0.0	attributed to seasonal conditions & based on distribution	4	0.46	DD	DD	0	DD	0.0	overlaps distribution with Spinifex Hopping Mice	33	3.81	LC	LC	1	DD	0.0	edge of range
Long-tailed Hopping-mouse		0.00								0.00								0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)		0.00								0.00							50	3.03	RE	RE	7			lots of surveys have not turned up any records

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Bolam's Mouse		0.00								0.00								0.00						
Desert Mouse (Brown Desert Mou	3	0.58	RA d(i,ii)	RA	3	DD	0.0	not picked up in surveys	15	2.88	LC	LC	1	0	0.3	not picked up in surveys	3	0.58	RA d(i,ii)	RA	3	DD	0.0	not picked up in surveys
Gould's Mouse		0.00								0.00								0.00						
Sandy Inland Mouse	154	5.60	LC	LC	1	0	0.3		199	7.24	LC	LC	1	0	0.3		124	4.51	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	32	4.38	RA d(ii); c(i)	RA	3	DD	0.0	possibly stable	7	0.96	RA d(ii); c(i)	RA	3	DD	0.0	possibly stable	298	40.82	RA d(ii); c(i)	RA	3	DD	0.0	possibly stable
Emu	34	0.41	LC	LC	1	0	0.3	uncommon outside dog fence	17	0.20	LC	LC	1	0	0.3	uncommon outside dog fence	54	0.65	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	8	0.51	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as little buttor		0.00							4	0.25	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00								0.00						
Diamond Dove	100	9.68	LC	LC	1	0	0.3		61	5.91	LC	LC	1	0	0.3		80	7.74	LC	LC	1	0	0.3	
Peaceful Dove	134	2.95	LC	LC	1	0	0.3	core areas along creeks	6	0.13	LC	LC	1	0	0.3	core areas along creeks	27	0.59	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00								0.00							7	18.42	VU D1	VU	4	DD	0.0	historic decline, possibly due to rabbits/grazing
Crested Pigeon	212	0.96	LC	LC	1	0	0.3		65	0.29	LC	LC	1	0	0.3		209	0.95	LC	LC	1	0	0.3	
Common Bronzewing	3	0.04	LC	LC	1	0	0.3		5	0.06	LC	LC	1	0	0.3		4	0.05	LC	LC	1	0	0.3	
Flock Bronzewing	13	12.38	RA c(i)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du	7	6.67	RA c(i)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du	37	35.24	RA c(i)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du
Tawny Frogmouth	8	0.65	LC	LC	1	0	0.3			0.00							10	0.81	LC	LC	1	0	0.3	
Spotted Nightjar	2	0.37	LC	LC	1	0	0.3			0.00							19	3.54	LC	LC	1	0	0.3	
Australian Owlet-nightjar	48	2.90	LC	LC	1	0	0.3		3	0.18	LC	LC	1	0	0.3		10	0.60	LC	LC	1	0	0.3	
Fork-tailed Swift	8	2.31	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habita		0.00							4	1.16	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust
Collared Sparrowhawk	6	0.34	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3		4	0.23	LC	LC	1	0	0.3	
Brown Goshawk	8	0.31	LC	LC	1	0	0.3		3	0.12	LC	LC	1	0	0.3		19	0.75	LC	LC	1	0	0.3	
Wedge-tailed Eagle	73	1.00	LC	LC	1	0	0.3		11	0.15	LC	LC	1	0	0.3		82	1.12	LC	LC	1	0	0.3	
Swamp Harrier	12	0.54	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a	1	0.04	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a	20	0.90	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a
Spotted Harrier	7	0.70	LC	LC	1	0	0.3	probable increase over last 10 years	18	1.80	LC	LC	1	0	0.3	probable increase over last 10 years	15	1.50	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	7	0.15	LC	LC	1	0	0.3	not common; increase with mouse plagues		0.00							10	0.22	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite	7	7.95	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like other raptc		0.00							3	3.41	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth
Whistling Kite	181	4.35	LC	LC	1	0	0.3		6	0.14	LC	LC	1	0	0.3		64	1.54	LC	LC	1	0	0.3	
Black-breasted Buzzard	34	21.94	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common		0.00							2	1.29	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	37	3.05	NT	NT	2	-	0.4	probably declining	5	0.41	NT	NT	2	-	0.4	probably declining	10	0.82	NT	NT	2	-	0.4	probably declining
Square-tailed Kite	4	7.27	CR D -> EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black Kites; mi		0.00							2	3.64	CR D -> EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black K
Black Kite	197	5.60	LC	LC	1	0	0.3	have come back from a historic decline	64	1.82	LC	LC	1	0	0.3	have come back from a historic decline	153	4.35	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	79	1.36	LC	LC	1	0	0.3		36	0.62	LC	LC	1	0	0.3		122	2.10	LC	LC	1	0	0.3	
Nankeen Kestrel	50	0.50	LC	LC	1	0	0.3		15	0.15	LC	LC	1	0	0.3		119	1.20	LC	LC	1	0	0.3	
Grey Falcon	10	8.00	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	8	6.40	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo
Australian Hobby	16	0.79	LC	LC	1	0	0.3		9	0.44	LC	LC	1	0	0.3		12	0.59	LC	LC	1	0	0.3	
Peregrine Falcon	2	0.16	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00							5	0.40	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	22	3.33	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	2	0.30	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	4	0.61	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	11	2.92	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	15	3.98	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	11	2.92	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew	2	0.51	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats		0.00							1	0.26	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats
Plains-wanderer		0.00								0.00							2	3.39	EN D	EN	5	DD	0.0	some records not recorded; highly cryptic spp.
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	7	0.92	LC	LC	1	0	0.3		13	1.72	LC	LC	1	0	0.3		18	2.38	LC	LC	1	0	0.3	
Australian Pratincole	14	3.44	LC	LC	1	DD	0.0	migratory spp, could be stable	5	1.23	LC	LC	1	DD	0.0	migratory spp, could be stable	76	18.67	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	205	3.54	LC	LC	1	0	0.3		65	1.12	LC	LC	1	0	0.3		148	2.55	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo	1	0.20	CR D - EN D	EN	5	0	0.3			0.00							1	0.20	CR D -> EN D	EN	5	0	0.3	
Galah	226	0.75	LC	LC	1	0	0.3		79	0.26	LC	LC	1	0	0.3		195	0.64	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00								0.00								0.00						
Cockatiel	51	2.43	LC	LC	1	0	0.3	could be possible decline	34	1.62	LC	LC	1	0	0.3	could be possible decline	42	2.00	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot	7	53.85	EN D -> VU D1	VU	4	0	0.3	edge of range; NE Aust spp.	1	7.69	EN D -> VU D1	VU	4	0	0.3	edge of range; NE Aust spp.	2	15.38	EN D -> VU D1	VU	4	0	0.3	edge of range; NE Aust spp.
Australian Ringneck	55	0.57	NT	NT	2	0	0.3			0.00							5	0.05	NT	NT	2	0	0.3	
Budgerigar	166	3.60	LC	LC	1	0	0.3	boom/bust spp	133	2.88	LC	LC	1	0	0.3	boom/bust spp	180	3.90	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot	2	0.26	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.		0.00							13	1.68	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot		0.00								0.00								0.00						
Bourke's Parrot	11	2.32	LC	LC	1	0	0.3		8	1.69	LC	LC	1	0	0.3		28	5.91	LC	LC	1	0	0.3	
Blue Bonnet	107	4.46	LC	LC	1	0	0.3		27	1.13	LC	LC	1	0	0.3		36	1.50	LC	LC	1	0	0.3	
Night Parrot	1	25.00	CR D	CR	6	DD	0.0	could be extinct		0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot	193	2.01	LC	LC	1	0	0.3		8	0.08	LC	LC	1	0	0.3		34	0.35	LC	LC	1	0	0.3	
Mulga Parrot	3	0.06	RA c(i)	RA	3	0	0.3			0.00							2	0.04	RA c(i)	RA	3	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	13	0.68	NT	NT	2	-	0.4		4	0.21	NT	NT	2	-	0.4		21	1.10	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	67	1.43	LC	LC	1	0	0.3		19	0.41	LC	LC	1	0	0.3		42	0.90	LC	LC	1	0	0.3	
Black-eared Cuckoo	4	0.60	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon		0.00							6	0.89	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl	26	39.39	VU D1	VU	4	0	0.3			0.00							2	3.03	VU D1	VU	4	0	0.3	
Southern Boobook	6	0.25	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3		7	0.30	LC	LC	1	0	0.3	
Australian Barn Owl	13	1.40	LC	LC	1	0	0.3			0.00							7	0.75	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Eastern Grass Owl		0.00								0.00							6	46.15	CR D -> EN D	CR	6	0	0.3	occassional visitor from tropical grasslands
Australian Masked Owl	1	11.11	CR D -> EN D	CR	6	DD	0.0	very little known about this spp.		0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	71	5.13	LC	LC	1	0	0.3		21	1.52	LC	LC	1	0	0.3		43	3.11	LC	LC	1	0	0.3	
Sacred Kingfisher	35	1.68	LC	LC	1	0	0.3			0.00							6	0.29	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	81	2.13	LC	LC	1	0	0.3		26	0.68	LC	LC	1	0	0.3		56	1.47	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00								0.00								0.00						
Brown Treecreeper	87	1.71	NT	NT	2	0	0.3		1	0.02	NT	NT	2	0	0.3		3	0.06	NT	NT	2	0	0.3	
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren	1	0.70	CR D	CR	6	--	0.5	possibly gone		0.00							31	21.83	RA c(i)	RA	3	0	0.3	
Eyrean Grasswren	29	6.82	NT	NT	2	0	0.3		8	1.88	NT	NT	2	0	0.3		50	11.76	NT	NT	2	0	0.3	
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	ina	0.00								0.00								0.00	RA c(i)	RA	3	0	0.3	no records, taxonomic change to Amytornis modestus s
Variegated Fairy-wren	112	1.58	LC	LC	1	0	0.3		28	0.40	LC	LC	1	0	0.3		115	1.63	LC	LC	1	0	0.3	
White-winged Fairy-wren	166	2.75	LC	LC	1	0	0.3		84	1.39	LC	LC	1	0	0.3		302	5.00	LC	LC	1	0	0.3	
Splendid Fairy-wren		0.00								0.00								0.00						
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill		0.00								0.00								0.00						
Yellow-rumped Thornbill		0.00								0.00								0.00						
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill		0.00								0.00								0.00						
Chestnut-rumped Thornbill	18	0.31	NT	NT	2	0	0.3		3	0.05	NT	NT	2	0	0.3		8	0.14	LC	LC	1	0	0.3	
Southern Whiteface	62	1.10	LC	LC	1	0	0.3		8	0.14	LC	LC	1	0	0.3		8	0.14	LC	LC	1	0	0.3	
Banded Whiteface	27	3.96	NT	NT	2	0	0.3		8	1.17	NT	NT	2	0	0.3		20	2.93	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface		0.00								0.00								0.00						
Rufous Fieldwren	1	0.10	RA c(i)	RA	3	0	0.3			0.00							5	0.50	RA c(i)	RA	3	0	0.3	
Western Gerygone		0.00								0.00								0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat		0.00								0.00								0.00						
Weebill	1	0.01	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	87	24.65	LC	LC	1	0	0.3		16	4.53	LC	LC	1	0	0.3		40	11.33	LC	LC	1	0	0.3	
Striated Pardalote	24	0.14	LC	LC	1	0	0.3			0.00							4	0.02	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	70	0.45	LC	LC	1	0	0.3		15	0.10	LC	LC	1	0	0.3		38	0.25	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird	7	2.08	NT	NT	2	0	0.3		1	0.30	NT	NT	2	0	0.3		76	22.62	NT	NT	2	0	0.3	
Pied Honeyeater	4	0.46	LC	LC	1	0	0.3	numbers can fluctuate a lot	48	5.56	LC	LC	1	0	0.3	numbers can fluctuate a lot	20	2.32	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00							1	20.00	EN D	EN	5	DD	0.0	1 record
White-fronted Chat		0.00								0.00								0.00						
Orange Chat	51	3.16	LC	LC	1	0	0.3		28	1.74	LC	LC	1	0	0.3		120	7.44	LC	LC	1	0	0.3	
Yellow Chat		0.00								0.00							22	88.00	EN D	EN	5	-	0.4	Threats: cattle grazing, closing bores
Crimson Chat	63	3.34	LC	LC	1	0	0.3		94	4.98	LC	LC	1	0	0.3		68	3.60	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	248	1.50	LC	LC	1	0	0.3		27	0.16	LC	LC	1	0	0.3		142	0.86	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00								0.00								0.00						
Singing Honeyeater	58	0.32	LC	LC	1	0	0.3		58	0.32	LC	LC	1	0	0.3		137	0.75	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	208	2.47	LC	LC	1	0	0.3		56	0.67	LC	LC	1	0	0.3		157	1.87	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater	1	100.00	EN D	EN	5	DD	0.0	only record for SA		0.00								0.00						
White-fronted Honeyeater		0.00								0.00							5	0.10	RA c(i)	RA	3	0	0.3	
Black Honeyeater		0.00							12	4.11	NT	NT	2	0	0.3	nomadic spp.	13	4.45	NT	NT	2	0	0.3	nomadic spp.
Chestnut-crowned Babbler	56	2.88	LC	LC	1	0	0.3		16	0.82	LC	LC	1	0	0.3		6	0.31	LC	LC	1	0	0.3	
White-browed Babbler	3	0.03	RA c(i)	RA	3	0	0.3			0.00								0.00						
Grey-crowned Babbler		0.00								0.00								0.00						
Chestnut Quail-thrush		0.00								0.00								0.00						
Cinnamon Quail-thrush	37	2.62	LC	LC	1	0	0.3		23	1.63	LC	LC	1	0	0.3		142	10.06	LC	LC	1	0	0.3	
Chirruping Wedgebill	88	6.58	LC	LC	1	0	0.3		18	1.35	LC	LC	1	0	0.3		16	1.20	LC	LC	1	0	0.3	
Chiming Wedgebill		0.00								0.00								0.00						
Varied Sittella		0.00								0.00								0.00						
Ground Cuckoo-shrike	19	5.18	NT	NT	2	0	0.3		3	0.82	NT	NT	2	0	0.3		8	2.18	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	75	0.70	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		54	0.51	LC	LC	1	0	0.3	
White-winged Triller	43	1.92	LC	LC	1	0	0.3	migratory spp	49	2.18	LC	LC	1	0	0.3	migratory spp	37	1.65	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Grey Shrike-thrush	95	0.44	NT	NT	2	0	0.3			0.00							4	0.02	NT	NT	2	0	0.3	
Crested Bellbird	10	0.17	RA c(i)	RA	3	0	0.3			0.00							1	0.02	RA c(i)	RA	3	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	25	0.36	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3		14	0.20	LC	LC	1	0	0.3	
Black-faced Woodswallow	162	3.80	LC	LC	1	0	0.3		57	1.34	LC	LC	1	0	0.3		102	2.39	LC	LC	1	0	0.3	
Dusky Woodswallow	1	0.02	RA c(iii)	RA	3	DD	0.0			0.00								0.00						
White-breasted Woodswallow	106	17.01	LC	LC	1	+	0.2	around water; generally uncommon	6	0.96	LC	LC	1	+	0.2	around water; generally uncommon	42	6.74	LC	LC	1	+	0.2	around water; generally uncommon
Little Woodswallow		0.00								0.00								0.00						
Masked Woodswallow	39	1.52	LC	LC	1	0	0.3		44	1.72	LC	LC	1	0	0.3		41	1.60	LC	LC	1	0	0.3	
White-browed Woodswallow	23	1.02	NT	NT	2	-	0.4		5	0.22	NT	NT	2	-	0.4		7	0.31	NT	NT	2	-	0.4	
Pied Butcherbird		0.00								0.00								0.00						
Australian Magpie	146	0.41	LC	LC	1	0	0.3		29	0.08	LC	LC	1	0	0.3		156	0.43	LC	LC	1	0	0.3	
Grey Butcherbird	3	0.03	RA c(i)	RA	3	0	0.3		8	0.09	RA c(i)	RA	3	0	0.3		12	0.13	RA c(i)	RA	3	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail	11	0.09	RA c(ii)	RA	3	0	0.3	regular winter visitors		0.00							10	0.08	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	236	0.88	LC	LC	1	0	0.3		51	0.19	LC	LC	1	0	0.3		207	0.77	LC	LC	1	0	0.3	
Little Crow	103	3.26	LC	LC	1	0	0.3		27	0.85	LC	LC	1	0	0.3		130	4.11	LC	LC	1	0	0.3	
Australian Raven	214	2.21	LC	LC	1	0	0.3		39	0.40	LC	LC	1	0	0.3		159	1.64	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow		0.00								0.00							2	0.96	RA c(i)	RA	3	DD	0.0	
Magpie-lark	195	0.99	LC	LC	1	0	0.3		26	0.13	LC	LC	1	0	0.3		130	0.66	LC	LC	1	0	0.3	
Restless Flycatcher	22	1.08	RA c(iii)	RA	3	0	0.3	irregular winter visitors		0.00							6	0.30	RA c(iii)	RA	3	0	0.3	irregular winter visitors
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	3	0.08	RA c(i)	RA	3	0	0.3		1	0.03	RA c(i)	RA	3	0	0.3		4	0.11	RA c(i)	RA	3	0	0.3	
Jacky Winter	24	0.52	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	27	0.40	LC	LC	1	0	0.3		15	0.22	LC	LC	1	0	0.3		43	0.63	LC	LC	1	0	0.3	
Horsfield's Bushlark	10	1.51	RA c(i, ii)	RA	3	DD	0.0		2	0.30	RA c(i, ii)	RA	3	DD	0.0		11	1.66	RA c(i, ii)	RA	3	DD	0.0	
Australian Reed Warbler	21	0.74	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	1	0.04	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	35	1.23	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	31	0.98	LC	LC	1	0	0.3		23	0.73	LC	LC	1	0	0.3		53	1.68	LC	LC	1	0	0.3	
Rufous Songlark	45	2.54	LC	LC	1	0	0.3		24	1.35	LC	LC	1	0	0.3		41	2.31	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird	20	0.70	NT	NT	2	0	0.3			0.00							51	1.78	NT	NT	2	0	0.3	
Silvereye		0.00								0.00								0.00						
White-backed Swallow	71	4.52	LC	LC	1	0	0.3		16	1.02	LC	LC	1	0	0.3		105	6.69	LC	LC	1	0	0.3	
Welcome Swallow	26	0.14	LC	LC	1	0	0.3			0.00							56	0.29	LC	LC	1	0	0.3	
Fairy Martin	118	5.19	LC	LC	1	0	0.3		10	0.44	LC	LC	1	0	0.3		75	3.30	LC	LC	1	0	0.3	
Tree Martin	168	1.73	LC	LC	1	0	0.3		18	0.19	LC	LC	1	0	0.3		72	0.74	LC	LC	1	0	0.3	
Mistletoebird	54	0.94	LC	LC	1	0	0.3		6	0.10	LC	LC	1	0	0.3		53	0.92	LC	LC	1	0	0.3	
Painted Finch		0.00								0.00								0.00						
Plum-headed Finches	1	100.00	RA c(iii)	RA	3	DD	0.0	only record for SA		0.00								0.00						
Zebra Finch	194	3.14	LC	LC	1	0	0.3		120	1.94	LC	LC	1	0	0.3		279	4.52	LC	LC	1	0	0.3	
Australian Pipit	57	0.81	LC	LC	1	0	0.3		15	0.21	LC	LC	1	0	0.3		96	1.36	LC	LC	1	0	0.3	
Magpie Goose	1	0.99	EN D	EN	5	DD	0.0	declines driven by eastern Australian declines, not local habitat		0.00								0.00						
Chestnut Teal	4	0.07	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Grey Teal	107	0.84	LC	LC	1	0	0.3	irruptive	11	0.09	LC	LC	1	0	0.3	irruptive	75	0.59	LC	LC	1	0	0.3	irruptive
Australasian Shoveler	9	0.31	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							3	0.10	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Pacific Black Duck	94	0.66	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		42	0.30	LC	LC	1	0	0.3	
Hardhead	77	2.03	LC	LC	1	0	0.3	irruptive	4	0.11	LC	LC	1	0	0.3	irruptive	29	0.76	LC	LC	1	0	0.3	irruptive
Musk Duck	20	0.60	RA c(i)	RA	3	0	0.3	small resident popn; Cooper system potential for future risk of e		0.00							11	0.33	RA c(iii)	RA	3	0	0.3	
Australian Wood Duck	68	0.97	LC	LC	1	0	0.3	possible increase	14	0.20	LC	LC	1	0	0.3	possible increase	25	0.36	LC	LC	1	0	0.3	possible increase
Black Swan	35	0.29	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers		0.00							10	0.08	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers
Plumed Whistling-Duck	7	11.67	RA (ciii)	RA	3	0	0.3	Cooper system potential for future risk of exploitation	1	1.67	RA (ciii)	RA	3	0	0.3	Cooper system potential for future risk of exploitation	6	10.00	RA (ciii)	RA	3	0	0.3	Cooper system potential for future risk of exploitation
Pink-eared Duck	55	3.27	LC	LC	1	0	0.3		11	0.65	LC	LC	1	0	0.3		48	2.86	LC	LC	1	0	0.3	
Blue-billed Duck	13	2.43	RA c(i)	RA	3	0	0.3	Cooper system potential for future risk of exploitation		0.00							3	0.56	RA c(iii)	RA	3	0	0.3	
Freckled Duck	14	1.73	RA c(i)	RA	3	0	0.3	Cooper system potential for future risk of exploitation - more re		0.00							5	0.62	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o
Australian Shelduck	12	0.15	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							2	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Great Crested Grebe	11	0.35	RA c(i)	RA	3	0	0.3	Cooper system potential for future risk of exploitation - more re		0.00								0.00						
Hoary-headed Grebe	28	0.48	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3		28	0.48	LC	LC	1	0	0.3	
Australasian Grebe	23	0.51	LC	LC	1	0	0.3	likes fresh water	1	0.02	LC	LC	1	0	0.3	likes fresh water	48	1.07	LC	LC	1	0	0.3	likes fresh water
Australasian Darter	82	5.06	RA c(i)	RA	3	0	0.3	breeding popns in Channel Country; currently good pop	1	0.06	RA c(i)	RA	3	0	0.3	breeding popns in Channel Country; currently good pop	35	2.16	RA c(i)	RA	3	0	0.3	breeding popns in Channel Country; currently good pop
Little Pied Cormorant	33	0.29	RA c(i)	RA	3	0	0.3	not large numbers		0.00							29	0.25	RA c(ii)	RA	3	0	0.3	
Great Cormorant	59	0.83	RA c(i)	RA	3	0	0.3			0.00							26	0.37	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant	60	0.97	RA c(i)	RA	3	0	0.3			0.00							40	0.65	RA c(ii)	RA	3	0	0.3	
Pied Cormorant	63	1.08	RA c(i)	RA	3	0	0.3			0.00							20	0.34	RA c(ii)	RA	3	0	0.3	
Australian Pelican	125	0.88	NT	NT	2	0	0.3		1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	27	0.19	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret	87	1.43	RA c(i)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3		35	0.57	RA c(iii)	RA	3	0	0.3	
Intermediate Egret	20	11.43	RA c(i)	RA	3	0	0.3			0.00							4	2.29	RA c(iii)	RA	3	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
White-necked Heron	96	10.28	RA c(i)	RA	3	0	0.3	major breeding area Australia-wide	8	0.86	RA c(iii)	RA	3	0	0.3		68	7.28	RA c(iii)	RA	3	0	0.3	
Little Egret	9	0.54	RA c(iii)	RA	3	0	0.3			0.00							11	0.66	RA c(iii)	RA	3	0	0.3	
White-faced Heron	90	0.66	LC	LC	1	0	0.3		6	0.04	LC	LC	1	0	0.3		65	0.47	LC	LC	1	0	0.3	
Nankeen Night-Heron	47	6.43	RA c(i)	RA	3	0	0.3	likely to breed	1	0.14	RA c(ii)	RA	3	0	0.3		27	3.69	RA c(ii)	RA	3	0	0.3	
Yellow-billed Spoonbill	70	2.94	RA c(i)	RA	3	0	0.3		4	0.17	RA c(ii)	RA	3	0	0.3		37	1.55	RA c(ii)	RA	3	0	0.3	
Royal Spoonbill	42	1.57	RA c(i)	RA	3	0	0.3		2	0.07	RA c(iii)	RA	3	0	0.3		30	1.12	RA c(iii)	RA	3	0	0.3	
Glossy Ibis	17	5.09	RA c(i)	RA	3	0	0.3	occur often here	1	0.30	RA c(iii)	RA	3	0	0.3		10	2.99	RA c(iii)	RA	3	0	0.3	
Australian White Ibis	28	0.31	NT	NT	2	0	0.3	nesting colonies		0.00							10	0.11	RA c(iii)	RA	3	0	0.3	
Straw-necked Ibis	49	1.46	NT	NT	2	0	0.3	larger colonies than AWI	2	0.06	RA c(ii)	RA	3	0	0.3		38	1.13	RA c(ii)	RA	3	0	0.3	
Brolga	26	5.94	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior	5	1.14	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior	79	18.04	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior
Eurasian Coot	63	0.85	NT	NT	2	0	0.3	possibly important breeding area (GC)		0.00							54	0.73	NT	NT	2	0	0.3	regular visitors in larger numbers
Dusky Moorhen	13	0.34	RA c(iii)	RA	3	0	0.3			0.00							12	0.31	RA c(iii)	RA	3	0	0.3	
Buff-banded Rail	6	1.80	RA c(iii)	RA	3	0	0.3			0.00							2	0.60	RA c(iii)	RA	3	0	0.3	
Purple Swamphen	14	0.30	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains		0.00							49	1.05	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains
Australian Spotted Crake	6	0.72	RA c(iii)	RA	3	0	0.3			0.00							9	1.08	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00								0.00							10	4.63	RA c(iii)	RA	3	0	0.3	
Spotless Crake	1	0.31	RA c(iii)	RA	3	0	0.3			0.00							6	1.87	RA c(iii)	RA	3	0	0.3	
Black-tailed Native-hen	68	1.73	LC	LC	1	0	0.3	important breeding area	14	0.36	LC	LC	1	0	0.3		46	1.17	LC	LC	1	0	0.3	
Banded Stilt	2	0.10	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Black-winged Stilt	18	0.26	RA c(i)	RA	3	0	0.3	small breeding popns.	1	0.01	RA c(iii)	RA	3	0	0.3	occur in mound springs	50	0.73	RA c(iii)	RA	3	0	0.3	
Red-necked Avocet	27	0.95	RA c(i)	RA	3	0	0.3		9	0.32	RA c(ii)	RA	3	0	0.3		34	1.19	RA c(ii)	RA	3	0	0.3	
Inland Dotterel	6	1.49	LC	LC	1	0	0.3		3	0.74	LC	LC	1	0	0.3		45	11.14	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler
Red-capped Plover	11	0.17	RA (i)	RA	3	0	0.3		6	0.09	RA cii)	RA	3	0	0.3		20	0.30	RA cii)	RA	3	0	0.3	
Oriental Plover	2	3.13	RA c(iii)	RA	3	0	0.3	irregular visitors		0.00							1	1.56	RA c(iii)	RA	3	0	0.3	irregular visitors
Black-fronted Dotterel	90	2.53	LC	LC	1	0	0.3		12	0.34	LC	LC	1	0	0.3		81	2.28	LC	LC	1	0	0.3	
Red-kneed Dotterel	24	1.12	NT	NT	2	0	0.3		4	0.19	NT	NT	2	0	0.3		23	1.07	NT	NT	2	0	0.3	
Masked Lapwing	53	0.35	LC	LC	1	0	0.3	likely to be resident in many areas	1	0.01	LC	LC	1	0	0.3	likely to be resident in many areas	69	0.45	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	11	0.78	NT	NT	2	DD	0.0		10	0.71	NT	NT	2	DD	0.0		26	1.85	NT	NT	2	DD	0.0	
Common Sandpiper	3	0.39	RA c(iii)	RA	3	0	0.3			0.00							1	0.13	RA c(iii)	RA	3	0	0.3	
Sharp-tailed Sandpiper	9	0.18	RA c(ii)	RA	3	0	0.3			0.00							7	0.14	RA c(ii)	RA	3	0	0.3	
Curlew Sandpiper	e for re	0.00								0.00							2	0.08	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc
Red-necked Stint	1	0.02	RA c(iii)	RA	3	0	0.3			0.00							2	0.03	RA c(iii)	RA	3	0	0.3	
Long-toed Stint	2	1.24	RA c(iii)	RA	3	0	0.3	irregular visitor		0.00							1	0.62						vagrant
Latham's Snipe	1	0.29	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Black-tailed Godwit	1	0.26	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Wood Sandpiper	2	0.63	RA c(iii)	RA	3	0	0.3			0.00							2	0.63	RA c(iii)	RA	3	0	0.3	
Common Greenshank	7	0.11	RA c(iii)	RA	3	0	0.3		1	0.02	RA c(iii)	RA	3	0	0.3		6	0.09	RA c(iii)	RA	3	0	0.3	
Marsh Sandpiper	5	0.53	RA c(iii)	RA	3	0	0.3			0.00							2	0.21	RA c(iii)	RA	3	0	0.3	
Whiskered Tern	20	0.32	NT	NT	2	0	0.3	main breeding area		0.00							12	0.19	RA c(iii)	RA	3	0	0.3	
Silver Gull	42	0.21	LC	LC	1	+	0.2	probable increase		0.00							10	0.05	LC	LC	1	+	0.2	probable increase
Gull-billed Tern	32	5.93	RA c(i)	RA	3	0	0.3	breeding area	6	1.11	RA c(ii)	RA	3	0	0.3		13	2.41	RA c(ii)	RA	3	0	0.3	
Caspian Tern	50	0.69	RA c(i)	RA	3	0	0.3			0.00							8	0.11	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise	90	70.87	VU B2ac(ii)	VU	4	0	0.3	dependent on Coopers Ck flowing; very responsive to flood ev		0.00							2	1.57	VU B2ac(ii)	VU	4	0	0.3	dependent on Coopers Ck flowing; very responsive to fl
Channel Dragon	9	69.23	LC	LC	1	0	0.3	under-recorded; Qld/NT spp, edge of range; dependent on cha		0.00								0.00						
Long-nosed Dragon		0.00								0.00								0.00						
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00								0.00								0.00						
Military Dragon		0.00							108	13.95	LC	LC	1	0	0.3		11	1.42	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00								0.00								0.00						
Central Netted Dragon	82	8.52	LC	LC	1	0	0.3		66	6.85	LC	LC	1	0	0.3		33	3.43	LC	LC	1	0	0.3	
Painted Dragon	219	9.82	LC	LC	1	0	0.3		24	1.08	LC	LC	1	0	0.3		57	2.55	LC	LC	1	0	0.3	
Western Netted Dragon		0.00								0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00								0.00								0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon	18	7.93	LC	LC	1	0	0.3		15	6.61	LC	LC	1	0	0.3		9	3.96	LC	LC	1	0	0.3	
Thorny Devil		0.00								0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00								0.00						
Central Bearded Dragon	40	3.50	LC	LC	1	0	0.3		14	1.22	LC	LC	1	0	0.3		21	1.84	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon	1	0.18	LC	LC	1	0	0.3			0.00							125	23.11	LC	LC	1	0	0.3	
Five-lined Earless Dragon	25	6.08	LC	LC	1	0	0.3			0.00							2	0.49	LC	LC	1	0	0.3	
Eyrean Earless Dragon	19	1.74	LC	LC	1	0	0.3			0.00							56	5.13	LC	LC	1	0	0.3	
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (–, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (–, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (–, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	15	3.28	LC	LC	1	0	0.3			0.00							1	0.22	LC	LC	1	0	0.3	
Tree Dtella	90	3.76	LC	LC	1	0	0.3		28	1.17	LC	LC	1	0	0.3		140	5.85	LC	LC	1	0	0.3	
Bynoe's Gecko	153	5.21	LC	LC	1	0	0.3		16	0.54	LC	LC	1	0	0.3		121	4.12	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko	58	5.87	LC	LC	1	0	0.3		25	2.53	LC	LC	1	0	0.3		28	2.82	LC	LC	1	0	0.3	
Barking Gecko	3	0.25	LC	LC	1	0	0.3			0.00								0.00						
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko		0.00							73	17.63	LC	LC	1	0	0.3			0.00						
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00								0.00								0.00						
Tessellated Gecko	90	14.78	LC	LC	1	0	0.3		12	1.97	LC	LC	1	0	0.3		24	3.94	LC	LC	1	0	0.3	
Pink-blotched Gecko	2	0.31	LC	LC	1	0	0.3			0.00							29	4.43	LC	LC	1	0	0.3	
Beaded Gecko	122	7.43	LC	LC	1	0	0.3		29	1.77	LC	LC	1	0	0.3		5	0.30	LC	LC	1	0	0.3	
Sandplain Gecko	9	1.54	LC	LC	1	0	0.3		16	2.74	LC	LC	1	0	0.3			0.00						
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	95	6.50	LC	LC	1	0	0.3		65	4.45	LC	LC	1	0	0.3		37	2.53	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko	12	6.03	LC	LC	1	0	0.3	patchy distribution	1	0.50	LC	LC	1	0	0.3	patchy distribution	1	0.50	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko		0.00							1	0.55	LC	LC	1	0	0.3	dependent on Triodia; often under-reported		0.00						
Southern Spiny-tailed Gecko	6	2.07	LC	LC	1	0	0.3			0.00							1	0.34	LC	LC	1	0	0.3	edge of range
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard		0.00								0.00								0.00						
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00							7	2.45	LC	LC	1	0	0.3	common sp		0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard	21	32.31	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines		0.00							8	12.31	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines
Burton's Legless Lizard		0.00							4	1.34	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot		0.00							3	5.00	LC	LC	1	0	0.3			0.00						
Hooded Scaly-foot	2	5.00	LC	LC	1	0	0.3			0.00							4	10.00	LC	LC	1	0	0.3	
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink	12	3.08	LC	LC	1	0	0.3			0.00							6	1.54	LC	LC	1	0	0.3	under surveyed
Eyrean Wall Skink	2	2.60	LC	LC	1	0	0.3	under surveyed		0.00							1	1.30	LC	LC	1	0	0.3	under surveyed
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00							31	72.09	LC	LC	1	0	0.3	difficult to find; edge of range; northern spp.		0.00						
Ashy Downs Ctenotus		0.00								0.00							6	100.00	RA d(i,ii)	RA	3	0	0.3	specific habitat; SW Qld spp; edge of range
Brown Ctenotus		0.00							26	19.70	LC	LC	1	0	0.3		7	5.30	LC	LC	1	0	0.3	
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00							10	62.50	RA d(i,ii)	RA	3	0	0.3	riparian spp; isolated pops.
Centralian Coppertail	4	1.66	LC	LC	1	0	0.3		32	13.28	LC	LC	1	0	0.3		6	2.49	LC	LC	1	0	0.3	
Common Desert Ctenotus		0.00							22	4.91	LC	LC	1	0	0.3		4	0.89	LC	LC	1	0	0.3	
Saltbush Ctenotus		0.00								0.00							5	0.81	LC	LC	1	0	0.3	
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00							51	20.99	LC	LC	1	0	0.3		1	0.41	LC	LC	1	0	0.3	
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	106	5.74	LC	LC	1	0	0.3		116	6.28	LC	LC	1	0	0.3		68	3.68	LC	LC	1	0	0.3	
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00							11	100.00	LC	LC	1	0	0.3	under surveyed		0.00						
Sandplain Ctenotus	3	0.16	LC	LC	1	0	0.3		38	1.98	LC	LC	1	0	0.3		6	0.31	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus	15	2.83	LC	LC	1	0	0.3		4	0.75	LC	LC	1	0	0.3		57	10.75	LC	LC	1	0	0.3	
Eyrean Ctenotus	119	9.60	LC	LC	1	0	0.3		39	3.15	LC	LC	1	0	0.3		67	5.41	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00								0.00								0.00						
Saltbush Slender Bluetongue		0.00							2	4.76	LC	LC	1	0	0.3		6	14.29	LC	LC	1	0	0.3	
Gidgee Skink	1	0.43	LC	LC	1	0	0.3		2	0.86	LC	LC	1	0	0.3		13	5.60	LC	LC	1	0	0.3	
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer	72	7.64	LC	LC	1	0	0.3		82	8.70	LC	LC	1	0	0.3		57	6.05	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	15	2.23	LC	LC	1	0	0.3		4	0.59	LC	LC	1	0	0.3		8	1.19	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (–, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (–, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (–, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Yellow-tailed Slider	4	5.41	LC	LC	1	0	0.3			0.00								0.00						
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider		0.00								0.00								0.00						
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	56	4.33	LC	LC	1	0	0.3		86	6.65	LC	LC	1	0	0.3		32	2.47	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider		0.00								0.00								0.00						
Desert Skink	1	0.12	LC	LC	1	0	0.3		4	0.49	LC	LC	1	0	0.3		1	0.12	LC	LC	1	0	0.3	
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	38	1.29	LC	LC	1	0	0.3		19	0.64	LC	LC	1	0	0.3		20	0.68	LC	LC	1	0	0.3	
Adelaide Snake-eye	69	6.81	LC	LC	1	0	0.3			0.00							23	2.27	LC	LC	1	0	0.3	
Common Snake-eye	95	4.27	LC	LC	1	0	0.3		5	0.22	LC	LC	1	0	0.3		41	1.84	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink	2	33.33	RA d(i,ii)	RA	3	DD	0.0	restricted habitat in SA; in SW Qld in black soil		0.00							4	66.67	RA d(i,ii)	RA	3	DD	0.0	restricted habitat in SA; in SW Qld in black soil
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue	5	9.80	LC	LC	1	0	0.3			0.00							2	3.92	LC	LC	1	0	0.3	
Western Bluetongue		0.00								0.00								0.00						
Sleepy Lizard		0.00								0.00								0.00						
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00							17	18.68	LC	LC	1	0	0.3	edge of range		0.00						
Perentie		0.00								0.00								0.00						
Pygmy Mulga Goanna		0.00								0.00								0.00						
Sand Goanna	30	3.15	LC	LC	1	0	0.3		20	2.10	LC	LC	1	0	0.3		13	1.37	LC	LC	1	0	0.3	
Black-headed Goanna	2	5.88	LC	LC	1	0	0.3			0.00							4	11.76	LC	LC	1	0	0.3	
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake	8	3.04	LC	LC	1	0	0.3			0.00							1	0.38	LC	LC	1	0	0.3	
Centralian Blind Snake	13	7.22	LC	LC	1	0	0.3		9	5.00	LC	LC	1	0	0.3		4	2.22	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00								0.00								0.00						
Stimson's Python	1	1.61	LC	LC	1	0	0.3			0.00							2	3.23	LC	LC	1	0	0.3	
Woma	24	32.00	LC	LC	1	0	0.3			0.00							6	8.00	LC	LC	1	0	0.3	
Carpet Python		0.00	RA d(ii)	RA	3	-	0.4	(no records) likes big trees, creeks, rocky areas; eaten by foxes		0.00							1	0.35	RA d(ii)	RA	3	-	0.4	likes big trees, creeks, rocky areas; eaten by foxes
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00								0.00								0.00						
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake		0.00								0.00								0.00						
Channel Country Whipsnake		0.00								0.00							1	100.00	RA d(i,ii)	RA	3	0	0.3	western Qld spp.
Red-naped Snake	4	11.76	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan	2	8.70	LC	LC	1	0	0.3			0.00							5	21.74	LC	LC	1	0	0.3	
Hooded Snake		0.00								0.00								0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00								0.00								0.00						
Mulga Snake	8	2.68	LC	LC	1	0	0.3			0.00							8	2.68	LC	LC	1	0	0.3	
Patch-nosed Brown Snake		0.00								0.00								0.00						
Gwardar		0.00							4	18.18	LC	LC	1	0	0.3	under surveyed	1	4.55	LC	LC	1	0	0.3	under surveyed
Five-ringed Snake		0.00							5	2.43	LC	LC	1	0	0.3			0.00						
Eastern Brown Snake	1	0.16	LC	LC	1	0	0.3			0.00							2	0.31	LC	LC	1	0	0.3	
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake		0.00								0.00								0.00						
Curl Snake	96	16.33	LC	LC	1	0	0.3		2	0.34	LC	LC	1	0	0.3		9	1.53	LC	LC	1	0	0.3	
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog	10	55.56	RA d(i,ii)	RA	3	DD	0.0			0.00							7	38.89	RA d(i,ii)	RA	3	DD	0.0	
Main's Frog		0.00								0.00								0.00						
Water-holding Frog	44	30.34	LC	LC	1	0	0.3			0.00							12	8.28	LC	LC	1	0	0.3	
Green Tree Frog	9	81.82	LC	LC	1	0	0.3			0.00								0.00						
Broad-palmed Frog	11	84.62	LC	LC	1	0	0.3			0.00							1	7.69	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Desert Tree Frog	15	6.52	LC	LC	1	0	0.3		4	1.74	LC	LC	1	0	0.3		18	7.83	LC	LC	1	0	0.3	
Desert Froglet	32	78.05	LC	LC	1	0	0.3			0.00							1	2.44	LC	LC	1	0	0.3	
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog	53	1.05	LC	LC	1	0	0.3			0.00							2	0.04	LC	LC	1	0	0.3	
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	67	6.61	LC	LC	1	0	0.3		52	5.13	LC	LC	1	0	0.3		136	13.41	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog	7	7.69	LC	LC	1	0	0.3			0.00							1	1.10	LC	LC	1	0	0.3	
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet	1	100.00	RA d(i,ii)	RA	3	DD	0.0	SW Qld spp; outlier; 1 record 1989		0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead	2	1.38	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & temperat		0.00							1	0.69	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish	15	22.39	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,		0.00							2	2.99	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp,
Bony Bream	35	3.37	NT	NT	2	DD	0.0	arid-adapted spp		0.00							3	0.29	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp
Muellers Perchlet			DD	DD	0	DD	0.0	no records but probably occurs here; very little known about this spp																
Western Carp Gudgeon		0.00	RA d(i,ii)	RA	3	DD	0.0	no records; arid-adapted spp known from St Marys Pool & Leig		0.00								0.00	RA d(i,ii)	RA	3	DD	0.0	no records; arid-adapted spp known from St Marys Poo
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby	mperat	0.00								0.00							1	0.42	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch			RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest and habitat chang			NT	NT	2	DD	0.0	no records but occurs here. Vulnerable to over harvest and habitat chang			RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest
Barred Grunter		0.00								0.00							1	7.69	RA d(i,ii)	RA	3	DD	0.0	
Welch's Grunter	26	61.90	NT	NT	2	DD	0.0			0.00							3	7.14	RA d(i,ii)	RA	3	DD	0.0	
Spangled Perch	12	10.26	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.		0.00							4	3.42	RA d(ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.
Barcoo Grunter	10	38.46	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to over ha		0.00							2	7.69	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to
Australian Smelt	24	5.21	NT	NT	2	DD	0.0			0.00							1	0.22	RA d(i,ii)	RA	3	DD	0.0	
Cooper Creek Tandan	6	75.00	RA d(ii)	RA	3	DD	0.0	limited to Cooper Ck system; poorly known; threats: local habit		0.00							2	25.00	RA d(ii)	RA	3	DD	0.0	limited to Cooper Ck system; poorly known; threats: loc
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan	14	53.85	NT	NT	2	DD	0.0			0.00							1	3.85	RA d(i,ii)	RA	3	DD	0.0	
Silver Tandan	18	56.25	NT	NT	2	DD	0.0			0.00							2	6.25	RA d(i,ii)	RA	3	DD	0.0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Short-beaked Echidna		0.00							1	0.07	LC	LC	1	0	0.3		2	0.14	LC	LC	1	0	0.3	
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari	2	1.53	VU B1ab(i,ii)c(iv)	VU	4	-	0.4	edge of range; range contraction from SW & NE; not a boom/b		0.00								0.00						
Ampurta	6	2.84	LC	LC	1	0	0.3	irruptive (dune country); now known as Crest-tailed Mulgara		0.00								0.00						
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus		0.00								0.00								0.00						
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui		0.00								0.00								0.00						
Giles' Planigale (Paucident Planig	24	5.81	LC	LC	1	0	0.3			0.00							5	1.21	LC	LC	1	0	0.3	
Long-tailed Planigale	8	17.78	LC	LC	1	0	0.3			0.00								0.00						
Narrow-nosed Planigale		0.00							1	0.54	LC	LC	1	0	0.3		2	1.09	LC	LC	1	0	0.3	
Kultarr	1	0.28	LC	LC	1	0	0.3	edge of range		0.00								0.00	LC	LC	1	+	0.2	missing records from recent years - Reece and Katherir
Fat-tailed Dunnart	59	2.02	LC	LC	1	0	0.3		2	0.07	LC	LC	1	0	0.3		9	0.31	LC	LC	1	0	0.3	
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	60	2.69	LC	LC	1	0	0.3		3	0.13	LC	LC	1	0	0.3		9	0.40	LC	LC	1	0	0.3	should be more records
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart		0.00								0.00							2	0.56	LC	LC	1	0	0.3	edge of range
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00								0.00	RE	RE	7			missing sub-fossil record
Golden Bandicoot		0.00								0.00								0.00	RE	RE	7			missing sub-fossil record
Western Barred Bandicoot		0.00								0.00								0.00	VU D1 + 2	VU	4	0	0.3	introduction to Roxby Downs Arid Recovery (conservati
Bilby (Greater Bilby)		0.00								0.00								0.00	VU D1 + 2	VU	4	0	0.3	introduction to Roxby Downs Arid Recovery (conservati
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)		0.00								0.00								0.00						
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)		0.00								0.00								0.00	VU D2	VU	4	++	0.1	re-introduced - captive population in Arid Recovery; defi
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo		0.00							102	0.79	LC	LC	1	0	0.3	fluctuating populations; overall stable	27	0.21	LC	LC	1	0	0.3	fluctuating populations; overall stable
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro		0.00							18	0.16	LC	LC	1	0	0.3		3	0.03	LC	LC	1	0	0.3	
Red Kangaroo	3	0.01	LC	LC	1	0	0.3		1182	4.16	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	1620	5.70	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00							1	5.88	DD	DD	0	DD	0.0	high flying spp; not easy to catch in nets; sparse distribu
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00								0.00								0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records sp
Southern Freetail-bat											DD	DD	0	DD	0.0	no records but possilbly here (see NC records spp complex)								
White-striped Freetail-bat	1	0.13	LC	LC	1	0	0.3			0.00							9	1.15	LC	LC	1	0	0.3	
Lesser Long-eared Bat	1	0.05	LC	LC	1	0	0.3		3	0.15	LC	LC	1	0	0.3		17	0.87	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat		0.00							1	0.03	LC	LC	1	0	0.3		1	0.03	LC	LC	1	0	0.3	
Chocolate Wattled Bat		0.00								0.00								0.00						
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat		0.00								0.00							4	1.75	LC	LC	1	0	0.3	
Little Broad-nosed Bat		0.00								0.00								0.00						
Inland Forest Bat		0.00								0.00							1	0.21	LC	LC	1	0	0.3	
Finlayson's Cave Bat		0.00								0.00								0.00						
Dingo	69	5.76	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline		0.00							3	0.25	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00	DD	DD	0	DD	0.0	no records but occurs here		0.00								0.00						
Forrest's Mouse	14	0.73	LC	LC	1	0	0.3			0.00							4	0.21	LC	LC	1	0	0.3	R Pedler has more records
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat		0.00								0.00								0.00	VU D1 + 2	VU	4	0	0.3	introduction to Roxby Downs Arid Recovery (conservati
Spinifex Hopping-mouse		0.00								0.00							4	0.56	LC	LC	1	+	0.2	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse	35	26.72	VU B2ac(iv)	VU	4	0	0.3	edge of range; stable at present		0.00								0.00						
Dusky Hopping-mouse	1	0.12	DD	DD	0	DD	0.0	edge of range; lots of suitable habitat		0.00								0.00						
Long-tailed Hopping-mouse		0.00								0.00								0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)	11	0.67	RE	RE	7			presumed extinct		0.00							1	0.06	VU B2ac(iv)	VU	4	-	0.4	cats/foxes/grazing - threats; more records; live in deep

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Bolam's Mouse		0.00								0.00							8	1.06	LC	LC	1	0	0.3	fluctuates
Desert Mouse (Brown Desert Mo		0.00							2	0.38	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA
Gould's Mouse		0.00								0.00								0.00						
Sandy Inland Mouse	30	1.09	LC	LC	1	0	0.3			0.00							1	0.04	LC	LC	1	0	0.3	missing records
Long-haired Rat (Plague Rat)	27	3.70	RA d(ii); c(i)	RA	3	DD	0.0	possibly stable		0.00								0.00						
Emu	14	0.17	LC	LC	1	0	0.3	uncommon outside dog fence	245	2.94	LC	LC	1	0	0.3		238	2.86	LC	LC	1	0	0.3	
Malleefowl		0.00								0.00								0.00						
Stubble Quail	2	0.13	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	1	0.06	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	5	0.32	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00								0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA
Diamond Dove	94	9.10	LC	LC	1	0	0.3		4	0.39	LC	LC	1	0	0.3		61	5.91	LC	LC	1	0	0.3	
Peaceful Dove	67	1.48	LC	LC	1	0	0.3	core areas along creeks		0.00							34	0.75	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00								0.00								0.00						
Crested Pigeon	225	1.02	LC	LC	1	0	0.3		31	0.14	LC	LC	1	0	0.3		437	1.98	LC	LC	1	0	0.3	
Common Bronzewing	1	0.01	LC	LC	1	0	0.3			0.00							29	0.34	LC	LC	1	0	0.3	
Flock Bronzewing	25	23.81	RA c(i)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly due to RH		0.00							2	1.90	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du
Tawny Frogmouth	4	0.32	LC	LC	1	0	0.3		4	0.32	LC	LC	1	0	0.3	benefit from recent rodent plagues	6	0.49	LC	LC	1	0	0.3	benefit from recent rodent plagues
Spotted Nightjar	8	1.49	LC	LC	1	0	0.3			0.00							8	1.49	LC	LC	1	0	0.3	
Australian Owlet-nightjar	10	0.60	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3		13	0.79	LC	LC	1	0	0.3	
Fork-tailed Swift	1	0.29	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habita		0.00							3	0.87	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust
Collared Sparrowhawk	2	0.11	LC	LC	1	0	0.3			0.00							15	0.85	LC	LC	1	0	0.3	
Brown Goshawk	7	0.28	LC	LC	1	0	0.3			0.00							6	0.24	LC	LC	1	0	0.3	
Wedge-tailed Eagle	34	0.47	LC	LC	1	0	0.3		18	0.25	LC	LC	1	0	0.3		161	2.20	LC	LC	1	0	0.3	
Swamp Harrier	3	0.13	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a	1	0.04	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur around		0.00						
Spotted Harrier	4	0.40	LC	LC	1	0	0.3	probable increase over last 10 years	2	0.20	LC	LC	1	0	0.3	probable increase over last 10 years	5	0.50	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	2	0.04	LC	LC	1	0	0.3	not common; increase with mouse plagues		0.00							6	0.13	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite	8	9.09	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like other rapto		0.00							7	7.95	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth
Whistling Kite	64	1.54	LC	LC	1	0	0.3		3	0.07	LC	LC	1	0	0.3		38	0.91	LC	LC	1	0	0.3	
Black-breasted Buzzard	5	3.23	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	1	0.65	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	1	0.65	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	7	0.58	NT	NT	2	-	0.4	probably declining		0.00							11	0.91	NT	NT	2	-	0.4	probably declining
Square-tailed Kite	tes; mi	0.00							1	1.82	CR D - EN D	EN	5	DD	0.0	lots of records are miss i'd, often confused with Black Kites; m		0.00						
Black Kite	85	2.42	LC	LC	1	0	0.3	have come back from a historic decline	10	0.28	LC	LC	1	0	0.3	have come back from a historic decline	147	4.18	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	51	0.88	LC	LC	1	0	0.3		7	0.12	LC	LC	1	0	0.3		61	1.05	LC	LC	1	0	0.3	
Nankeen Kestrel	33	0.33	LC	LC	1	0	0.3		14	0.14	LC	LC	1	0	0.3		102	1.02	LC	LC	1	0	0.3	
Grey Falcon	1	0.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo
Australian Hobby	3	0.15	LC	LC	1	0	0.3			0.00							18	0.88	LC	LC	1	0	0.3	
Peregrine Falcon	1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00							5	0.40	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	9	1.36	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they were know		0.00							3	0.45	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	5	1.33	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years		0.00							5	1.33	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00								0.00						
Plains-wanderer		0.00								0.00								0.00	EN D	EN	5	DD	0.0	no records - John Read has 2 records
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	4	0.53	LC	LC	1	0	0.3			0.00							6	0.79	LC	LC	1	0	0.3	
Australian Pratincole	17	4.18	LC	LC	1	DD	0.0	migratory spp, could be stable	6	1.47	LC	LC	1	DD	0.0	migratory spp, could be stable	5	1.23	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	115	1.98	LC	LC	1	0	0.3		8	0.14	LC	LC	1	0	0.3		95	1.64	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	168	0.56	LC	LC	1	0	0.3		6	0.02	LC	LC	1	0	0.3		134	0.44	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00								0.00							12	1.74	VU C1; D1	VU	4	-	0.4	have turned up twice in region (J Read) in good numbe
Cockatiel	26	1.24	LC	LC	1	0	0.3	could be possible decline	1	0.05	LC	LC	1	0	0.3	could be possible decline	53	2.52	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot	1	7.69	EN D -> VU D1	VU	4	0	0.3	edge of range; NE Aust spp.		0.00								0.00						
Australian Ringneck		0.00							3	0.03	LC	LC	1	0	0.3		10	0.10	LC	LC	1	0	0.3	
Budgerigar	38	0.82	LC	LC	1	0	0.3	boom/bust spp	15	0.32	LC	LC	1	0	0.3	boom/bust spp	159	3.44	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot	1	0.13	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.		0.00							2	0.26	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot		0.00							2	0.10	RA c(i)	RA	3	0	0.3		1	0.05	RA c(iii)	RA	3	0	0.3	
Scarlet-chested Parrot		0.00								0.00							3	1.81	EN D	EN	5	-	0.4	
Bourke's Parrot	1	0.21	RA c(i)	RA	3	0	0.3			0.00							61	12.87	LC	LC	1	0	0.3	
Blue Bonnet	35	1.46	LC	LC	1	0	0.3		4	0.17	RA d(i,ii)	RA	3	0	0.3		211	8.80	LC	LC	1	0	0.3	
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot	1	0.01	RA c(i); d(ii)	RA	3	0	0.3	possibly expanding into this area from Coongie	2	0.02	RA c(iii)	RA	3	0	0.3			0.00						
Mulga Parrot		0.00							1	0.02	LC	LC	1	0	0.3		115	2.42	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	11	0.58	NT	NT	2	-	0.4		2	0.10	NT	NT	2	-	0.4		19	1.00	LC	LC	1	0	0.3	
Horsfield's Bronze-Cuckoo	17	0.36	LC	LC	1	0	0.3		7	0.15	LC	LC	1	0	0.3		29	0.62	LC	LC	1	0	0.3	
Black-eared Cuckoo	2	0.30	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon		0.00							5	0.74	NT	NT	2	0	0.3	
Channel-billed Cuckoo	1	50.00	RA c(iii)	RA	3	--	0.5	declined over last 100yrs; threatened; follows Diamantina R int		0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	2	0.08	LC	LC	1	0	0.3			0.00							6	0.25	LC	LC	1	0	0.3	
Australian Barn Owl	7	0.75	LC	LC	1	0	0.3			0.00							5	0.54	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Eastern Grass Owl	1	7.69	CR D -> EN D	CR	6	0	0.3	occassional visitor from tropical grasslands		0.00							1	7.69	CR D - EN D	CR	6	0	0.3	occassional visitor from tropical grasslands
Australian Masked Owl		0.00							1	11.11	CR D - EN D	CR	6	DD	0.0	very little known about this spp.		0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	21	1.52	LC	LC	1	0	0.3		2	0.14	LC	LC	1	0	0.3		61	4.41	LC	LC	1	0	0.3	
Sacred Kingfisher	2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor		0.00							4	0.19	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	87	2.29	LC	LC	1	0	0.3		3	0.08	LC	LC	1	0	0.3		55	1.45	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00							1	0.24	CR D	CR	6	--	0.5	needs black oak & mulga	1	0.24	CR D	CR	6	--	0.5	needs black oak & mulga
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren	109	76.76	RA c(i)	RA	3	0	0.3			0.00								0.00						
Eyrean Grasswren	7	1.65	NT	NT	2	0	0.3			0.00								0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	sp un-r	0.00								0.00							3	2.40	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulhar
Variegated Fairy-wren	152	2.15	LC	LC	1	0	0.3		17	0.24	LC	LC	1	0	0.3		137	1.94	LC	LC	1	0	0.3	
White-winged Fairy-wren	189	3.13	LC	LC	1	0	0.3		24	0.40	LC	LC	1	0	0.3		135	2.23	LC	LC	1	0	0.3	
Splendid Fairy-wren		0.00							2	0.10	VU D1	VU	4	0	0.3		10	0.48	LC	LC	1	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill		0.00								0.00							68	1.49	LC	LC	1	0	0.3	
Yellow-rumped Thornbill		0.00							2	0.02	LC	LC	1	0	0.3		65	0.64	LC	LC	1	0	0.3	
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill		0.00								0.00								0.00						
Chestnut-rumped Thornbill	2	0.03	NT	NT	2	0	0.3		5	0.09	LC	LC	1	0	0.3		166	2.85	LC	LC	1	0	0.3	
Southern Whiteface	9	0.16	LC	LC	1	0	0.3		7	0.12	LC	LC	1	0	0.3		160	2.84	LC	LC	1	0	0.3	
Banded Whiteface	5	0.73	NT	NT	2	0	0.3		1	0.15	NT	NT	2	0	0.3			0.00						
Chestnut-breasted Whiteface		0.00								0.00							2	1.56	RA c(i)	RA	3	0	0.3	
Rufous Fieldwren	1	0.10	RA c(i)	RA	3	0	0.3		5	0.50	LC	LC	1	0	0.3		6	0.60	LC	LC	1	0	0.3	
Western Gerygone		0.00								0.00								0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat		0.00								0.00								0.00						
Weebill		0.00								0.00								0.00						
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	14	3.97	LC	LC	1	0	0.3			0.00							1	0.28	NT	NT	2	0	0.3	
Striated Pardalote	1	0.01	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		11	0.06	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	14	0.09	LC	LC	1	0	0.3		7	0.05	LC	LC	1	0	0.3		342	2.22	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird	6	1.79	NT	NT	2	0	0.3		1	0.30	NT	NT	2	0	0.3			0.00						
Pied Honeyeater	8	0.93	LC	LC	1	0	0.3	numbers can fluctuate a lot	7	0.81	LC	LC	1	0	0.3	numbers can fluctuate a lot	44	5.10	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat		0.00							2	0.04	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East	8	0.17	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East
Orange Chat	60	3.72	LC	LC	1	0	0.3		23	1.43	LC	LC	1	0	0.3		29	1.80	LC	LC	1	0	0.3	
Yellow Chat	1	4.00	EN D	EN	5	-	0.4	Threats: cattle grazing, closing bores		0.00								0.00						
Crimson Chat	22	1.16	LC	LC	1	0	0.3		12	0.64	LC	LC	1	0	0.3		53	2.81	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	247	1.49	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		66	0.40	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00								0.00								0.00						
Singing Honeyeater	26	0.14	LC	LC	1	0	0.3		31	0.17	LC	LC	1	0	0.3		697	3.79	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	75	0.89	LC	LC	1	0	0.3		7	0.08	LC	LC	1	0	0.3		216	2.57	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater		0.00							1	0.02	RA c(i)	RA	3	0	0.3		10	0.19	LC	LC	1	0	0.3	
Black Honeyeater		0.00								0.00							2	0.68	NT	NT	2	0	0.3	nomadic spp.
Chestnut-crowned Babbler	7	0.36	LC	LC	1	0	0.3		4	0.21	RA c(i)	RA	3	+	0.2			0.00						
White-browed Babbler	1	0.01	RA c(i)	RA	3	0	0.3		9	0.08	LC	LC	1	0	0.3		357	3.20	LC	LC	1	0	0.3	
Grey-crowned Babbler		0.00								0.00								0.00						
Chestnut Quail-thrush		0.00								0.00								0.00						
Cinnamon Quail-thrush	26	1.84	LC	LC	1	0	0.3		13	0.92	LC	LC	1	0	0.3		68	4.82	LC	LC	1	0	0.3	
Chirruping Wedgebill	13	0.97	LC	LC	1	0	0.3		21	1.57	LC	LC	1	0	0.3		46	3.44	LC	LC	1	0	0.3	
Chiming Wedgebill		0.00								0.00							13	2.43	LC	LC	1	0	0.3	
Varied Sittella		0.00							1	0.04	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland	12	0.45	NT	NT	2	0	0.3	needs tall shrubland/woodland
Ground Cuckoo-shrike	1	0.27	NT	NT	2	0	0.3		1	0.27	NT	NT	2	0	0.3		27	7.36	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	31	0.29	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3		65	0.61	LC	LC	1	0	0.3	
White-winged Triller	37	1.65	LC	LC	1	0	0.3	migratory spp		0.00							32	1.43	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Grey Shrike-thrush	24	0.11	NT	NT	2	0	0.3		1	0.00	LC	LC	1	0	0.3		111	0.52	LC	LC	1	0	0.3	
Crested Bellbird		0.00							9	0.15	LC	LC	1	0	0.3		286	4.85	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00							1	0.07	RA c(i)	RA	3	0	0.3		1	0.07	RA c(i)	RA	3	0	0.3	
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	2	0.03	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		34	0.49	LC	LC	1	0	0.3	
Black-faced Woodswallow	136	3.19	LC	LC	1	0	0.3		25	0.59	LC	LC	1	0	0.3		367	8.61	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00							1	0.02	RA c(i)	RA	3	DD	0.0			0.00						
White-breasted Woodswallow	22	3.53	LC	LC	1	+	0.2	around water; generally uncommon	1	0.16	LC	LC	1	+	0.2	around water; generally uncommon	65	10.43	LC	LC	1	+	0.2	around water; generally uncommon
Little Woodswallow		0.00								0.00								0.00						
Masked Woodswallow	11	0.43	LC	LC	1	0	0.3			0.00							28	1.09	LC	LC	1	0	0.3	
White-browed Woodswallow	2	0.09	NT	NT	2	-	0.4			0.00							7	0.31	NT	NT	2	-	0.4	
Pied Butcherbird		0.00								0.00								0.00						
Australian Magpie	86	0.24	LC	LC	1	0	0.3		7	0.02	LC	LC	1	0	0.3		225	0.63	LC	LC	1	0	0.3	
Grey Butcherbird		0.00							1	0.01	RA c(i)	RA	3	0	0.3		274	3.06	LC	LC	1	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail	2	0.02	RA c(ii)	RA	3	0	0.3	regular winter visitors		0.00							13	0.11	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	66	0.25	LC	LC	1	0	0.3		15	0.06	LC	LC	1	0	0.3		256	0.95	LC	LC	1	0	0.3	
Little Crow	73	2.31	LC	LC	1	0	0.3		13	0.41	LC	LC	1	0	0.3		208	6.58	LC	LC	1	0	0.3	
Australian Raven	66	0.68	LC	LC	1	0	0.3		10	0.10	LC	LC	1	0	0.3		156	1.61	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow		0.00								0.00								0.00						
Magpie-lark	82	0.42	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		161	0.82	LC	LC	1	0	0.3	
Restless Flycatcher	1	0.05	RA c(iii)	RA	3	0	0.3	irregular winter visitors		0.00							1	0.05	RA c(iii)	RA	3	0	0.3	irregular winter visitors
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin		0.00							1	0.03	RA c(i)	RA	3	DD	0.0	needs more survey work	22	0.60	NT	NT	2	0	0.3	
Jacky Winter		0.00								0.00							1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	15	0.22	LC	LC	1	0	0.3		13	0.19	LC	LC	1	0	0.3		203	2.99	LC	LC	1	0	0.3	
Horsfield's Bushlark	6	0.91	RA c(i, ii)	RA	3	DD	0.0			0.00								0.00						
Australian Reed Warbler	3	0.11	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools		0.00							26	0.91	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	26	0.82	LC	LC	1	0	0.3		16	0.51	LC	LC	1	0	0.3		23	0.73	LC	LC	1	0	0.3	
Rufous Songlark	11	0.62	LC	LC	1	0	0.3		4	0.23	LC	LC	1	0	0.3		16	0.90	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird	2	0.07	NT	NT	2	0	0.3		1	0.03	NT	NT	2	0	0.3		18	0.63	NT	NT	2	0	0.3	
Silvereye		0.00								0.00							1	0.01						vagrant
White-backed Swallow	70	4.46	LC	LC	1	0	0.3		8	0.51	LC	LC	1	0	0.3		71	4.52	LC	LC	1	0	0.3	
Welcome Swallow	6	0.03	LC	LC	1	0	0.3		7	0.04	LC	LC	1	0	0.3		75	0.39	LC	LC	1	0	0.3	
Fairy Martin	74	3.26	LC	LC	1	0	0.3		4	0.18	LC	LC	1	0	0.3		11	0.48	LC	LC	1	0	0.3	
Tree Martin	23	0.24	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		16	0.17	LC	LC	1	0	0.3	
Mistletoebird	18	0.31	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3		100	1.74	LC	LC	1	0	0.3	
Painted Finch		0.00								0.00								0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	132	2.14	LC	LC	1	0	0.3		35	0.57	LC	LC	1	0	0.3		453	7.34	LC	LC	1	0	0.3	
Australian Pipit	40	0.57	LC	LC	1	0	0.3		17	0.24	LC	LC	1	0	0.3		114	1.61	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal	1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							14	0.23	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Grey Teal	25	0.20	LC	LC	1	0	0.3	irruptive	10	0.08	LC	LC	1	0	0.3	irruptive	150	1.18	LC	LC	1	0	0.3	irruptive
Australasian Shoveler	2	0.07	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							17	0.59	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Pacific Black Duck	11	0.08	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		93	0.66	LC	LC	1	0	0.3	
Hardhead	14	0.37	LC	LC	1	0	0.3	irruptive	4	0.11	LC	LC	1	0	0.3	irruptive	98	2.58	LC	LC	1	0	0.3	irruptive
Musk Duck	3	0.09	RA c(iii)	RA	3	0	0.3		2	0.06	RA c(iii)	RA	3	0	0.3		54	1.62	RA c(iii)	RA	3	0	0.3	
Australian Wood Duck	18	0.26	LC	LC	1	0	0.3	possible increase	7	0.10	LC	LC	1	0	0.3	possible increase	55	0.79	LC	LC	1	0	0.3	possible increase
Black Swan	5	0.04	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	4	0.03	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read	107	0.90	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read
Plumed Whistling-Duck	10	16.67	RA (ciii)	RA	3	0	0.3	Cooper system potential for future risk of exploitation		0.00								0.00						
Pink-eared Duck	19	1.13	LC	LC	1	0	0.3		6	0.36	LC	LC	1	0	0.3		86	5.12	LC	LC	1	0	0.3	
Blue-billed Duck	1	0.19	RA c(iii)	RA	3	0	0.3		1	0.19	RA c(iii)	RA	3	0	0.3		10	1.87	RA c(iii)	RA	3	0	0.3	
Freckled Duck	6	0.74	RA c(ii)	RA	3	0	0.3	breeds in Goyder Lagoon		0.00							35	4.33	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o
Australian Shelduck	1	0.01	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00							8	0.10	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Great Crested Grebe		0.00								0.00							12	0.38	RA c(i)	RA	3	0	0.3	
Hoary-headed Grebe	7	0.12	LC	LC	1	0	0.3		3	0.05	LC	LC	1	0	0.3		113	1.92	LC	LC	1	0	0.3	
Australasian Grebe	8	0.18	LC	LC	1	0	0.3	likes fresh water	1	0.02	LC	LC	1	0	0.3	likes fresh water	72	1.61	LC	LC	1	0	0.3	likes fresh water
Australasian Darter	8	0.49	RA c(i)	RA	3	0	0.3	breeding popns in Channel Country; currently good popns.		0.00							8	0.49	RA c(iii)	RA	3	0	0.3	
Little Pied Cormorant	15	0.13	RA c(ii)	RA	3	0	0.3			0.00							28	0.24	RA c(ii)	RA	3	0	0.3	
Great Cormorant	19	0.27	RA c(ii)	RA	3	0	0.3		1	0.01	RA c(ii)	RA	3	0	0.3		19	0.27	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant	21	0.34	RA c(ii)	RA	3	0	0.3		1	0.02	RA c(ii)	RA	3	0	0.3		17	0.27	RA c(ii)	RA	3	0	0.3	
Pied Cormorant	10	0.17	RA c(ii)	RA	3	0	0.3			0.00							7	0.12	RA c(ii)	RA	3	0	0.3	
Australian Pelican	19	0.13	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events		0.00							16	0.11	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret	14	0.23	RA c(i)	RA	3	0	0.3	possibly breeding on Goyders	1	0.02	RA c(iii)	RA	3	0	0.3		14	0.23	RA c(iii)	RA	3	0	0.3	
Intermediate Egret		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
White-necked Heron	24	2.57	RA c(i)	RA	3	0	0.3	major breeding area Australia-wide	1	0.11	RA c(iii)	RA	3	0	0.3		7	0.75	RA c(iii)	RA	3	0	0.3	
Little Egret	3	0.18	RA c(iii)	RA	3	0	0.3			0.00							4	0.24	RA c(iii)	RA	3	0	0.3	
White-faced Heron	22	0.16	LC	LC	1	0	0.3		5	0.04	LC	LC	1	0	0.3		52	0.38	LC	LC	1	0	0.3	
Nankeen Night-Heron	11	1.50	RA c(i)	RA	3	0	0.3	likely to breed		0.00							2	0.27	RA c(ii)	RA	3	0	0.3	
Yellow-billed Spoonbill	14	0.59	RA c(i)	RA	3	0	0.3			0.00							15	0.63	RA c(ii)	RA	3	0	0.3	
Royal Spoonbill	11	0.41	RA c(i)	RA	3	0	0.3			0.00							1	0.04	RA c(iii)	RA	3	0	0.3	
Glossy Ibis	3	0.90	RA c(i)	RA	3	0	0.3			0.00							8	2.40	RA c(iii)	RA	3	0	0.3	
Australian White Ibis	6	0.07	RA c(iii)	RA	3	0	0.3			0.00							12	0.13	RA c(iii)	RA	3	0	0.3	
Straw-necked Ibis	13	0.39	NT	NT	2	0	0.3	larger colonies than AWI		0.00							10	0.30	RA c(ii)	RA	3	0	0.3	
Brolga	17	3.88	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in region		0.00							1	0.23						vagrant
Eurasian Coot	7	0.09	NT	NT	2	0	0.3	possibly important breeding area (GC)	1	0.01	NT	NT	2	0	0.3	regular visitors in larger numbers	111	1.51	NT	NT	2	0	0.3	regular visitors in larger numbers
Dusky Moorhen		0.00								0.00							2	0.05	RA c(iii)	RA	3	0	0.3	
Buff-banded Rail		0.00								0.00							1	0.30	RA c(iii)	RA	3	0	0.3	
Purple Swamphen	2	0.04	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains		0.00							1	0.02	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains
Australian Spotted Crake		0.00								0.00							7	0.84	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00								0.00							6	2.78	RA c(iii)	RA	3	0	0.3	
Spotless Crake		0.00								0.00							2	0.62	RA c(iii)	RA	3	0	0.3	
Black-tailed Native-hen	14	0.36	LC	LC	1	0	0.3	important breeding area	6	0.15	LC	LC	1	0	0.3	irruptive	47	1.19	LC	LC	1	0	0.3	irruptive
Banded Stilt		0.00							7	0.36	VU A1be	VU	4	0	0.3	breeding site; silver gulls a threat	23	1.17	RA c(ii)	RA	3	0	0.3	tailings dams a significant threat
Black-winged Stilt	5	0.07	RA c(i)	RA	3	0	0.3	small breeding popns.	4	0.06	RA c(iii)	RA	3	0	0.3		83	1.22	RA c(i)	RA	3	0	0.3	small breeding popns.
Red-necked Avocet	9	0.32	RA c(ii)	RA	3	0	0.3		11	0.39	RA c(ii)	RA	3	0	0.3		54	1.90	RA c(ii)	RA	3	0	0.3	
Inland Dotterel	8	1.98	LC	LC	1	0	0.3		5	1.24	LC	LC	1	0	0.3		4	0.99	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler
Red-capped Plover	2	0.03	RA cii)	RA	3	0	0.3		7	0.11	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read	43	0.65	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read
Oriental Plover	1	1.56	RA c(iii)	RA	3	0	0.3	irregular visitors		0.00								0.00						
Black-fronted Dotterel	33	0.93	LC	LC	1	0	0.3		4	0.11	LC	LC	1	0	0.3		88	2.48	LC	LC	1	0	0.3	
Red-kneed Dotterel	5	0.23	NT	NT	2	0	0.3		5	0.23	NT	NT	2	0	0.3		22	1.03	NT	NT	2	0	0.3	
Masked Lapwing	23	0.15	LC	LC	1	0	0.3	likely to be resident in many areas	4	0.03	LC	LC	1	0	0.3	likely to be resident in many areas	97	0.64	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	9	0.64	NT	NT	2	DD	0.0		14	0.99	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler	26	1.85	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler
Common Sandpiper		0.00								0.00							10	1.29	RA c(iii)	RA	3	0	0.3	
Sharp-tailed Sandpiper		0.00							1	0.02	RA c(ii)	RA	3	0	0.3		26	0.52	RA c(ii)	RA	3	0	0.3	
Curlew Sandpiper	e for re	0.00							1	0.04	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc	2	0.08	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc
Red-necked Stint		0.00							1	0.02	RA c(iii)	RA	3	0	0.3		15	0.24	RA c(iii)	RA	3	0	0.3	
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00							3	0.87	RA c(iii)	RA	3	0	0.3	
Black-tailed Godwit	1	0.26	RA c(iii)	RA	3	0	0.3			0.00							9	2.37	RA c(iii)	RA	3	0	0.3	
Wood Sandpiper	2	0.63	RA c(iii)	RA	3	0	0.3			0.00							6	1.90	RA c(iii)	RA	3	0	0.3	
Common Greenshank	4	0.06	RA c(iii)	RA	3	0	0.3			0.00							27	0.42	RA c(iii)	RA	3	0	0.3	
Marsh Sandpiper		0.00								0.00							13	1.38	RA c(iii)	RA	3	0	0.3	
Whiskered Tern	8	0.13	NT	NT	2	0	0.3	main breeding area	3	0.05	RA c(iii)	RA	3	0	0.3		34	0.55	RA c(ii)	RA	3	0	0.3	
Silver Gull	9	0.05	LC	LC	1	+	0.2	probable increase	10	0.05	LC	LC	1	+	0.2	probable increase	110	0.56	LC	LC	1	+	0.2	probable increase
Gull-billed Tern	9	1.67	RA c(i)	RA	3	0	0.3	breeding area	9	1.67	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read	34	6.30	NT	NT	2	0	0.3	have bred here many times in last 20 yrs - J Read
Caspian Tern	5	0.07	RA c(iii)	RA	3	0	0.3			0.00							4	0.05	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise	ood evi	0.00								0.00								0.00						
Channel Dragon	3	23.08	LC	LC	1	0	0.3	under-recorded; Qld/NT spp, edge of range; dependent on cha		0.00								0.00						
Long-nosed Dragon		0.00								0.00								0.00						
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00							1	0.11	LC	LC	1	0	0.3	edge of range		0.00						
Mallee Dragon		0.00							26	1.34	LC	LC	1	0	0.3		28	1.44	LC	LC	1	0	0.3	
Gibber Dragon		0.00								0.00							1	0.75	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country
Military Dragon		0.00								0.00							2	0.26	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00							13	8.44	RA d(ii)	RA	3	0	0.3	specific habitat requirements; boom/bust spp; riparian spp.		0.00						
Central Netted Dragon	16	1.66	LC	LC	1	0	0.3		9	0.93	LC	LC	1	0	0.3		54	5.61	LC	LC	1	0	0.3	
Painted Dragon	11	0.49	LC	LC	1	0	0.3		30	1.34	LC	LC	1	0	0.3		5	0.22	LC	LC	1	0	0.3	
Western Netted Dragon		0.00								0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00								0.00								0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon	2	0.88	LC	LC	1	0	0.3		7	3.08	LC	LC	1	0	0.3			0.00						
Thorny Devil		0.00								0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00								0.00						
Central Bearded Dragon	1	0.09	LC	LC	1	0	0.3		6	0.52	LC	LC	1	0	0.3		34	2.97	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon	11	2.03	LC	LC	1	0	0.3		16	2.96	LC	LC	1	0	0.3		12	2.22	LC	LC	1	0	0.3	
Five-lined Earless Dragon	1	0.24	LC	LC	1	0	0.3			0.00							38	9.25	LC	LC	1	0	0.3	
Eyrean Earless Dragon	12	1.10	LC	LC	1	0	0.3		5	0.46	LC	LC	1	0	0.3		14	1.28	LC	LC	1	0	0.3	
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella		0.00							1	0.22	LC	LC	1	0	0.3		13	2.84	LC	LC	1	0	0.3	
Tree Dtella	22	0.92	LC	LC	1	0	0.3		8	0.33	LC	LC	1	0	0.3		3	0.13	LC	LC	1	0	0.3	
Bynoe's Gecko	26	0.88	LC	LC	1	0	0.3		14	0.48	LC	LC	1	0	0.3		21	0.71	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko	24	2.43	LC	LC	1	0	0.3		18	1.82	LC	LC	1	0	0.3		17	1.72	LC	LC	1	0	0.3	
Barking Gecko		0.00							2	0.17	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3	
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko		0.00							1	0.24	LC	LC	1	0	0.3		19	4.59	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00								0.00								0.00						
Tessellated Gecko	3	0.49	LC	LC	1	0	0.3		5	0.82	LC	LC	1	0	0.3		5	0.82	LC	LC	1	0	0.3	
Pink-blotched Gecko	2	0.31	LC	LC	1	0	0.3		6	0.92	LC	LC	1	0	0.3			0.00						
Beaded Gecko	5	0.30	LC	LC	1	0	0.3		28	1.71	LC	LC	1	0	0.3		27	1.64	LC	LC	1	0	0.3	
Sandplain Gecko		0.00							1	0.17	LC	LC	1	0	0.3		36	6.17	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	17	1.16	LC	LC	1	0	0.3		9	0.62	LC	LC	1	0	0.3		62	4.24	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko		0.00								0.00							5	2.51	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko		0.00								0.00								0.00						
Southern Spiny-tailed Gecko	8	2.76	LC	LC	1	0	0.3			0.00								0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard		0.00								0.00								0.00						
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00								0.00								0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard		0.00								0.00								0.00						
Burton's Legless Lizard		0.00							2	0.67	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot		0.00							1	1.67	LC	LC	1	0	0.3		9	15.00	LC	LC	1	0	0.3	
Hooded Scaly-foot		0.00							1	2.50	LC	LC	1	0	0.3			0.00						
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink		0.00							1	0.26	LC	LC	1	0	0.3	under surveyed	2	0.51	LC	LC	1	0	0.3	under surveyed
Eyrean Wall Skink	12	15.58	LC	LC	1	0	0.3	under surveyed		0.00								0.00						
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus	6	37.50	RA d(i,ii)	RA	3	0	0.3	riparian spp; isolated pops.		0.00								0.00						
Centralian Coppertail		0.00							1	0.41	LC	LC	1	0	0.3		24	9.96	LC	LC	1	0	0.3	
Common Desert Ctenotus		0.00								0.00								0.00						
Saltbush Ctenotus		0.00							1	0.16	LC	LC	1	0	0.3		2	0.32	LC	LC	1	0	0.3	
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00								0.00								0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	23	1.24	LC	LC	1	0	0.3		35	1.89	LC	LC	1	0	0.3		40	2.16	LC	LC	1	0	0.3	
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus		0.00								0.00							14	0.73	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus	1	0.19	LC	LC	1	0	0.3		18	3.40	LC	LC	1	0	0.3		6	1.13	LC	LC	1	0	0.3	
Eyrean Ctenotus	31	2.50	LC	LC	1	0	0.3		23	1.86	LC	LC	1	0	0.3		18	1.45	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00							1	0.32	LC	LC	1	0	0.3			0.00						
Saltbush Slender Bluetongue		0.00								0.00								0.00						
Gidgee Skink		0.00								0.00							3	1.29	LC	LC	1	0	0.3	
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer	50	5.31	LC	LC	1	0	0.3			0.00								0.00						
Broad-banded Sandswimmer		0.00							9	1.34	LC	LC	1	0	0.3		13	1.93	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Yellow-tailed Slider	4	5.41	LC	LC	1	0	0.3		2	2.70	LC	LC	1	0	0.3		3	4.05	LC	LC	1	0	0.3	
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider		0.00								0.00							4	1.05	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00							3	0.34	LC	LC	1	0	0.3	edge of range
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	22	1.70	LC	LC	1	0	0.3		4	0.31	LC	LC	1	0	0.3		83	6.41	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00							1	3.33	RA d(i,ii)	RA	3	DD	0.0	likes soft red sand & spinifex		0.00						
Dwarf Three-toed Slider		0.00								0.00							1	0.14	LC	LC	1	0	0.3	
Desert Skink		0.00								0.00								0.00						
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	17	0.58	LC	LC	1	0	0.3		3	0.10	LC	LC	1	0	0.3		22	0.75	LC	LC	1	0	0.3	
Adelaide Snake-eye	9	0.89	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3		16	1.58	LC	LC	1	0	0.3	
Common Snake-eye	20	0.90	LC	LC	1	0	0.3			0.00							10	0.45	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00								0.00								0.00						
Western Bluetongue		0.00							1	0.37	LC	LC	1	0	0.3		11	4.10	LC	LC	1	0	0.3	
Sleepy Lizard		0.00							10	0.33	LC	LC	1	0	0.3		11	0.36	LC	LC	1	0	0.3	
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00								0.00								0.00						
Perentie		0.00								0.00								0.00						
Pygmy Mulga Goanna		0.00								0.00							2	1.98	LC	LC	1	0	0.3	
Sand Goanna	8	0.84	LC	LC	1	0	0.3		9	0.95	LC	LC	1	0	0.3		30	3.15	LC	LC	1	0	0.3	
Black-headed Goanna	3	8.82	LC	LC	1	0	0.3			0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00							5	1.90	LC	LC	1	0	0.3		4	1.52	LC	LC	1	0	0.3	
Centralian Blind Snake	1	0.56	LC	LC	1	0	0.3		3	1.67	LC	LC	1	0	0.3		21	11.67	LC	LC	1	0	0.3	
Hook-nosed Blind Snake	2	100.00	RA d(i,ii)	RA	3	DD	0.0	eastern states spp.		0.00								0.00						
Slender Blind Snake		0.00								0.00								0.00						
Stimson's Python		0.00							1	1.61	LC	LC	1	0	0.3			0.00	LC	LC	1	0	0.3	no records but known to occur here
Woma	1	1.33	LC	LC	1	0	0.3			0.00							1	1.33	DD	DD	0	DD	0.0	doubtfull record
Carpet Python	4	1.40	RA d(ii)	RA	3	-	0.4	likes big trees, creeks, rocky areas; eaten by foxes		0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00								0.00							22	48.89	LC	LC	1	0	0.3	not often seen
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake		0.00								0.00								0.00						
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan	5	21.74	LC	LC	1	0	0.3			0.00								0.00						
Hooded Snake		0.00								0.00							2	9.52	LC	LC	1	0	0.3	hard to find; not often seen
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00								0.00								0.00						
Mulga Snake	2	0.67	LC	LC	1	0	0.3		18	6.04	LC	LC	1	0	0.3		44	14.77	LC	LC	1	0	0.3	
Patch-nosed Brown Snake		0.00								0.00							1	2.00	LC	LC	1	0	0.3	under surveyed
Gwardar		0.00								0.00							3	13.64	LC	LC	1	0	0.3	under surveyed
Five-ringed Snake		0.00							5	2.43	LC	LC	1	0	0.3		82	39.81	LC	LC	1	0	0.3	
Eastern Brown Snake	1	0.16	LC	LC	1	0	0.3			0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake		0.00								0.00							19	8.60	LC	LC	1	0	0.3	
Curl Snake	3	0.51	LC	LC	1	0	0.3		19	3.23	LC	LC	1	0	0.3		6	1.02	LC	LC	1	0	0.3	
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog	1	5.56	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						
Main's Frog		0.00								0.00								0.00						
Water-holding Frog	2	1.38	LC	LC	1	0	0.3		3	2.07	LC	LC	1	0	0.3			0.00						
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Desert Tree Frog	1	0.43	LC	LC	1	0	0.3			0.00								0.00						
Desert Froglet	7	17.07	LC	LC	1	0	0.3			0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog	7	0.14	LC	LC	1	0	0.3			0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	4	0.39	LC	LC	1	0	0.3		5	0.49	LC	LC	1	0	0.3		21	2.07	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog		0.00								0.00								0.00						
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead	5	3.45	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	4	2.76	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & tempera		0.00						
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish	12	17.91	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,		0.00								0.00						
Bony Bream	15	1.44	NT	NT	2	DD	0.0	arid-adapted spp		0.00								0.00						
Muellers Perchlet			DD	DD	0	DD	0.0	no records but probably occurs here; very little known about this spp																
Western Carp Gudgeon	& Leig	0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby	1	0.42	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & temperat		0.00								0.00						
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch	and habitat chang		RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest and habitat change depleting refuge pops in isolated pools during dry periods																
Barred Grunter	4	30.77	RA d(ii)	RA	3	DD	0.0			0.00								0.00						
Welch's Grunter	11	26.19	RA d(ii)	RA	3	DD	0.0			0.00								0.00						
Spangled Perch	11	9.40	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.		0.00								0.00						
Barcoo Grunter	8	30.77	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to over ha		0.00								0.00						
Australian Smelt		0.00								0.00								0.00						
Cooper Creek Tandan	al habit	0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan	9	34.62	NT	NT	2	DD	0.0			0.00								0.00						
Silver Tandan	9	28.13	NT	NT	2	DD	0.0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Short-beaked Echidna	3	0.21	LC	LC	1	0	0.3		14	0.97	LC	LC	1	0	0.3		6	0.42	LC	LC	1	0	0.3	
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00								0.00								0.00						
Ampurta		0.00								0.00								0.00						
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus		0.00								0.00								0.00						
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui		0.00								0.00								0.00						
Giles' Planigale (Paucident Planig		0.00							9	2.18	LC	LC	1	0	0.3		136	32.93	LC	LC	1	0	0.3	
Long-tailed Planigale		0.00								0.00								0.00						
Narrow-nosed Planigale		0.00							31	16.85	LC	LC	1	0	0.3		33	17.93	LC	LC	1	0	0.3	
Kultarr	ne to fo	0.00							1	0.28	RE	RE	7			consider Rare (RA d(i,ii) if record confirmed from Nicki DePreu		0.00						
Fat-tailed Dunnart	1	0.03	LC	LC	1	0	0.3		215	7.36	LC	LC	1	0	0.3		407	13.94	LC	LC	1	0	0.3	
Little Long-tailed Dunnart	2	0.51	LC	LC	1	0	0.3	edge of range		0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart		0.00							159	7.14	LC	LC	1	0	0.3		182	8.17	LC	LC	1	0	0.3	
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart	6	1.69	LC	LC	1	0	0.3			0.00								0.00						
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00								0.00						
Golden Bandicoot		0.00							1	4.76	RE	RE	7					0.00						
Western Barred Bandicoot	on dep	0.00								0.00								0.00						
Bilby (Greater Bilby)	on dep	0.00								0.00								0.00						
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)		0.00								0.00								0.00						
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)	nitely i	0.00								0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo	5	0.04	LC	LC	1	0	0.3	fluctuating populations; overall stable	48	0.37	LC	LC	1	0	0.3	fluctuating populations; overall stable	1	0.01	LC	LC	1	0	0.3	fluctuating populations; overall stable
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro	3	0.03	LC	LC	1	0	0.3		66	0.57	LC	LC	1	0	0.3		3	0.03	LC	LC	1	0	0.3	
Red Kangaroo	1299	4.57	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	1784	6.28	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	302	1.06	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00							1	100.00	RE	RE	7			extinct
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat	ition bu	0.00								0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat	p comp	0.00								0.00								0.00						
Southern Freetail-bat											LC	LC	1	0	0.3	no records but known to occur here (see NC records spp complex)								
White-striped Freetail-bat		0.00							9	1.15	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3	
Lesser Long-eared Bat	5	0.25	LC	LC	1	0	0.3		30	1.53	LC	LC	1	0	0.3		17	0.87	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	7	0.24	LC	LC	1	0	0.3		20	0.68	LC	LC	1	0	0.3		3	0.10	LC	LC	1	0	0.3	
Chocolate Wattled Bat		0.00								0.00								0.00						
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat	3	1.31	LC	LC	1	0	0.3		10	4.37	LC	LC	1	0	0.3			0.00						
Little Broad-nosed Bat		0.00							10	8.77	LC	LC	1	0	0.3			0.00						
Inland Forest Bat		0.00							13	2.77	LC	LC	1	0	0.3		20	4.26	LC	LC	1	0	0.3	
Finlayson's Cave Bat		0.00							1	0.97	LC	LC	1	0	0.3		6	5.83	LC	LC	1	0	0.3	
Dingo	6	0.50	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	39	3.26	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	32	2.67	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse	1	0.05	LC	LC	1	0	0.3		125	6.53	LC	LC	1	0	0.3		786	41.09	LC	LC	1	0	0.3	
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat	on dep	0.00							3	1.42	RE	RE	7			presumed extinct		0.00						
Spinifex Hopping-mouse		0.00							1	0.14	LC	LC	1	0	0.3		2	0.28	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse		0.00							70	8.08	RA d(ii)	RA	3	DD	0.0	edge of range; increase due to boom conditions		0.00						
Long-tailed Hopping-mouse		0.00							1	1.16	RE	RE	7					0.00						
Mitchell's Hopping-mouse	3	0.39	LC	LC	1	0	0.3	northern edge of range		0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)	cracks	0.00							18	1.09	RA d(i,ii)	RA	3	DD	0.0		913	55.40	LC	LC	1	0	0.3	stronghold

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Bolam's Mouse		0.00							17	2.26	LC	LC	1	0	0.3	fluctuates	2	0.27	LC	LC	1	0	0.3	fluctuates
Desert Mouse (Brown Desert Mo		0.00						boom & bust spp; increasing in northern SA	5	0.96	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	24	4.61	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA
Gould's Mouse		0.00							1	0.51	RE	RE	7					0.00						
Sandy Inland Mouse	23	0.84	LC	LC	1	0	0.3		14	0.51	LC	LC	1	0	0.3		4	0.15	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)		0.00							2	0.27	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	3	0.41	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	39	0.47	LC	LC	1	0	0.3		428	5.14	LC	LC	1	0	0.3	records increase in areas of regular fox baiting	51	0.61	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	e butto	0.00							11	0.70	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	7	0.44	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00								0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00						
Diamond Dove		0.00							96	9.29	LC	LC	1	0	0.3		25	2.42	LC	LC	1	0	0.3	not common; some increasese noted
Peaceful Dove		0.00							113	2.49	LC	LC	1	0	0.3	core areas along creeks	11	0.24	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00								0.00								0.00						
Crested Pigeon	11	0.05	LC	LC	1	0	0.3		375	1.70	LC	LC	1	0	0.3		167	0.76	LC	LC	1	0	0.3	
Common Bronzewing	1	0.01	LC	LC	1	0	0.3		15	0.18	LC	LC	1	0	0.3		6	0.07	LC	LC	1	0	0.3	
Flock Bronzewing	e to RI	0.00							2	1.90	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du
Tawny Frogmouth	4	0.32	LC	LC	1	0	0.3	benefit from recent rodent plagues	11	0.89	LC	LC	1	0	0.3	benefit from recent rodent plagues	10	0.81	LC	LC	1	0	0.3	benefit from recent rodent plagues
Spotted Nightjar		0.00							13	2.43	LC	LC	1	0	0.3		9	1.68	LC	LC	1	0	0.3	
Australian Owlet-nightjar	5	0.30	LC	LC	1	0	0.3		19	1.15	LC	LC	1	0	0.3		6	0.36	LC	LC	1	0	0.3	
Fork-tailed Swift	habita	0.00							7	2.02	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habita		0.00						
Collared Sparrowhawk	1	0.06	LC	LC	1	0	0.3		16	0.91	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Brown Goshawk		0.00							12	0.47	LC	LC	1	0	0.3		4	0.16	LC	LC	1	0	0.3	
Wedge-tailed Eagle	5	0.07	LC	LC	1	0	0.3		184	2.52	LC	LC	1	0	0.3		46	0.63	LC	LC	1	0	0.3	
Swamp Harrier		0.00							8	0.36	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a	8	0.36	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a
Spotted Harrier		0.00							19	1.90	LC	LC	1	0	0.3	probable increase over last 10 years	11	1.10	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite		0.00							7	0.15	LC	LC	1	0	0.3	not common; increase with mouse plagues	7	0.15	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite	er rapt	0.00							2	2.27	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth	3	3.41	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth
Whistling Kite		0.00							99	2.38	LC	LC	1	0	0.3		27	0.65	LC	LC	1	0	0.3	
Black-breasted Buzzard		0.00							14	9.03	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	3	1.94	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	2	0.16	NT	NT	2	-	0.4	probably declining	40	3.30	NT	NT	2	-	0.4	probably declining	1	0.08	NT	NT	2	-	0.4	probably declining
Square-tailed Kite		0.00								0.00								0.00						
Black Kite		0.00							233	6.63	LC	LC	1	0	0.3	have come back from a historic decline	88	2.50	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	9	0.15	LC	LC	1	0	0.3		122	2.10	LC	LC	1	0	0.3		53	0.91	LC	LC	1	0	0.3	
Nankeen Kestrel	10	0.10	LC	LC	1	0	0.3		233	2.34	LC	LC	1	0	0.3		114	1.15	LC	LC	1	0	0.3	
Grey Falcon	e than	0.00							6	4.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	2	1.60	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo
Australian Hobby	2	0.10	LC	LC	1	0	0.3		23	1.13	LC	LC	1	0	0.3		14	0.69	LC	LC	1	0	0.3	
Peregrine Falcon		0.00							5	0.40	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges	2	0.16	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	re kno	0.00							13	1.97	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	2	0.30	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	5	1.33	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	10	2.65	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	9	2.39	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00							1	0.26	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats	1	0.26	CR C1+2a; D	CR	6	-	0.4	predation, loss of habitat - threats
Plains-wanderer	2	3.39	EN D	EN	5	DD	0.0	some records not recorded; highly cryptic spp.	1	1.69	EN D	EN	5	DD	0.0	some records not recorded; highly cryptic spp.		0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	2	0.26	LC	LC	1	0	0.3		27	3.57	LC	LC	1	0	0.3		6	0.79	LC	LC	1	0	0.3	
Australian Pratincole		0.00							71	17.44	LC	LC	1	DD	0.0	migratory spp, could be stable	24	5.90	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	1	0.02	LC	LC	1	0	0.3		275	4.75	LC	LC	1	0	0.3		106	1.83	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	13	0.04	LC	LC	1	0	0.3		406	1.34	LC	LC	1	0	0.3		158	0.52	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo	1	0.14	VU C1; D1	VU	4	-	0.4			0.00								0.00						
Cockatiel	1	0.05	LC	LC	1	0	0.3	could be possible decline	44	2.09	LC	LC	1	0	0.3	could be possible decline	15	0.71	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00								0.00						
Australian Ringneck		0.00							57	0.59	LC	LC	1	0	0.3		4	0.04	LC	LC	1	0	0.3	
Budgerigar	8	0.17	LC	LC	1	0	0.3	boom/bust spp	222	4.81	LC	LC	1	0	0.3	boom/bust spp	91	1.97	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot		0.00							11	1.42	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.	6	0.78	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot		0.00							10	0.51	RA c(i)	RA	3	0	0.3			0.00						
Scarlet-chested Parrot		0.00							1	0.60	CR D	CR	6	-	0.4			0.00						
Bourke's Parrot	11	2.32	LC	LC	1	0	0.3		6	1.27	RA c(i)	RA	3	0	0.3		16	3.38	LC	LC	1	0	0.3	
Blue Bonnet	14	0.58	LC	LC	1	0	0.3		33	1.38	LC	LC	1	0	0.3		1	0.04	RA d(i,ii)	RA	3	0	0.3	
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot		0.00							3	0.03	RA c(iii)	RA	3	0	0.3			0.00						
Mulga Parrot	9	0.19	LC	LC	1	0	0.3		67	1.41	LC	LC	1	0	0.3		9	0.19	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo		0.00							25	1.31	NT	NT	2	-	0.4		7	0.37	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	6	0.13	LC	LC	1	0	0.3		61	1.30	LC	LC	1	0	0.3		13	0.28	LC	LC	1	0	0.3	
Black-eared Cuckoo	3	0.45	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	11	1.64	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	1	0.15	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook		0.00							9	0.38	LC	LC	1	0	0.3		4	0.17	LC	LC	1	0	0.3	
Australian Barn Owl		0.00							13	1.40	LC	LC	1	0	0.3		10	1.06	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-ve, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-ve, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-ve, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Eastern Grass Owl		0.00							1	7.69	CR D - EN D	CR	6	0	0.3	occassional visitor from tropical grasslands		0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	3	0.22	LC	LC	1	0	0.3		88	6.36	LC	LC	1	0	0.3		30	2.17	LC	LC	1	0	0.3	
Sacred Kingfisher		0.00							14	0.67	RA c(ii)	RA	3	0	0.3	regular visitor		0.00						
Rainbow Bee-eater	2	0.05	LC	LC	1	0	0.3		113	2.97	LC	LC	1	0	0.3		34	0.89	LC	LC	1	0	0.3	
White-browed Treecreeper	4	0.96	VU D1	VU	4	-	0.4	needs black oak & mulga		0.00								0.00						
Brown Treecreeper		0.00							2	0.04	RA c(i)	RA	3	0	0.3			0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren		0.00							1	0.24	NT	NT	2	0	0.3			0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	na	0.00							7	5.60	VU B1ab(i,ii)+2ab(i,ii)	VU	4	-	0.4	Taxonomic change to Amytornis modestus ssp raglessi	25	20.00	NT	NT	2	0	0.3	resilient to drought & grazing - J Read. Taxonomic char
Variegated Fairy-wren	2	0.03	LC	LC	1	0	0.3		228	3.22	LC	LC	1	0	0.3		109	1.54	LC	LC	1	0	0.3	
White-winged Fairy-wren	18	0.30	LC	LC	1	0	0.3		416	6.88	LC	LC	1	0	0.3		207	3.42	LC	LC	1	0	0.3	
Splendid Fairy-wren	10	0.48	LC	LC	1	0	0.3		2	0.10	EN D	EN	5	0	0.3		1	0.05	EN D	EN	5	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill	2	0.04	LC	LC	1	0	0.3		5	0.11	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3	
Yellow-rumped Thornbill	5	0.05	LC	LC	1	0	0.3		10	0.10	LC	LC	1	0	0.3		5	0.05	LC	LC	1	0	0.3	
Slender-billed Thornbill		0.00								0.00							2	0.75	DD	DD	0	DD	0.0	
Slaty-backed Thornbill	2	1.77	RA c(i)	RA	3	0	0.3			0.00								0.00						
Chestnut-rumped Thornbill	17	0.29	LC	LC	1	0	0.3		27	0.46	LC	LC	1	0	0.3		9	0.15	LC	LC	1	0	0.3	
Southern Whiteface	29	0.51	LC	LC	1	0	0.3		74	1.31	LC	LC	1	0	0.3		14	0.25	LC	LC	1	0	0.3	
Banded Whiteface		0.00							12	1.76	NT	NT	2	0	0.3		7	1.03	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface		0.00							4	3.13	RA c(i)	RA	3	0	0.3		3	2.34	RA c(i)	RA	3	0	0.3	
Rufous Fieldwren		0.00							107	10.78	LC	LC	1	0	0.3		114	11.48	LC	LC	1	0	0.3	
Western Gerygone		0.00								0.00								0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat		0.00							5	0.43	RA c(i)	RA	3	0	0.3	outliers		0.00						
Weebill		0.00							18	0.14	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote		0.00							39	11.05	LC	LC	1	0	0.3		3	0.85	NT	NT	2	0	0.3	
Striated Pardalote	1	0.01	LC	LC	1	0	0.3		59	0.35	LC	LC	1	0	0.3		10	0.06	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	15	0.10	LC	LC	1	0	0.3		233	1.51	LC	LC	1	0	0.3		36	0.23	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird		0.00							68	20.24	NT	NT	2	0	0.3		67	19.94	NT	NT	2	0	0.3	
Pied Honeyeater	1	0.12	LC	LC	1	0	0.3	numbers can fluctuate a lot	51	5.91	LC	LC	1	0	0.3	numbers can fluctuate a lot	8	0.93	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat		0.00							2	0.04	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East	19	0.41	RA c(i,iii)	RA	3	0	0.3	is declining in parts of range further south & East
Orange Chat	5	0.31	LC	LC	1	0	0.3		148	9.18	LC	LC	1	0	0.3		53	3.29	LC	LC	1	0	0.3	
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	7	0.37	LC	LC	1	0	0.3		111	5.88	LC	LC	1	0	0.3		27	1.43	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	1	0.01	LC	LC	1	0	0.3		287	1.73	LC	LC	1	0	0.3		110	0.66	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00							1	0.07	RA c(i)	RA	3	0	0.3			0.00						
Singing Honeyeater	20	0.11	LC	LC	1	0	0.3		387	2.10	LC	LC	1	0	0.3		143	0.78	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	19	0.23	LC	LC	1	0	0.3		202	2.40	LC	LC	1	0	0.3		42	0.50	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	7	0.13	LC	LC	1	0	0.3		16	0.31	LC	LC	1	0	0.3		2	0.04	LC	LC	1	0	0.3	
Black Honeyeater		0.00							2	0.68	NT	NT	2	0	0.3	nomadic spp.		0.00						
Chestnut-crowned Babbler		0.00							32	1.64	RA c(i)	RA	3	0	0.3			0.00						
White-browed Babbler	27	0.24	LC	LC	1	0	0.3		87	0.78	LC	LC	1	0	0.3		11	0.10	LC	LC	1	0	0.3	
Grey-crowned Babbler		0.00								0.00								0.00						
Chestnut Quail-thrush	1	0.05	RA c(i)	RA	3	0	0.3			0.00								0.00						
Cinnamon Quail-thrush		0.00							172	12.19	LC	LC	1	0	0.3		69	4.89	LC	LC	1	0	0.3	
Chirruping Wedgebill		0.00							204	15.25	LC	LC	1	0	0.3		46	3.44	LC	LC	1	0	0.3	
Chiming Wedgebill	15	2.80	LC	LC	1	0	0.3			0.00								0.00						
Varied Sittella	3	0.11	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland		0.00								0.00						
Ground Cuckoo-shrike	3	0.82	NT	NT	2	0	0.3		9	2.45	NT	NT	2	0	0.3		1	0.27	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike		0.00							114	1.07	LC	LC	1	0	0.3		37	0.35	LC	LC	1	0	0.3	
White-winged Triller	2	0.09	LC	LC	1	0	0.3	migratory spp	68	3.03	LC	LC	1	0	0.3	migratory spp	14	0.62	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Grey Shrike-thrush	6	0.03	LC	LC	1	0	0.3		16	0.07	LC	LC	1	0	0.3		8	0.04	LC	LC	1	0	0.3	
Crested Bellbird	16	0.27	LC	LC	1	0	0.3		17	0.29	RA c(i)	RA	3	0	0.3		4	0.07	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	4	0.06	LC	LC	1	0	0.3		53	0.76	LC	LC	1	0	0.3		15	0.21	LC	LC	1	0	0.3	
Black-faced Woodswallow	23	0.54	LC	LC	1	0	0.3		262	6.15	LC	LC	1	0	0.3		82	1.92	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00							5	0.09	NT	NT	2	0	0.3	edge of rangez		0.00						
White-breasted Woodswallow		0.00	RA c(i)	RA	3	0	0.3	around water; generally uncommon	104	16.69	LC	LC	1	+	0.2		26	4.17	LC	LC	1	+	0.2	
Little Woodswallow		0.00							1	0.85	RA c(ii)	RA	3	0	0.3	migratory spp	2	1.69	RA c(ii)	RA	3	0	0.3	migratory spp
Masked Woodswallow	2	0.08	LC	LC	1	0	0.3		70	2.74	LC	LC	1	0	0.3		10	0.39	LC	LC	1	0	0.3	
White-browed Woodswallow		0.00							31	1.37	NT	NT	2	-	0.4		2	0.09	NT	NT	2	-	0.4	
Pied Butcherbird		0.00								0.00							2	0.17	RA c(iii)	RA	3	+	0.2	
Australian Magpie	5	0.01	LC	LC	1	0	0.3		220	0.61	LC	LC	1	0	0.3		91	0.25	LC	LC	1	0	0.3	
Grey Butcherbird	8	0.09	LC	LC	1	0	0.3		13	0.15	LC	LC	1	0	0.3		9	0.10	LC	LC	1	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail		0.00							9	0.07	RA c(ii)	RA	3	0	0.3	regular winter visitors	12	0.10	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	12	0.04	LC	LC	1	0	0.3		349	1.30	LC	LC	1	0	0.3		138	0.51	LC	LC	1	0	0.3	
Little Crow	6	0.19	LC	LC	1	0	0.3		133	4.21	LC	LC	1	0	0.3		72	2.28	LC	LC	1	0	0.3	
Australian Raven		0.00							342	3.53	LC	LC	1	0	0.3		126	1.30	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow		0.00								0.00								0.00						
Magpie-lark	2	0.01	LC	LC	1	0	0.3		201	1.02	LC	LC	1	0	0.3		90	0.46	LC	LC	1	0	0.3	
Restless Flycatcher		0.00							3	0.15	RA c(iii)	RA	3	0	0.3	irregular winter visitors	1	0.05	RA c(iii)	RA	3	0	0.3	irregular winter visitors
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	11	0.30	NT	NT	2	0	0.3		4	0.11	RA c(i)	RA	3	0	0.3		6	0.16	NT	NT	2	0	0.3	
Jacky Winter	6	0.13	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	3	0.07	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	10	0.15	LC	LC	1	0	0.3		121	1.78	LC	LC	1	0	0.3		32	0.47	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00							1	0.15	RA c(iii)	RA	3	DD	0.0	irregular visitor		0.00						
Australian Reed Warbler		0.00							68	2.39	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	13	0.46	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	1	0.03	LC	LC	1	0	0.3		74	2.34	LC	LC	1	0	0.3		23	0.73	LC	LC	1	0	0.3	
Rufous Songlark		0.00							70	3.95	LC	LC	1	0	0.3		19	1.07	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird		0.00							49	1.71	NT	NT	2	0	0.3		37	1.29	NT	NT	2	0	0.3	
Silvereye		0.00								0.00							2	0.02						vagrant
White-backed Swallow		0.00							107	6.82	LC	LC	1	0	0.3		37	2.36	LC	LC	1	0	0.3	
Welcome Swallow	1	0.01	LC	LC	1	0	0.3		143	0.74	LC	LC	1	0	0.3		92	0.48	LC	LC	1	0	0.3	
Fairy Martin		0.00							62	2.73	LC	LC	1	0	0.3		32	1.41	LC	LC	1	0	0.3	
Tree Martin		0.00							158	1.63	LC	LC	1	0	0.3		42	0.43	LC	LC	1	0	0.3	
Mistletoebird	1	0.02	LC	LC	1	0	0.3		104	1.81	LC	LC	1	0	0.3		10	0.17	LC	LC	1	0	0.3	
Painted Finch		0.00							8	15.38	RA (ii,iii)	RA	3	0	0.3		2	3.85	RA c(ii,iii)	RA	3	0	0.3	
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	9	0.15	LC	LC	1	0	0.3		579	9.38	LC	LC	1	0	0.3		238	3.85	LC	LC	1	0	0.3	
Australian Pipit	5	0.07	LC	LC	1	0	0.3		238	3.37	LC	LC	1	0	0.3		129	1.83	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal		0.00							5	0.08	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp	1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Grey Teal	3	0.02	LC	LC	1	0	0.3	irruptive	85	0.67	LC	LC	1	0	0.3	irruptive	43	0.34	LC	LC	1	0	0.3	irruptive
Australasian Shoveler		0.00							6	0.21	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp	1	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Pacific Black Duck		0.00							47	0.33	LC	LC	1	0	0.3		25	0.18	LC	LC	1	0	0.3	
Hardhead		0.00							34	0.90	LC	LC	1	0	0.3	irruptive	11	0.29	LC	LC	1	0	0.3	irruptive
Musk Duck		0.00							11	0.33	RA c(iii)	RA	3	0	0.3		1	0.03	RA c(iii)	RA	3	0	0.3	
Australian Wood Duck		0.00							45	0.64	LC	LC	1	0	0.3	possible increase	18	0.26	LC	LC	1	0	0.3	possible increase
Black Swan		0.00							29	0.24	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	13	0.11	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers
Plumed Whistling-Duck		0.00								0.00	RA c(iii)	RA	3	0	0.3	no records		0.00						
Pink-eared Duck	1	0.06	LC	LC	1	0	0.3		41	2.44	LC	LC	1	0	0.3		20	1.19	LC	LC	1	0	0.3	
Blue-billed Duck		0.00							2	0.37	RA c(iii)	RA	3	0	0.3			0.00						
Freckled Duck	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o	8	0.99	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o	1	0.12	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation o
Australian Shelduck		0.00							2	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp	3	0.04	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp
Great Crested Grebe		0.00							12	0.38	RA c(iii)	RA	3	0	0.3			0.00						
Hoary-headed Grebe	2	0.03	LC	LC	1	0	0.3		42	0.71	LC	LC	1	0	0.3		18	0.31	LC	LC	1	0	0.3	
Australasian Grebe		0.00							37	0.83	LC	LC	1	0	0.3	likes fresh water	5	0.11	LC	LC	1	0	0.3	likes fresh water
Australasian Darter		0.00							37	2.29	RA c(iii)	RA	3	0	0.3		8	0.49	RA c(iii)	RA	3	0	0.3	
Little Pied Cormorant	2	0.02	RA c(ii)	RA	3	0	0.3		24	0.21	RA c(ii)	RA	3	0	0.3		9	0.08	RA c(ii)	RA	3	0	0.3	
Great Cormorant		0.00							24	0.34	RA c(ii)	RA	3	0	0.3		6	0.08	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant		0.00							47	0.76	RA c(ii)	RA	3	0	0.3		13	0.21	RA c(ii)	RA	3	0	0.3	
Pied Cormorant		0.00							17	0.29	RA c(ii)	RA	3	0	0.3		4	0.07	RA c(ii)	RA	3	0	0.3	
Australian Pelican	1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	20	0.14	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	2	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret		0.00							45	0.74	RA c(iii)	RA	3	0	0.3		9	0.15	RA c(iii)	RA	3	0	0.3	
Intermediate Egret		0.00							8	4.57	RA c(iii)	RA	3	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
White-necked Heron		0.00							32	3.43	RA c(iii)	RA	3	0	0.3		17	1.82	RA c(iii)	RA	3	0	0.3	
Little Egret		0.00							2	0.12	RA c(iii)	RA	3	0	0.3			0.00						
White-faced Heron		0.00							87	0.64	LC	LC	1	0	0.3		55	0.40	LC	LC	1	0	0.3	
Nankeen Night-Heron		0.00							15	2.05	RA c(ii)	RA	3	0	0.3		9	1.23	RA c(ii)	RA	3	0	0.3	
Yellow-billed Spoonbill	1	0.04	RA c(ii)	RA	3	0	0.3		28	1.18	RA c(ii)	RA	3	0	0.3		5	0.21	RA c(ii)	RA	3	0	0.3	
Royal Spoonbill		0.00							13	0.49	RA c(iii)	RA	3	0	0.3		4	0.15	RA c(iii)	RA	3	0	0.3	
Glossy Ibis	1	0.30	RA c(iii)	RA	3	0	0.3		3	0.90	RA c(iii)	RA	3	0	0.3		3	0.90	RA c(iii)	RA	3	0	0.3	
Australian White Ibis		0.00							12	0.13	RA c(iii)	RA	3	0	0.3		4	0.04	RA c(iii)	RA	3	0	0.3	
Straw-necked Ibis		0.00							13	0.39	RA c(ii)	RA	3	0	0.3		6	0.18	RA c(ii)	RA	3	0	0.3	
Brolga		0.00							65	14.84	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior	15	3.42	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior
Eurasian Coot		0.00							50	0.68	NT	NT	2	0	0.3	regular visitors in larger numbers	12	0.16	NT	NT	2	0	0.3	regular visitors in larger numbers
Dusky Moorhen		0.00							10	0.26	RA c(iii)	RA	3	0	0.3		8	0.21	RA c(iii)	RA	3	0	0.3	
Buff-banded Rail		0.00							1	0.30	RA c(iii)	RA	3	0	0.3		2	0.60	RA c(iii)	RA	3	0	0.3	
Purple Swamphen		0.00							29	0.62	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains	26	0.55	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains
Australian Spotted Crake		0.00							11	1.32	RA c(iii)	RA	3	0	0.3		24	2.89	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00							1	0.46	RA c(iii)	RA	3	0	0.3			0.00						
Spotless Crake		0.00							1	0.31	RA c(iii)	RA	3	0	0.3		29	9.03	RA c(i)	RA	3	0	0.3	around mound springs
Black-tailed Native-hen		0.00							49	1.24	LC	LC	1	0	0.3	irruptive	32	0.81	LC	LC	1	0	0.3	irruptive
Banded Stilt		0.00							4	0.20	RA c(iii)	RA	3	0	0.3		1	0.05	RA c(iii)	RA	3	0	0.3	
Black-winged Stilt		0.00							44	0.64	RA c(i)	RA	3	0	0.3	small breeding popns.	40	0.59	RA c(iii)	RA	3	0	0.3	occur in mound springs
Red-necked Avocet		0.00							37	1.30	RA c(ii)	RA	3	0	0.3		23	0.81	RA c(ii)	RA	3	0	0.3	
Inland Dotterel		0.00							46	11.39	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler	23	5.69	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler
Red-capped Plover		0.00							28	0.42	RA cii)	RA	3	0	0.3		42	0.64	RA c(ii)	RA	3	0	0.3	
Oriental Plover		0.00								0.00							1	1.56	RA c(iii)	RA	3	0	0.3	irregular visitors
Black-fronted Dotterel	1	0.03	LC	LC	1	0	0.3		124	3.49	LC	LC	1	0	0.3		79	2.22	LC	LC	1	0	0.3	
Red-kneed Dotterel		0.00							32	1.49	NT	NT	2	0	0.3		15	0.70	NT	NT	2	0	0.3	
Masked Lapwing		0.00							70	0.46	LC	LC	1	0	0.3	likely to be resident in many areas	56	0.37	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing		0.00							30	2.13	LC	LC	1	0	0.3		7	0.50	LC	LC	1	0	0.3	
Common Sandpiper		0.00							4	0.51	RA c(iii)	RA	3	0	0.3		1	0.13	RA c(iii)	RA	3	0	0.3	
Sharp-tailed Sandpiper		0.00							16	0.32	RA c(ii)	RA	3	0	0.3		6	0.12	RA c(ii)	RA	3	0	0.3	
Curlew Sandpiper	e for re	0.00								0.00							2	0.08	RA c(iii)	RA	3	-	0.4	global national and state level declines provide inferenc
Red-necked Stint		0.00							2	0.03	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3	
Long-toed Stint		0.00							1	0.62						vagrant		0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper	1	0.32	RA c(iii)	RA	3	0	0.3		4	1.27	RA c(iii)	RA	3	0	0.3		4	1.27	RA c(iii)	RA	3	0	0.3	
Common Greenshank		0.00							9	0.14	RA c(iii)	RA	3	0	0.3		10	0.16	RA c(iii)	RA	3	0	0.3	
Marsh Sandpiper		0.00							2	0.21	RA c(iii)	RA	3	0	0.3		3	0.32	RA c(iii)	RA	3	0	0.3	
Whiskered Tern		0.00							17	0.27	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3	
Silver Gull		0.00							24	0.12	LC	LC	1	+	0.2	probable increase	7	0.04	LC	LC	1	+	0.2	probable increase
Gull-billed Tern	1	0.19	RA c(ii)	RA	3	0	0.3		35	6.48	RA c(ii)	RA	3	0	0.3		3	0.56	RA c(ii)	RA	3	0	0.3	
Caspian Tern		0.00							10	0.14	RA c(iii)	RA	3	0	0.3		3	0.04	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon		0.00								0.00							9	5.06	LC	LC	1	0	0.3	
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon	1	0.18	LC	LC	1	0	0.3			0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00							1	0.11	RA d(i,ii)	RA	3	0	0.3	outlier		0.00						
Mallee Dragon		0.00							28	1.44	LC	LC	1	0	0.3			0.00						
Gibber Dragon		0.00							62	46.62	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country	54	40.60	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country
Military Dragon	5	0.65	LC	LC	1	0	0.3			0.00								0.00						
Lake Eyre Dragon		0.00							12	7.79	RA d(i,ii)	RA	3	0	0.3	specific habitat requirements; boom/bust spp; riparian spp.		0.00						
Central Netted Dragon	25	2.60	LC	LC	1	0	0.3		35	3.63	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3	
Painted Dragon		0.00							140	6.28	LC	LC	1	0	0.3		39	1.75	LC	LC	1	0	0.3	
Western Netted Dragon		0.00								0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00								0.00							2	2.38	LC	LC	1	0	0.3	
Red-barred Dragon		0.00							29	10.32	LC	LC	1	0	0.3			0.00						
Nobbi Dragon		0.00							2	1.12	LC	LC	1	0	0.3	mallee dependent		0.00						
Canegrass Dragon		0.00							16	7.05	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3	
Thorny Devil	3	0.75	LC	LC	1	0	0.3			0.00								0.00						
Dwarf Bearded Dragon	1	0.22	LC	LC	1	0	0.3			0.00								0.00						
Central Bearded Dragon	5	0.44	LC	LC	1	0	0.3		68	5.94	LC	LC	1	0	0.3		46	4.02	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon		0.00							178	32.90	LC	LC	1	0	0.3		39	7.21	LC	LC	1	0	0.3	
Five-lined Earless Dragon		0.00							9	2.19	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3	
Eyrean Earless Dragon		0.00							161	14.76	LC	LC	1	0	0.3		168	15.40	LC	LC	1	0	0.3	
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Southern Rock Dtella		0.00							3	0.37	RA d(i,ii)	RA	3	0	0.3	edge of range; lives in rocky hills		0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	4	0.87	LC	LC	1	0	0.3		12	2.62	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3	
Tree Dtella		0.00							181	7.56	LC	LC	1	0	0.3		70	2.92	LC	LC	1	0	0.3	
Bynoe's Gecko		0.00							186	6.33	LC	LC	1	0	0.3		84	2.86	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko	3	0.69	LC	LC	1	0	0.3			0.00								0.00						
Smooth Knob-tailed Gecko	12	1.21	LC	LC	1	0	0.3		26	2.63	LC	LC	1	0	0.3		7	0.71	LC	LC	1	0	0.3	
Barking Gecko		0.00							42	3.57	LC	LC	1	0	0.3		31	2.63	LC	LC	1	0	0.3	
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko	16	3.86	LC	LC	1	0	0.3			0.00							4	0.97	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00								0.00							1	1.27	LC	LC	1	0	0.3	
Tessellated Gecko		0.00							70	11.49	LC	LC	1	0	0.3		40	6.57	LC	LC	1	0	0.3	
Pink-blotched Gecko		0.00							69	10.53	LC	LC	1	0	0.3		34	5.19	LC	LC	1	0	0.3	
Beaded Gecko		0.00							16	0.97	LC	LC	1	0	0.3		16	0.97	LC	LC	1	0	0.3	
Sandplain Gecko	33	5.66	LC	LC	1	0	0.3		22	3.77	LC	LC	1	0	0.3		12	2.06	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	16	1.10	LC	LC	1	0	0.3		66	4.52	LC	LC	1	0	0.3		31	2.12	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko	1	0.50	LC	LC	1	0	0.3	patchy distribution	11	5.53	LC	LC	1	0	0.3	patchy distribution		0.00						
Jewelled Gecko		0.00								0.00								0.00						
Southern Spiny-tailed Gecko		0.00								0.00								0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard		0.00							7	1.30	LC	LC	1	0	0.3		22	4.09	LC	LC	1	0	0.3	
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00								0.00								0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard		0.00							1	1.54	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines		0.00						
Burton's Legless Lizard		0.00							17	5.70	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00							1	1.79	VU B2ab(iii)	VU	4	-	0.4	riparian habitat, leaf litter; opal mining/increased cattle
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot	1	1.67	LC	LC	1	0	0.3			0.00								0.00						
Hooded Scaly-foot		0.00							4	10.00	LC	LC	1	0	0.3			0.00						
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink	3	0.77	LC	LC	1	0	0.3	under surveyed	13	3.33	LC	LC	1	0	0.3	under surveyed		0.00						
Eyrean Wall Skink		0.00							2	2.60	LC	LC	1	0	0.3	under surveyed	19	24.68	LC	LC	1	0	0.3	under surveyed
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail		0.00								0.00							2	0.83	LC	LC	1	0	0.3	
Common Desert Ctenotus	17	3.79	LC	LC	1	0	0.3		41	9.15	LC	LC	1	0	0.3		3	0.67	LC	LC	1	0	0.3	
Saltbush Ctenotus		0.00							82	13.27	LC	LC	1	0	0.3		68	11.00	LC	LC	1	0	0.3	
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00							2	0.82	LC	LC	1	0	0.3			0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	16	0.87	LC	LC	1	0	0.3		153	8.28	LC	LC	1	0	0.3		59	3.19	LC	LC	1	0	0.3	
Eastern Striped Skink		0.00							4	0.37	LC	LC	1	0	0.3		7	0.65	LC	LC	1	0	0.3	
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	24	1.25	LC	LC	1	0	0.3		74	3.85	LC	LC	1	0	0.3		8	0.42	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus		0.00							100	18.87	LC	LC	1	0	0.3		29	5.47	LC	LC	1	0	0.3	
Eyrean Ctenotus		0.00							89	7.18	LC	LC	1	0	0.3		37	2.99	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00								0.00								0.00						
Saltbush Slender Bluetongue		0.00								0.00							14	33.33	LC	LC	1	0	0.3	
Gidgee Skink		0.00							34	14.66	LC	LC	1	0	0.3			0.00						
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer		0.00							5	0.53	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	1	0.15	LC	LC	1	0	0.3		52	7.73	LC	LC	1	0	0.3		19	2.82	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Yellow-tailed Slider		0.00							16	21.62	LC	LC	1	0	0.3		1	1.35	LC	LC	1	0	0.3	
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider	3	0.79	LC	LC	1	0	0.3			0.00							11	2.89	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00							16	84.21	RA d(ii)	RA	3	DD	0.0	lives Moon Plain; hard to find
Eastern Two-toed Slider	31	2.40	LC	LC	1	0	0.3		87	6.72	LC	LC	1	0	0.3		6	0.46	LC	LC	1	0	0.3	
Spotted Slider		0.00							6	1.63	LC	LC	1	0	0.3			0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider		0.00							46	6.57	LC	LC	1	0	0.3		27	3.86	LC	LC	1	0	0.3	
Desert Skink	1	0.12	LC	LC	1	0	0.3			0.00								0.00						
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00							1	0.46	LC	LC	1	0	0.3	edge of range		0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	2	0.07	LC	LC	1	0	0.3		174	5.89	LC	LC	1	0	0.3		146	4.94	LC	LC	1	0	0.3	
Adelaide Snake-eye		0.00							40	3.95	LC	LC	1	0	0.3		18	1.78	LC	LC	1	0	0.3	
Common Snake-eye	4	0.18	LC	LC	1	0	0.3		82	3.69	LC	LC	1	0	0.3		13	0.58	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00								0.00								0.00						
Western Bluetongue	2	0.75	LC	LC	1	0	0.3			0.00								0.00						
Sleepy Lizard	2	0.07	LC	LC	1	0	0.3		92	3.01	LC	LC	1	0	0.3		18	0.59	LC	LC	1	0	0.3	
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00								0.00								0.00						
Perentie		0.00								0.00							4	5.80	LC	LC	1	0	0.3	
Pygmy Mulga Goanna	2	1.98	LC	LC	1	0	0.3			0.00								0.00						
Sand Goanna	23	2.42	LC	LC	1	0	0.3		47	4.94	LC	LC	1	0	0.3		9	0.95	LC	LC	1	0	0.3	
Black-headed Goanna		0.00								0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00							9	3.42	LC	LC	1	0	0.3		8	3.04	LC	LC	1	0	0.3	
Centralian Blind Snake		0.00							5	2.78	LC	LC	1	0	0.3		1	0.56	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00								0.00								0.00						
Stimson's Python		0.00							1	1.61	LC	LC	1	0	0.3			0.00						
Woma		0.00							5	6.67	LC	LC	1	0	0.3			0.00						
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00							3	6.67	LC	LC	1	0	0.3	not often seen		0.00						
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake		0.00							1	0.89	LC	LC	1	0	0.3			0.00						
Desert Whipsnake		0.00								0.00							9	7.03	LC	LC	1	0	0.3	
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00							2	5.88	LC	LC	1	0	0.3	edge of range		0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan		0.00								0.00							7	30.43	LC	LC	1	0	0.3	
Hooded Snake	4	19.05	LC	LC	1	0	0.3	hard to find; not often seen		0.00								0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00							1	0.54	LC	LC	1	0	0.3	can live in very dry & diverse places; northern limit of range		0.00						
Mulga Snake		0.00							20	6.71	LC	LC	1	0	0.3			0.00						
Patch-nosed Brown Snake		0.00							4	8.00	LC	LC	1	0	0.3		2	4.00	LC	LC	1	0	0.3	under surveyed
Gwardar		0.00							3	13.64	LC	LC	1	0	0.3	under surveyed		0.00						
Five-ringed Snake		0.00							5	2.43	LC	LC	1	0	0.3		1	0.49	LC	LC	1	0	0.3	
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake	4	1.81	LC	LC	1	0	0.3			0.00								0.00						
Curl Snake		0.00							310	52.72	LC	LC	1	0	0.3		19	3.23	LC	LC	1	0	0.3	
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog		0.00								0.00							4	3.74	LC	LC	1	0	0.3	lives in rocky plates
Water-holding Frog		0.00							17	11.72	LC	LC	1	0	0.3		3	2.07	LC	LC	1	0	0.3	
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Desert Tree Frog		0.00							21	9.13	LC	LC	1	0	0.3		3	1.30	LC	LC	1	0	0.3	
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog		0.00								0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	2	0.20	LC	LC	1	0	0.3		32	3.16	LC	LC	1	0	0.3		9	0.89	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog		0.00								0.00								0.00						
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead		0.00							27	18.62	NT	NT	2	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	38	26.21	NT	NT	2	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00							5	100.00	VU D2	VU	4	DD	0.0	restricted AoO - found around MacDonnell Ck; threats: stock d		0.00						
Desert Rainbow Fish		0.00							10	14.93	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,	12	17.91	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,
Bony Bream		0.00							8	0.77	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp	14	1.35	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00	RA d(i,ii)	RA	3	DD	0.0	no records; arid-adapted spp known from St Marys Pool & Lee		0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgee		0.00								0.00								0.00						
Desert Goby		0.00							35	14.64	NT	NT	2	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	115	48.12	NT	NT	2	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch																			RA d(i,ii)	RA	3	DD	0.0	no records but occurs here. Vulnerable to over harvest a
Barred Grunter		0.00								0.00							5	38.46	RA d(i,ii)	RA	3	DD	0.0	
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch		0.00							12	10.26	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.	22	18.80	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.
Barcoo Grunter		0.00								0.00							3	11.54	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to
Australian Smelt		0.00							1	0.22	RA d(i,ii)	RA	3	DD	0.0			0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan		0.00								0.00							1	3.85	RA d(i,ii)	RA	3	DD	0.0	
Silver Tandan		0.00								0.00							2	6.25	RA d(i,ii)	RA	3	DD	0.0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Short-beaked Echidna	27	1.87	LC	LC	1	0	0.3		2	0.14	LC	LC	1	0	0.3		4	0.28	LC	LC	1	0	0.3	
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari	1	0.76	RE	RE	7					0.00								0.00						
Ampurta		0.00								0.00								0.00						
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus	1	1.28	LC	LC	1	0	0.3	on isolated granite outcrops	2	2.56	LC	LC	1	0	0.3			0.00						
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui		0.00								0.00								0.00						
Giles' Planigale (Paucident Planig	1	0.24	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3		43	10.41	LC	LC	1	0	0.3	
Long-tailed Planigale		0.00								0.00								0.00						
Narrow-nosed Planigale	7	3.80	LC	LC	1	0	0.3			0.00							14	7.61	LC	LC	1	0	0.3	
Kultarr	5	1.40	LC	LC	1	DD	0.0	missing Olympic Dam records - Reece Pedler to follow	1	0.28	LC	LC	1	0	0.3		170	47.62	LC	LC	1	0	0.3	
Fat-tailed Dunnart	26	0.89	LC	LC	1	0	0.3		5	0.17	LC	LC	1	0	0.3		297	10.17	LC	LC	1	0	0.3	
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	52	2.33	LC	LC	1	0	0.3		4	0.18	LC	LC	1	0	0.3		467	20.96	LC	LC	1	0	0.3	
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart	4	1.12	LC	LC	1	0	0.3			0.00							3	0.84	LC	LC	1	0	0.3	
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot	1	12.50	RE	RE	7					0.00								0.00						
Golden Bandicoot		0.00								0.00								0.00						
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)		0.00								0.00								0.00						
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)		0.00								0.00							1	1.41	DD	DD	0	DD	0.0	trench surveys done, moles are here, data to be publish
Southern Hairy-nosed Wombat	2	0.15	RA d(i,ii)	RA	3	DD	0.0	records on Bon Bon (northern extent of range) - follow up with		0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)	2	5.71	RE	RE	7			extinct		0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo	4	0.03	LC	LC	1	0	0.3	fluctuating populations; overall stable		0.00								0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro	53	0.46	LC	LC	1	0	0.3		6	0.05	LC	LC	1	0	0.3		7	0.06	LC	LC	1	0	0.3	
Red Kangaroo	1992	7.01	LC	LC	1	+	0.2		3	0.01	LC	LC	1	0	0.3		816	2.87	LC	LC	1	+	0.2	
Black-footed Rock-wallaby		0.00							9	1.86	RE	RE	7			presumed extinct		0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00								0.00						
Hill's Sheathtail-bat		0.00							1	9.09	RA d(i,ii)	RA	3	DD	0.0	edge of range; habitat specific		0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00								0.00								0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records sp
Southern Freetail-bat																								
White-striped Freetail-bat	3	0.38	LC	LC	1	0	0.3			0.00								0.00						
Lesser Long-eared Bat	6	0.31	LC	LC	1	0	0.3		1	0.05	LC	LC	1	0	0.3		34	1.73	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat		0.00								0.00							17	0.58	LC	LC	1	0	0.3	
Chocolate Wattled Bat	4	0.73	LC	LC	1	0	0.3			0.00							1	0.18	LC	LC	1	0	0.3	
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat		0.00								0.00								0.00						
Little Broad-nosed Bat		0.00								0.00							5	4.39	LC	LC	1	0	0.3	
Inland Forest Bat		0.00								0.00							12	2.56	LC	LC	1	0	0.3	
Finlayson's Cave Bat	2	1.94	LC	LC	1	0	0.3		6	5.83	LC	LC	1	0	0.3			0.00						
Dingo	17	1.42	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting by landho	5	0.42	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	28	2.34	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting by landho
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse	10	0.52	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3		106	5.54	LC	LC	1	0	0.3	
Lesser Stick-nest Rat	1	2.56	RE	RE	7			presumed extinct		0.00								0.00						
Greater Stick-nest Rat	4	1.90	RE	RE	7					0.00								0.00						
Spinifex Hopping-mouse	6	0.84	LC	LC	1	0	0.3			0.00							9	1.26	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse	1	5.56	RE	RE	7			presumed extinct		0.00								0.00						
Fawn Hopping-mouse		0.00								0.00							6	4.58	DD	DD	0	DD	0.0	unconfirmed outlier records, need more information
Dusky Hopping-mouse	1	0.12	RE	RE	7			presumed extinct		0.00								0.00						
Long-tailed Hopping-mouse	5	5.81	RE	RE	7					0.00								0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)	24	1.46	EN B2ac(iii,iv)	EN	5	-	0.4	lots of surveys and not found		0.00							145	8.80	RA d(ii)	RA	3	DD	0.0	lots of suitable habitat here

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Bolam's Mouse		0.00								0.00								0.00						
Desert Mouse (Brown Desert Mou	5	0.96	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	3	0.58	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	10	1.92	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA
Gould's Mouse	6	3.06	RE	RE	7					0.00								0.00						
Sandy Inland Mouse	16	0.58	LC	LC	1	0	0.3		2	0.07	LC	LC	1	0	0.3		26	0.95	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	4	0.55	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	6	0.82	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	13	1.78	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	121	1.45	LC	LC	1	0	0.3	records increase in areas of regular fox baiting	8	0.10	LC	LC	1	0	0.3	uncommon outside dog fence	85	1.02	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	e butto	0.00								0.00							8	0.51	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as littl
Brown Quail		0.00	RA c(iii)	RA	3	DD	0.0	records not databased; probably not breeding in SA		0.00								0.00						
Diamond Dove	20	1.94	LC	LC	1	0	0.3	not common; some increasese noted	4	0.39	LC	LC	1	0	0.3	not common; some increasese noted	47	4.55	LC	LC	1	0	0.3	
Peaceful Dove	6	0.13	LC	LC	1	0	0.3	core areas along creeks	2	0.04	LC	LC	1	0	0.3	core areas along creeks	24	0.53	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00								0.00								0.00						
Crested Pigeon	97	0.44	LC	LC	1	0	0.3		20	0.09	LC	LC	1	0	0.3		156	0.71	LC	LC	1	0	0.3	
Common Bronzewing	20	0.24	LC	LC	1	0	0.3			0.00							17	0.20	LC	LC	1	0	0.3	
Flock Bronzewing	e to RI	0.00								0.00								0.00						
Tawny Frogmouth	10	0.81	LC	LC	1	0	0.3	benefit from recent rodent plagues	1	0.08	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3	
Spotted Nightjar	6	1.12	LC	LC	1	0	0.3		3	0.56	LC	LC	1	0	0.3		13	2.43	LC	LC	1	0	0.3	
Australian Owlet-nightjar	10	0.60	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3		17	1.03	LC	LC	1	0	0.3	
Fork-tailed Swift		0.00								0.00							1	0.29	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust
Collared Sparrowhawk	7	0.40	LC	LC	1	0	0.3			0.00							10	0.57	LC	LC	1	0	0.3	
Brown Goshawk	7	0.28	LC	LC	1	0	0.3			0.00							7	0.28	LC	LC	1	0	0.3	
Wedge-tailed Eagle	87	1.19	LC	LC	1	0	0.3		8	0.11	LC	LC	1	0	0.3		77	1.05	LC	LC	1	0	0.3	
Swamp Harrier	iround	0.00								0.00							2	0.09	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur a
Spotted Harrier	1	0.10	LC	LC	1	0	0.3	probable increase over last 10 years		0.00							8	0.80	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	2	0.04	LC	LC	1	0	0.3	not common; increase with mouse plagues		0.00							9	0.19	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite	er rapt	0.00								0.00							1	1.14	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like oth
Whistling Kite	22	0.53	LC	LC	1	0	0.3		3	0.07	LC	LC	1	0	0.3		43	1.03	LC	LC	1	0	0.3	
Black-breasted Buzzard	6	3.87	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	1	0.65	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	6	3.87	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	6	0.49	NT	NT	2	-	0.4	probably declining		0.00							15	1.24	NT	NT	2	-	0.4	probably declining
Square-tailed Kite		0.00								0.00								0.00						
Black Kite	43	1.22	LC	LC	1	0	0.3	have come back from a historic decline	6	0.17	LC	LC	1	0	0.3	have come back from a historic decline	114	3.24	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	40	0.69	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3		55	0.94	LC	LC	1	0	0.3	
Nankeen Kestrel	61	0.61	LC	LC	1	0	0.3		9	0.09	LC	LC	1	0	0.3		104	1.04	LC	LC	1	0	0.3	
Grey Falcon	4	3.20	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not more than		0.00							3	2.40	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo
Australian Hobby	11	0.54	LC	LC	1	0	0.3			0.00							17	0.83	LC	LC	1	0	0.3	
Peregrine Falcon		0.00								0.00							1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	1	0.15	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they were kno		0.00							3	0.45	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	6	1.59	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years		0.00							9	2.39	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00								0.00						
Plains-wanderer	1	1.69	EN D	EN	5	DD	0.0	some records not recorded; highly cryptic spp.		0.00								0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	3	0.40	LC	LC	1	0	0.3			0.00							16	2.11	LC	LC	1	0	0.3	
Australian Pratincole	3	0.74	LC	LC	1	DD	0.0	migratory spp, could be stable		0.00							2	0.49	LC	LC	1	DD	0.0	migratory spp, could be stable
Little Corella	60	1.04	LC	LC	1	0	0.3		15	0.26	LC	LC	1	0	0.3		75	1.29	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	93	0.31	LC	LC	1	0	0.3		21	0.07	LC	LC	1	0	0.3		220	0.73	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo	5	0.72	EN D	EN	5	-	0.4			0.00							1	0.14	EN D	EN	5	-	0.4	
Cockatiel	32	1.52	LC	LC	1	0	0.3	could be possible decline	2	0.10	LC	LC	1	0	0.3	could be possible decline	20	0.95	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00								0.00						
Australian Ringneck	48	0.50	LC	LC	1	0	0.3		9	0.09	LC	LC	1	0	0.3		21	0.22	LC	LC	1	0	0.3	
Budgerigar	72	1.56	LC	LC	1	0	0.3	boom/bust spp	19	0.41	LC	LC	1	0	0.3	boom/bust spp	123	2.66	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot		0.00								0.00							1	0.13	VU D1	VU	4	0	0.3	winter visitor; breeds in SE Aust & Tas.
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot	2	1.20	EN D	EN	5	-	0.4			0.00							1	0.60	EN D	EN	5	-	0.4	
Bourke's Parrot	19	4.01	LC	LC	1	0	0.3		1	0.21	LC	LC	1	0	0.3		50	10.55	LC	LC	1	0	0.3	
Blue Bonnet	5	0.21	LC	LC	1	0	0.3			0.00							3	0.13	LC	LC	1	0	0.3	
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00								0.00						
Red-rumped Parrot		0.00								0.00								0.00						
Mulga Parrot	43	0.90	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3		37	0.78	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	12	0.63	NT	NT	2	-	0.4			0.00							18	0.94	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	22	0.47	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3		21	0.45	LC	LC	1	0	0.3	
Black-eared Cuckoo	2	0.30	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon		0.00							3	0.45	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	6	0.25	LC	LC	1	0	0.3			0.00								0.00						
Australian Barn Owl	1	0.11	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Eastern Grass Owl		0.00								0.00								0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	42	3.04	LC	LC	1	0	0.3		6	0.43	LC	LC	1	0	0.3		52	3.76	LC	LC	1	0	0.3	
Sacred Kingfisher		0.00								0.00							2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	17	0.45	LC	LC	1	0	0.3		8	0.21	LC	LC	1	0	0.3		47	1.24	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00								0.00								0.00						
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren		0.00								0.00							2	0.47	NT	NT	2	0	0.3	
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	4	3.20	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulha	4	3.20	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulha	44	35.20	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulha
Variegated Fairy-wren	72	1.02	LC	LC	1	0	0.3		11	0.16	LC	LC	1	0	0.3		86	1.22	LC	LC	1	0	0.3	
White-winged Fairy-wren	89	1.47	LC	LC	1	0	0.3		17	0.28	LC	LC	1	0	0.3		187	3.09	LC	LC	1	0	0.3	
Splendid Fairy-wren	15	0.72	LC	LC	1	0	0.3			0.00	LC	LC	1	0	0.3		8	0.38	LC	LC	1	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill	11	0.24	LC	LC	1	0	0.3			0.00							6	0.13	LC	LC	1	0	0.3	
Yellow-rumped Thornbill	6	0.06	LC	LC	1	0	0.3			0.00							5	0.05	LC	LC	1	0	0.3	
Slender-billed Thornbill	2	0.75	CR D	CR	6	DD	0.0			0.00								0.00						
Slaty-backed Thornbill	6	5.31	RA c(i)	RA	3	0	0.3			0.00							2	1.77	RA c(i)	RA	3	0	0.3	
Chestnut-rumped Thornbill	67	1.15	LC	LC	1	0	0.3			0.00							37	0.64	LC	LC	1	0	0.3	
Southern Whiteface	49	0.87	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3		30	0.53	LC	LC	1	0	0.3	
Banded Whiteface	6	0.88	NT	NT	2	0	0.3		2	0.29	NT	NT	2	0	0.3		4	0.59	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface	7	5.47	RA c(i)	RA	3	0	0.3		3	2.34	RA c(i)	RA	3	0	0.3		5	3.91	RA c(i)	RA	3	0	0.3	
Rufous Fieldwren	21	2.11	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3		55	5.54	LC	LC	1	0	0.3	
Western Gerygone	1	1.14	RA c(i)	RA	3	0	0.3	prefers mulga		0.00								0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat	6	0.52	NT	NT	2	0	0.3	marginal habitat		0.00							6	0.52	NT	NT	2	0	0.3	marginal habitat
Weebill	13	0.10	LC	LC	1	0	0.3			0.00							21	0.16	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	11	3.12	NT	NT	2	0	0.3		2	0.57	NT	NT	2	0	0.3		8	2.27	NT	NT	2	0	0.3	
Striated Pardalote	4	0.02	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		23	0.13	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	123	0.80	LC	LC	1	0	0.3		6	0.04	LC	LC	1	0	0.3		99	0.64	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird	2	0.60	NT	NT	2	0	0.3			0.00							39	11.61	NT	NT	2	0	0.3	
Pied Honeyeater	22	2.55	LC	LC	1	0	0.3	numbers can fluctuate a lot		0.00							28	3.24	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat		0.00								0.00								0.00						
Orange Chat	15	0.93	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3		49	3.04	LC	LC	1	0	0.3	
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	33	1.75	LC	LC	1	0	0.3		1	0.05	LC	LC	1	0	0.3		50	2.65	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00								0.00								0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	101	0.61	LC	LC	1	0	0.3		30	0.18	LC	LC	1	0	0.3		158	0.95	LC	LC	1	0	0.3	
Grey-fronted Honeyeater	18	1.32	RA c(i); d(i, ii)	RA	3	DD	0.0			0.00								0.00						
Singing Honeyeater	173	0.94	LC	LC	1	0	0.3		30	0.16	LC	LC	1	0	0.3		130	0.71	LC	LC	1	0	0.3	
Brown Honeyeater		0.00								0.00								0.00						
Yellow-throated Miner	70	0.83	LC	LC	1	0	0.3		17	0.20	LC	LC	1	0	0.3		53	0.63	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	19	0.37	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3		9	0.17	LC	LC	1	0	0.3	
Black Honeyeater	3	1.03	NT	NT	2	0	0.3	nomadic spp.		0.00								0.00						
Chestnut-crowned Babbler		0.00								0.00								0.00						
White-browed Babbler	63	0.56	LC	LC	1	0	0.3		4	0.04	LC	LC	1	0	0.3		26	0.23	LC	LC	1	0	0.3	
Grey-crowned Babbler	2	3.92	EN D	EN	5	DD	0.0			0.00								0.00						
Chestnut Quail-thrush		0.00								0.00								0.00						
Cinnamon Quail-thrush	33	2.34	LC	LC	1	0	0.3		7	0.50	LC	LC	1	0	0.3		101	7.16	LC	LC	1	0	0.3	
Chirruping Wedgebill		0.00							6	0.45	LC	LC	1	0	0.3		42	3.14	LC	LC	1	0	0.3	
Chiming Wedgebill	38	7.09	LC	LC	1	0	0.3			0.00							16	2.99	LC	LC	1	0	0.3	
Varied Sittella	1	0.04	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland		0.00								0.00						
Ground Cuckoo-shrike	11	3.00	NT	NT	2	0	0.3			0.00							10	2.72	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	55	0.52	LC	LC	1	0	0.3		5	0.05	LC	LC	1	0	0.3		60	0.56	LC	LC	1	0	0.3	
White-winged Triller	22	0.98	LC	LC	1	0	0.3	migratory spp	4	0.18	LC	LC	1	0	0.3	migratory spp	32	1.43	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (–, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (–, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (–, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Grey Shrike-thrush	42	0.20	LC	LC	1	0	0.3			0.00							42	0.20	LC	LC	1	0	0.3	
Crested Bellbird	73	1.24	LC	LC	1	0	0.3		4	0.07	LC	LC	1	0	0.3		22	0.37	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	46	0.66	LC	LC	1	0	0.3			0.00							52	0.74	LC	LC	1	0	0.3	
Black-faced Woodswallow	88	2.06	LC	LC	1	0	0.3		24	0.56	LC	LC	1	0	0.3		132	3.10	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00								0.00								0.00						
White-breasted Woodswallow	2	0.32	RA c(i)	RA	3	0	0.3	around water; generally uncommon	2	0.32	RA c(i)	RA	3	0	0.3	around water; generally uncommon	39	6.26	LC	LC	1	+	0.2	
Little Woodswallow	5	4.24	RA c(ii)	RA	3	0	0.3	migratory spp	2	1.69	RA c(ii)	RA	3	0	0.3	migratory spp	3	2.54	RA c(ii)	RA	3	0	0.3	migratory spp
Masked Woodswallow	25	0.98	LC	LC	1	0	0.3		2	0.08	LC	LC	1	0	0.3		28	1.09	LC	LC	1	0	0.3	
White-browed Woodswallow	7	0.31	NT	NT	2	-	0.4			0.00							5	0.22	NT	NT	2	-	0.4	
Pied Butcherbird	37	3.07	LC	LC	1	+	0.2			0.00							20	1.66	RA c(iii)	RA	3	+	0.2	
Australian Magpie	95	0.26	LC	LC	1	0	0.3		10	0.03	LC	LC	1	0	0.3		109	0.30	LC	LC	1	0	0.3	
Grey Butcherbird	22	0.25	LC	LC	1	0	0.3			0.00							13	0.15	LC	LC	1	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail	3	0.02	RA c(ii)	RA	3	0	0.3	regular winter visitors		0.00							2	0.02	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	90	0.33	LC	LC	1	0	0.3		14	0.05	LC	LC	1	0	0.3		143	0.53	LC	LC	1	0	0.3	
Little Crow	75	2.37	LC	LC	1	0	0.3		6	0.19	LC	LC	1	0	0.3		139	4.40	LC	LC	1	0	0.3	
Australian Raven	58	0.60	LC	LC	1	0	0.3		9	0.09	LC	LC	1	0	0.3		145	1.50	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow	5	2.40	RA c(i)	RA	3	DD	0.0			0.00								0.00						
Magpie-lark	60	0.30	LC	LC	1	0	0.3		7	0.04	LC	LC	1	0	0.3		75	0.38	LC	LC	1	0	0.3	
Restless Flycatcher		0.00								0.00								0.00						
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	27	0.74	NT	NT	2	0	0.3		2	0.05	NT	NT	2	0	0.3		17	0.46	NT	NT	2	0	0.3	
Jacky Winter	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors		0.00							2	0.04	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	74	1.09	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		75	1.11	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00								0.00						
Australian Reed Warbler		0.00							1	0.04	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	4	0.14	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools
Brown Songlark	18	0.57	LC	LC	1	0	0.3		3	0.09	LC	LC	1	0	0.3		42	1.33	LC	LC	1	0	0.3	
Rufous Songlark	35	1.98	LC	LC	1	0	0.3		2	0.11	LC	LC	1	0	0.3		36	2.03	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird	1	0.03	NT	NT	2	0	0.3		1	0.03	NT	NT	2	0	0.3		3	0.10	NT	NT	2	0	0.3	
Silvereye		0.00								0.00								0.00						
White-backed Swallow	18	1.15	LC	LC	1	0	0.3		5	0.32	LC	LC	1	0	0.3		33	2.10	LC	LC	1	0	0.3	
Welcome Swallow	22	0.11	LC	LC	1	0	0.3		4	0.02	LC	LC	1	0	0.3		50	0.26	LC	LC	1	0	0.3	
Fairy Martin	17	0.75	LC	LC	1	0	0.3		2	0.09	LC	LC	1	0	0.3		27	1.19	LC	LC	1	0	0.3	
Tree Martin	40	0.41	LC	LC	1	0	0.3		7	0.07	LC	LC	1	0	0.3		52	0.54	LC	LC	1	0	0.3	
Mistletoebird	29	0.50	LC	LC	1	0	0.3		4	0.07	LC	LC	1	0	0.3		18	0.31	LC	LC	1	0	0.3	
Painted Finch		0.00							1	1.92	RA c(ii,iii)	RA	3	0	0.3		1	1.92	RA c(ii,iii)	RA	3	0	0.3	
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	197	3.19	LC	LC	1	0	0.3		38	0.62	LC	LC	1	0	0.3		271	4.39	LC	LC	1	0	0.3	
Australian Pipit	65	0.92	LC	LC	1	0	0.3		6	0.08	LC	LC	1	0	0.3		152	2.15	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal	1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00								0.00						
Grey Teal	20	0.16	LC	LC	1	0	0.3	irruptive		0.00							35	0.28	LC	LC	1	0	0.3	irruptive
Australasian Shoveler		0.00								0.00								0.00						
Pacific Black Duck	4	0.03	LC	LC	1	0	0.3			0.00							12	0.08	LC	LC	1	0	0.3	
Hardhead	3	0.08	LC	LC	1	0	0.3	irruptive		0.00							10	0.26	LC	LC	1	0	0.3	irruptive
Musk Duck		0.00								0.00								0.00						
Australian Wood Duck	23	0.33	LC	LC	1	0	0.3	possible increase	2	0.03	LC	LC	1	0	0.3	possible increase	3	0.04	LC	LC	1	0	0.3	possible increase
Black Swan	1	0.01	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers		0.00							5	0.04	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck	15	0.89	LC	LC	1	0	0.3			0.00							11	0.65	LC	LC	1	0	0.3	
Blue-billed Duck		0.00								0.00								0.00						
Freckled Duck	2	0.25	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation of water		0.00							4	0.49	RA c(iii)	RA	3	0	0.3	statewide historic declines in response to exploitation of
Australian Shelduck		0.00								0.00								0.00						
Great Crested Grebe		0.00								0.00							1	0.03	RA c(iii)	RA	3	0	0.3	
Hoary-headed Grebe	11	0.19	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3		8	0.14	LC	LC	1	0	0.3	
Australasian Grebe	13	0.29	LC	LC	1	0	0.3	likes fresh water		0.00							6	0.13	LC	LC	1	0	0.3	likes fresh water
Australasian Darter	8	0.49	RA c(iii)	RA	3	0	0.3			0.00							12	0.74	RA c(iii)	RA	3	0	0.3	
Little Pied Cormorant	4	0.03	RA c(ii)	RA	3	0	0.3			0.00							5	0.04	RA c(ii)	RA	3	0	0.3	
Great Cormorant	1	0.01	RA c(ii)	RA	3	0	0.3			0.00							10	0.14	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant	4	0.06	RA c(ii)	RA	3	0	0.3			0.00							12	0.19	RA c(ii)	RA	3	0	0.3	
Pied Cormorant	2	0.03	RA c(ii)	RA	3	0	0.3			0.00							3	0.05	RA c(ii)	RA	3	0	0.3	
Australian Pelican	1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	10	0.07	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret	4	0.07	RA c(iii)	RA	3	0	0.3			0.00							8	0.13	RA c(iii)	RA	3	0	0.3	
Intermediate Egret		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
White-necked Heron	11	1.18	RA c(iii)	RA	3	0	0.3			0.00							22	2.36	RA c(iii)	RA	3	0	0.3	
Little Egret		0.00								0.00								0.00						
White-faced Heron	15	0.11	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		31	0.23	LC	LC	1	0	0.3	
Nankeen Night-Heron		0.00								0.00							3	0.41	RA c(ii)	RA	3	0	0.3	
Yellow-billed Spoonbill	2	0.08	RA c(ii)	RA	3	0	0.3			0.00							3	0.13	RA c(ii)	RA	3	0	0.3	
Royal Spoonbill		0.00								0.00								0.00						
Glossy Ibis		0.00								0.00								0.00						
Australian White Ibis		0.00								0.00								0.00						
Straw-necked Ibis		0.00								0.00							1	0.03	RA c(ii)	RA	3	0	0.3	
Brolga		0.00								0.00							2	0.46	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in regior
Eurasian Coot	5	0.07	NT	NT	2	0	0.3	regular visitors in larger numbers	1	0.01	NT	NT	2	0	0.3	regular visitors in larger numbers	2	0.03	NT	NT	2	0	0.3	regular visitors in larger numbers
Dusky Moorhen		0.00								0.00								0.00						
Buff-banded Rail		0.00								0.00								0.00						
Purple Swamphen		0.00								0.00							1	0.02	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains
Australian Spotted Crake		0.00								0.00							5	0.60	RA c(iii)	RA	3	0	0.3	
Baillon's Crake		0.00								0.00								0.00						
Spotless Crake		0.00								0.00								0.00						
Black-tailed Native-hen	14	0.36	LC	LC	1	0	0.3	irruptive		0.00							20	0.51	LC	LC	1	0	0.3	irruptive
Banded Stilt		0.00								0.00								0.00						
Black-winged Stilt		0.00								0.00							5	0.07	RA c(iii)	RA	3	0	0.3	occur in mound springs
Red-necked Avocet	1	0.04	RA c(ii)	RA	3	0	0.3		1	0.04	RA c(ii)	RA	3	0	0.3		7	0.25	RA c(ii)	RA	3	0	0.3	
Inland Dotterel	8	1.98	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler	2	0.50	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler	52	12.87	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler
Red-capped Plover		0.00								0.00							2	0.03	RA c(ii)	RA	3	0	0.3	
Oriental Plover		0.00								0.00							2	3.13	RA c(iii)	RA	3	0	0.3	irregular visitors
Black-fronted Dotterel	20	0.56	LC	LC	1	0	0.3		2	0.06	LC	LC	1	0	0.3		39	1.10	LC	LC	1	0	0.3	
Red-kneed Dotterel	2	0.09	NT	NT	2	0	0.3			0.00							11	0.51	NT	NT	2	0	0.3	
Masked Lapwing	1	0.01	LC	LC	1	0	0.3	likely to be resident in many areas	7	0.05	LC	LC	1	0	0.3	likely to be resident in many areas	11	0.07	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	12	0.85	LC	LC	1	DD	0.0		2	0.14	LC	LC	1	DD	0.0		11	0.78	LC	LC	1	DD	0.0	
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper		0.00								0.00							2	0.04	RA c(ii)	RA	3	0	0.3	
Curlew Sandpiper	e for re	0.00								0.00								0.00						
Red-necked Stint		0.00								0.00								0.00						
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper		0.00								0.00							1	0.32	RA c(iii)	RA	3	0	0.3	
Common Greenshank		0.00								0.00							1	0.02	RA c(iii)	RA	3	0	0.3	
Marsh Sandpiper		0.00								0.00								0.00						
Whiskered Tern		0.00								0.00								0.00						
Silver Gull		0.00								0.00							4	0.02	LC	LC	1	+	0.2	probable increase
Gull-billed Tern		0.00								0.00							1	0.19	RA c(ii)	RA	3	0	0.3	
Caspian Tern		0.00								0.00							3	0.04	RA c(iii)	RA	3	0	0.3	
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon	7	3.93	LC	LC	1	0	0.3		15	8.43	LC	LC	1	0	0.3		26	14.61	LC	LC	1	0	0.3	
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00							3	2.26	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country	10	7.52	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country
Military Dragon		0.00								0.00							3	0.39	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00								0.00								0.00						
Central Netted Dragon	6	0.62	LC	LC	1	0	0.3			0.00							10	1.04	LC	LC	1	0	0.3	
Painted Dragon	5	0.22	LC	LC	1	0	0.3		6	0.27	LC	LC	1	0	0.3		30	1.34	LC	LC	1	0	0.3	
Western Netted Dragon	9	11.54	LC	LC	1	0	0.3	habitat specific		0.00								0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon	53	63.10	LC	LC	1	0	0.3		21	25.00	LC	LC	1	0	0.3		2	2.38	LC	LC	1	0	0.3	
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon		0.00								0.00							5	2.20	LC	LC	1	0	0.3	
Thorny Devil	2	0.50	LC	LC	1	0	0.3			0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00							1	0.22	LC	LC	1	0	0.3	
Central Bearded Dragon	33	2.88	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		52	4.55	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon	25	4.62	LC	LC	1	0	0.3		5	0.92	LC	LC	1	0	0.3		33	6.10	LC	LC	1	0	0.3	
Five-lined Earless Dragon	25	6.08	LC	LC	1	0	0.3			0.00							1	0.24	LC	LC	1	0	0.3	
Eyrean Earless Dragon	41	3.76	LC	LC	1	0	0.3		14	1.28	LC	LC	1	0	0.3		138	12.65	LC	LC	1	0	0.3	
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	8	1.75	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3	
Tree Dtella	85	3.55	LC	LC	1	0	0.3		25	1.04	LC	LC	1	0	0.3		187	7.81	LC	LC	1	0	0.3	
Bynoe's Gecko	63	2.14	LC	LC	1	0	0.3		13	0.44	LC	LC	1	0	0.3		142	4.83	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko	2	0.20	LC	LC	1	0	0.3		6	0.61	LC	LC	1	0	0.3		8	0.81	LC	LC	1	0	0.3	
Barking Gecko	20	1.70	LC	LC	1	0	0.3		11	0.93	LC	LC	1	0	0.3		46	3.91	LC	LC	1	0	0.3	
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko	4	0.97	LC	LC	1	0	0.3			0.00							12	2.90	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko	50	63.29	LC	LC	1	0	0.3			0.00							15	18.99	LC	LC	1	0	0.3	
Tessellated Gecko	15	2.46	LC	LC	1	0	0.3		5	0.82	LC	LC	1	0	0.3		67	11.00	LC	LC	1	0	0.3	
Pink-blotched Gecko	20	3.05	LC	LC	1	0	0.3		24	3.66	LC	LC	1	0	0.3		31	4.73	LC	LC	1	0	0.3	
Beaded Gecko		0.00							17	1.04	LC	LC	1	0	0.3		4	0.24	LC	LC	1	0	0.3	
Sandplain Gecko	4	0.69	LC	LC	1	0	0.3			0.00							25	4.29	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	25	1.71	LC	LC	1	0	0.3		7	0.48	LC	LC	1	0	0.3		56	3.83	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko		0.00							4	2.01	LC	LC	1	0	0.3	patchy distribution	5	2.51	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko		0.00								0.00								0.00						
Southern Spiny-tailed Gecko	23	7.93	LC	LC	1	0	0.3			0.00							9	3.10	LC	LC	1	0	0.3	
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard	31	5.76	LC	LC	1	0	0.3		4	0.74	LC	LC	1	0	0.3		32	5.95	LC	LC	1	0	0.3	
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00								0.00								0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard		0.00								0.00							4	6.15	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines
Burton's Legless Lizard		0.00							4	1.34	LC	LC	1	0	0.3			0.00						
Bronzeback Legless Lizard	23	41.07	VU B2ab(iii)	VU	4	-	0.4	riparian habitat, leaf litter; opal mining/increased cattle - threat		0.00							9	16.07	VU B2ab(iii)	VU	4	-	0.4	riparian habitat, leaf litter; opal mining/increased cattle -
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot		0.00								0.00							2	3.33	LC	LC	1	0	0.3	
Hooded Scaly-foot	4	10.00	LC	LC	1	0	0.3		1	2.50	LC	LC	1	0	0.3		3	7.50	LC	LC	1	0	0.3	
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink		0.00							1	0.26	LC	LC	1	0	0.3	under surveyed		0.00						
Eyrean Wall Skink	4	5.19	LC	LC	1	0	0.3	under surveyed	1	1.30	LC	LC	1	0	0.3	under surveyed	8	10.39	LC	LC	1	0	0.3	under surveyed
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00							7	3.89	LC	LC	1	0	0.3	
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail		0.00								0.00								0.00						
Common Desert Ctenotus	11	2.46	LC	LC	1	0	0.3			0.00							14	3.13	LC	LC	1	0	0.3	
Saltbush Ctenotus	27	4.37	LC	LC	1	0	0.3		29	4.69	LC	LC	1	0	0.3		89	14.40	LC	LC	1	0	0.3	
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00								0.00								0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	4	0.22	LC	LC	1	0	0.3		4	0.22	LC	LC	1	0	0.3		45	2.44	LC	LC	1	0	0.3	
Eastern Striped Skink	16	1.49	LC	LC	1	0	0.3			0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	24	1.25	LC	LC	1	0	0.3			0.00							9	0.47	LC	LC	1	0	0.3	
Gibber Ctenotus	9	8.74	LC	LC	1	0	0.3			0.00							3	2.91	LC	LC	1	0	0.3	
Short-legged Ctenotus	10	1.89	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3		63	11.89	LC	LC	1	0	0.3	
Eyrean Ctenotus	2	0.16	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		6	0.48	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00								0.00								0.00						
Saltbush Slender Bluetongue		0.00							1	2.38	LC	LC	1	0	0.3		5	11.90	LC	LC	1	0	0.3	
Gidgee Skink	1	0.43	LC	LC	1	0	0.3		11	4.74	LC	LC	1	0	0.3			0.00						
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer		0.00								0.00							1	0.11	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	15	2.23	LC	LC	1	0	0.3		9	1.34	LC	LC	1	0	0.3		163	24.22	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Yellow-tailed Slider		0.00								0.00								0.00						
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider	13	3.42	LC	LC	1	0	0.3			0.00							8	2.11	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider	3	15.79	RA d(ii)	RA	3	DD	0.0	lives Moon Plain; hard to find		0.00								0.00						
Eastern Two-toed Slider	2	0.15	LC	LC	1	0	0.3		2	0.15	LC	LC	1	0	0.3		20	1.55	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider	35	5.00	LC	LC	1	0	0.3		8	1.14	LC	LC	1	0	0.3		39	5.57	LC	LC	1	0	0.3	
Desert Skink		0.00							2	0.25	LC	LC	1	0	0.3			0.00						
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	31	1.05	LC	LC	1	0	0.3		1	0.03	LC	LC	1	0	0.3		86	2.91	LC	LC	1	0	0.3	
Adelaide Snake-eye	3	0.30	LC	LC	1	0	0.3			0.00							18	1.78	LC	LC	1	0	0.3	
Common Snake-eye	18	0.81	LC	LC	1	0	0.3		6	0.27	LC	LC	1	0	0.3		33	1.48	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00								0.00								0.00						
Western Bluetongue	2	0.75	LC	LC	1	0	0.3			0.00							1	0.37	LC	LC	1	0	0.3	
Sleepy Lizard	13	0.43	LC	LC	1	0	0.3			0.00								0.00						
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00								0.00								0.00						
Perentie	6	8.70	LC	LC	1	0	0.3		10	14.49	LC	LC	1	0	0.3		8	11.59	LC	LC	1	0	0.3	
Pygmy Mulga Goanna	2	1.98	LC	LC	1	0	0.3			0.00							1	0.99	LC	LC	1	0	0.3	
Sand Goanna	9	0.95	LC	LC	1	0	0.3		4	0.42	LC	LC	1	0	0.3		18	1.89	LC	LC	1	0	0.3	
Black-headed Goanna		0.00								0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake	8	3.04	LC	LC	1	0	0.3		1	0.38	LC	LC	1	0	0.3		6	2.28	LC	LC	1	0	0.3	
Centralian Blind Snake	1	0.56	LC	LC	1	0	0.3		3	1.67	LC	LC	1	0	0.3		3	1.67	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00								0.00							2	11.11	LC	LC	1	0	0.3	should be R centralis
Stimson's Python	5	8.06	LC	LC	1	0	0.3		3	4.84	LC	LC	1	0	0.3		5	8.06	LC	LC	1	0	0.3	
Woma		0.00								0.00							2	2.67	RA d(ii)	RA	3	DD	0.0	
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake	1	2.22	LC	LC	1	0	0.3	not often seen		0.00							1	2.22	LC	LC	1	0	0.3	not often seen
Half-girdled Snake	1	1.03	LC	LC	1	0	0.3	likes sandy country with lakes & mallee		0.00							1	1.03	LC	LC	1	0	0.3	likes sandy country with lakes & mallee
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake	3	2.34	LC	LC	1	0	0.3		1	0.78	LC	LC	1	0	0.3		11	8.59	LC	LC	1	0	0.3	
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake	1	16.67	RA d(i,ii)	RA	3	DD	0.0			0.00							3	50.00	RA d(i,ii)	RA	3	DD	0.0	
Inland Taipan		0.00								0.00							2	8.70	LC	LC	1	0	0.3	
Hooded Snake	1	4.76	LC	LC	1	0	0.3	hard to find; not often seen		0.00							1	4.76	LC	LC	1	0	0.3	hard to find; not often seen
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00								0.00							1	0.54	LC	LC	1	0	0.3	can live in very dry & diverse places; northern limit of ra
Mulga Snake	2	0.67	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3		8	2.68	LC	LC	1	0	0.3	
Patch-nosed Brown Snake	2	4.00	LC	LC	1	0	0.3	under surveyed		0.00								0.00						
Gwardar		0.00								0.00								0.00						
Five-ringed Snake	1	0.49	LC	LC	1	0	0.3			0.00								0.00						
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake	2	0.90	LC	LC	1	0	0.3			0.00							2	0.90	LC	LC	1	0	0.3	
Curl Snake	5	0.85	LC	LC	1	0	0.3			0.00							17	2.89	LC	LC	1	0	0.3	
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog	6	5.61	LC	LC	1	0	0.3	lives in rocky plates		0.00								0.00						
Water-holding Frog		0.00								0.00							9	6.21	LC	LC	1	0	0.3	
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Desert Tree Frog	6	2.61	LC	LC	1	0	0.3			0.00							11	4.78	LC	LC	1	0	0.3	
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog		0.00								0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	17	1.68	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3		24	2.37	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog	29	31.87	LC	LC	1	0	0.3			0.00							1	1.10	LC	LC	1	0	0.3	
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead	2	1.38	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	3	2.07	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	15	10.34	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00							1	1.49	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp,	9	13.43	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,
Bony Bream	1	0.10	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp	1	0.10	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp	7	0.67	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby	mpera	0.00							8	3.35	RA d(ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te	35	14.64	NT	NT	2	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & te
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch	and habitat change depleting refuge pops in isolated pools during dry periods																							
Barred Grunter		0.00								0.00							3	23.08	RA d(i,ii)	RA	3	DD	0.0	
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch	3	2.56	RA d(ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.	2	1.71	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.	12	10.26	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.
Barcoo Grunter	over h	0.00								0.00							2	7.69	RA d(i,ii)	RA	3	DD	0.0	Poorly knownl imited distribution; may be susceptible to
Australian Smelt		0.00								0.00								0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan		0.00								0.00								0.00						
Silver Tandan		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Short-beaked Echidna	3	0.21	LC	LC	1	0	0.3		6	0.42	LC	LC	1	0	0.3			0.00						
Numbat		0.00								0.00								0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00								0.00	RE	RE	7			no records for this sub-region but in NT		0.00						
Ampurta	12	5.69	LC	LC	1	0	0.3	now known as Crest-tailed Mulgara	1	0.47	LC	LC	1	0	0.3	edge of range; now known as Crest-tailed Mulgara		0.00						
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus		0.00							10	12.82	LC	LC	1	0	0.3		1	1.26	LC	LC	1	0	0.3	edge of range (Breakaways)
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui	8	2.43	LC	LC	1	0	0.3			0.00								0.00						
Giles' Planigale (Paucident Planig	12	2.91	LC	LC	1	0	0.3		38	9.20	LC	LC	1	0	0.3			0.00						
Long-tailed Planigale		0.00								0.00								0.00						
Narrow-nosed Planigale	1	0.54	LC	LC	1	0	0.3		10	5.43	LC	LC	1	0	0.3			0.00						
Kultarr	2	0.56	LC	LC	1	0	0.3		2	0.56	RA d(i,ii)	RA	3	-	0.4	edg of range; targetted survey effort		0.00						
Fat-tailed Dunnart	25	0.86	LC	LC	1	0	0.3		93	3.18	LC	LC	1	0	0.3			0.00						
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00								0.00						
Stripe-faced Dunnart	9	0.40	LC	LC	1	0	0.3		169	7.59	LC	LC	1	0	0.3			0.00						
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart	4	1.12	LC	LC	1	0	0.3		5	1.40	LC	LC	1	0	0.3		10	2.81	LC	LC	1	0	0.3	
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00								0.00						
Golden Bandicoot		0.00								0.00								0.00						
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)		0.00								0.00								0.00						
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)	ed by	0.00								0.00								0.00						
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00								0.00						
Burrowing Bettong (Boodie)		0.00								0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo		0.00								0.00								0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro		0.00							3	0.03	LC	LC	1	0	0.3			0.00						
Red Kangaroo	23	0.08	LC	LC	1	0	0.3		40	0.14	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	95	0.33	LC	LC	1	+	0.2	
Black-footed Rock-wallaby		0.00								0.00								0.00						
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00							3	100.00	RA d(i,ii)	RA	3	DD	0.0	southern edge of range; restricted to large creek lines		0.00						
Inland Freetail-bat	p comp	0.00								0.00								0.00						
Southern Freetail-bat																								
White-striped Freetail-bat	5	0.64	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3			0.00						
Lesser Long-eared Bat	6	0.31	LC	LC	1	0	0.3		31	1.58	LC	LC	1	0	0.3			0.00						
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	2	0.07	LC	LC	1	0	0.3		16	0.55	LC	LC	1	0	0.3			0.00						
Chocolate Wattled Bat		0.00							4	0.73	LC	LC	1	0	0.3			0.00						
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat	2	0.87	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3			0.00						
Little Broad-nosed Bat	1	0.88	LC	LC	1	0	0.3			0.00								0.00						
Inland Forest Bat	2	0.43	LC	LC	1	0	0.3		9	1.92	LC	LC	1	0	0.3			0.00						
Finlayson's Cave Bat		0.00								0.00								0.00						
Dingo	29	2.42	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	64	5.34	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	6	0.50	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting by landh
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse	9	0.47	LC	LC	1	0	0.3		54	2.82	LC	LC	1	0	0.3			0.00						
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat		0.00							1	0.47	RE	RE	7					0.00						
Spinifex Hopping-mouse	6	0.84	LC	LC	1	0	0.3		8	1.12	LC	LC	1	0	0.3		131	18.40	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse		0.00								0.00								0.00						
Long-tailed Hopping-mouse		0.00								0.00								0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)	3	0.18	RA d(i,ii)	RA	3	DD	0.0	edge of range	42	2.55	RA d(ii)	RA	3	DD	0.0		2	0.12	RA d(i,ii)	RA	3	DD	0.0	edge of range

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Bolam's Mouse		0.00								0.00								0.00						
Desert Mouse (Brown Desert Mou	6	1.15	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	7	1.34	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA		0.00						
Gould's Mouse		0.00								0.00							1	0.51	RE	RE	7			
Sandy Inland Mouse	15	0.55	LC	LC	1	0	0.3		28	1.02	LC	LC	1	0	0.3		39	1.42	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	0's & 2	0.00	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	49	6.71	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197	2	0.27	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	28	0.34	LC	LC	1	0	0.3	uncommon outside dog fence	38	0.46	LC	LC	1	0	0.3	uncommon outside dog fence	21	0.25	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00								0.00						
Stubble Quail	1	0.06	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt	10	0.63	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as little butt		0.00						
Brown Quail		0.00								0.00								0.00						
Diamond Dove	5	0.48	LC	LC	1	0	0.3	not common; some increasese noted	50	4.84	LC	LC	1	0	0.3		6	0.58	LC	LC	1	0	0.3	not common; some increasese noted
Peaceful Dove	5	0.11	LC	LC	1	0	0.3	core areas along creeks	13	0.29	LC	LC	1	0	0.3	core areas along creeks	2	0.04	LC	LC	1	0	0.3	core areas along creeks
Spinifex Pigeon		0.00							2	5.26	VU D1	VU	4	DD	0.0			0.00						
Crested Pigeon	81	0.37	LC	LC	1	0	0.3		115	0.52	LC	LC	1	0	0.3		17	0.08	LC	LC	1	0	0.3	
Common Bronzewing	8	0.09	LC	LC	1	0	0.3		13	0.15	LC	LC	1	0	0.3		13	0.15	LC	LC	1	0	0.3	
Flock Bronzewing	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly du	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly due to R		0.00						
Tawny Frogmouth	3	0.24	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		2	0.16	LC	LC	1	0	0.3	
Spotted Nightjar		0.00							4	0.75	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3	
Australian Owlet-nightjar	2	0.12	LC	LC	1	0	0.3		18	1.09	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Fork-tailed Swift	habita	0.00							2	0.58	NT	NT	2	-	0.4	probable decline in flyway breeding areas outside Aust - habi		0.00						
Collared Sparrowhawk	2	0.11	LC	LC	1	0	0.3		10	0.57	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Brown Goshawk	2	0.08	LC	LC	1	0	0.3		7	0.28	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3	
Wedge-tailed Eagle	29	0.40	LC	LC	1	0	0.3		53	0.73	LC	LC	1	0	0.3		14	0.19	LC	LC	1	0	0.3	
Swamp Harrier	iround	0.00							6	0.27	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur around		0.00						
Spotted Harrier		0.00							14	1.40	LC	LC	1	0	0.3	probable increase over last 10 years	1	0.10	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite		0.00							15	0.32	LC	LC	1	0	0.3	not common; increase with mouse plagues		0.00						
Letter-winged Kite	er rapt	0.00							3	3.41	VU C1	VU	4	-	0.4	20yrs ago alot more common; have not irrupted like other rap		0.00						
Whistling Kite	23	0.55	LC	LC	1	0	0.3		35	0.84	LC	LC	1	0	0.3		7	0.17	LC	LC	1	0	0.3	
Black-breasted Buzzard	2	1.29	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	11	7.10	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	4	2.58	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common
Little Eagle	5	0.41	NT	NT	2	-	0.4	probably declining	16	1.32	NT	NT	2	-	0.4	probably declining	3	0.25	NT	NT	2	-	0.4	probably declining
Square-tailed Kite		0.00								0.00								0.00						
Black Kite	38	1.08	LC	LC	1	0	0.3	have come back from a historic decline	56	1.59	LC	LC	1	0	0.3	have come back from a historic decline	10	0.28	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	14	0.24	LC	LC	1	0	0.3		54	0.93	LC	LC	1	0	0.3		31	0.53	LC	LC	1	0	0.3	
Nankeen Kestrel	16	0.16	LC	LC	1	0	0.3		54	0.54	LC	LC	1	0	0.3		14	0.14	LC	LC	1	0	0.3	
Grey Falcon	1	0.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not mo	5	4.00	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not more tha		0.00						
Australian Hobby	5	0.25	LC	LC	1	0	0.3		13	0.64	LC	LC	1	0	0.3		5	0.25	LC	LC	1	0	0.3	
Peregrine Falcon	1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges	2	0.16	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00						
Black Falcon	re kno	0.00							9	1.36	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	2	0.30	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	4	1.06	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	14	3.71	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	7	1.86	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00								0.00						
Plains-wanderer		0.00								0.00								0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail		0.00							10	1.32	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3	
Australian Pratincole	1	0.25	LC	LC	1	DD	0.0	migratory spp, could be stable	5	1.23	LC	LC	1	DD	0.0	migratory spp, could be stable		0.00						
Little Corella	16	0.28	LC	LC	1	0	0.3		52	0.90	LC	LC	1	0	0.3		17	0.29	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00							10	2.02	CR D - EN D	EN	5	0	0.3			0.00						
Galah	46	0.15	LC	LC	1	0	0.3		192	0.63	LC	LC	1	0	0.3		27	0.09	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00							1	0.14	EN D	EN	5	-	0.4		3	0.43	EN D	EN	5	-	0.4	
Cockatiel	7	0.33	LC	LC	1	0	0.3	could be possible decline	39	1.86	LC	LC	1	0	0.3	could be possible decline	21	1.00	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00							1	7.69	EN D - VU D1	VU	4	0	0.3	edge of range; NE Aust spp.		0.00						
Australian Ringneck	17	0.18	LC	LC	1	0	0.3		59	0.61	LC	LC	1	0	0.3		27	0.28	LC	LC	1	0	0.3	
Budgerigar	22	0.48	LC	LC	1	0	0.3	boom/bust spp	126	2.73	LC	LC	1	0	0.3	boom/bust spp	66	1.43	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot		0.00								0.00								0.00						
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot		0.00							1	0.60	EN D	EN	5	-	0.4		1	0.60	EN D	EN	5	-	0.4	
Bourke's Parrot	4	0.84	LC	LC	1	0	0.3		49	10.34	LC	LC	1	0	0.3		15	3.16	LC	LC	1	0	0.3	
Blue Bonnet		0.00								0.00								0.00						
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00							1	7.69	RE	RE	7			presumed extinct
Red-rumped Parrot		0.00								0.00								0.00						
Mulga Parrot	9	0.19	LC	LC	1	0	0.3		43	0.90	LC	LC	1	0	0.3		40	0.84	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	1	0.05	NT	NT	2	-	0.4		16	0.84	NT	NT	2	-	0.4		9	0.47	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	5	0.11	LC	LC	1	0	0.3		14	0.30	LC	LC	1	0	0.3		3	0.06	LC	LC	1	0	0.3	
Black-eared Cuckoo		0.00							5	0.74	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	5	0.74	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	2	0.08	LC	LC	1	0	0.3		6	0.25	LC	LC	1	0	0.3		5	0.21	LC	LC	1	0	0.3	
Australian Barn Owl	1	0.11	LC	LC	1	0	0.3		7	0.75	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Eastern Grass Owl		0.00								0.00								0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	11	0.80	LC	LC	1	0	0.3		33	2.39	LC	LC	1	0	0.3		11	0.80	LC	LC	1	0	0.3	
Sacred Kingfisher		0.00							2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor	2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor
Rainbow Bee-eater	46	1.21	LC	LC	1	0	0.3		34	0.89	LC	LC	1	0	0.3		30	0.79	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00								0.00								0.00						
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird		0.00								0.00								0.00						
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren	3	0.71	NT	NT	2	0	0.3			0.00								0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00								0.00						
Striated Grasswren		0.00								0.00								0.00						
Thick-billed Grasswren	2	1.60	RA c(i)	RA	3	0	0.3	Taxonomic change to Amytornis modestus ssp radulhar	1	0.80	EN D	EN	5	-	0.4	Taxonomic change to Amytornis modestus ssp radulhanna; c		0.00						
Variegated Fairy-wren	48	0.68	LC	LC	1	0	0.3		110	1.56	LC	LC	1	0	0.3		37	0.52	LC	LC	1	0	0.3	
White-winged Fairy-wren	47	0.78	LC	LC	1	0	0.3		127	2.10	LC	LC	1	0	0.3		27	0.45	LC	LC	1	0	0.3	
Splendid Fairy-wren		0.00	LC	LC	1	0	0.3		17	0.81	LC	LC	1	0	0.3		26	1.25	LC	LC	1	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill		0.00							2	0.04	LC	LC	1	0	0.3		7	0.15	LC	LC	1	0	0.3	
Yellow-rumped Thornbill	6	0.06	LC	LC	1	0	0.3		13	0.13	LC	LC	1	0	0.3		7	0.07	LC	LC	1	0	0.3	
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill	3	2.65	RA c(i)	RA	3	0	0.3		6	5.31	RA c(i)	RA	3	0	0.3		23	20.35	RA c(i)	RA	3	0	0.3	
Chestnut-rumped Thornbill	19	0.33	LC	LC	1	0	0.3		64	1.10	LC	LC	1	0	0.3		66	1.13	LC	LC	1	0	0.3	
Southern Whiteface	11	0.20	LC	LC	1	0	0.3		28	0.50	LC	LC	1	0	0.3		44	0.78	LC	LC	1	0	0.3	
Banded Whiteface	9	1.32	NT	NT	2	0	0.3		22	3.23	LC	LC	1	0	0.3			0.00						
Chestnut-breasted Whiteface		0.00								0.00								0.00						
Rufous Fieldwren	3	0.30	LC	LC	1	0	0.3		17	1.71	RA c(i)	RA	3	0	0.3			0.00						
Western Gerygone		0.00							1	1.14	RA c(i)	RA	3	0	0.3	prefers mulga		0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat		0.00							6	0.52	NT	NT	2	0	0.3	marginal habitat	6	0.52	NT	NT	2	0	0.3	marginal habitat
Weebill	31	0.24	LC	LC	1	0	0.3		43	0.33	LC	LC	1	0	0.3		10	0.08	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	5	1.42	NT	NT	2	0	0.3		10	2.83	NT	NT	2	0	0.3		3	0.85	NT	NT	2	0	0.3	
Striated Pardalote	6	0.04	LC	LC	1	0	0.3		16	0.09	LC	LC	1	0	0.3		5	0.03	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	31	0.20	LC	LC	1	0	0.3		81	0.53	LC	LC	1	0	0.3		56	0.36	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird	3	0.89	NT	NT	2	0	0.3		12	3.57	NT	NT	2	0	0.3			0.00						
Pied Honeyeater	5	0.58	LC	LC	1	0	0.3	numbers can fluctuate a lot	4	0.46	LC	LC	1	0	0.3	numbers can fluctuate a lot	8	0.93	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00								0.00						
White-fronted Chat		0.00								0.00								0.00						
Orange Chat	6	0.37	LC	LC	1	0	0.3		25	1.55	LC	LC	1	0	0.3			0.00						
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	12	0.64	LC	LC	1	0	0.3		19	1.01	LC	LC	1	0	0.3		14	0.74	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater		0.00							3	9.09	RA c(i)	RA	3	DD	0.0			0.00						
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	44	0.27	LC	LC	1	0	0.3		193	1.17	LC	LC	1	0	0.3		16	0.10	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00							13	0.96	RA c(i)	RA	3	DD	0.0		2	0.15	RA c(i)	RA	3	DD	0.0	
Singing Honeyeater	45	0.24	LC	LC	1	0	0.3		110	0.60	LC	LC	1	0	0.3		69	0.38	LC	LC	1	0	0.3	
Brown Honeyeater		0.00							1	1.56	RA c(i); d(i)	RA	3	DD	0.0			0.00						
Yellow-throated Miner	45	0.54	LC	LC	1	0	0.3		73	0.87	LC	LC	1	0	0.3		42	0.50	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	3	0.06	LC	LC	1	0	0.3		4	0.08	RA c(i)	RA	3	0	0.3		7	0.13	LC	LC	1	0	0.3	
Black Honeyeater		0.00								0.00								0.00						
Chestnut-crowned Babbler		0.00								0.00								0.00						
White-browed Babbler	10	0.09	LC	LC	1	0	0.3		29	0.26	LC	LC	1	0	0.3		49	0.44	LC	LC	1	0	0.3	
Grey-crowned Babbler	4	7.84	EN D	EN	5	DD	0.0		11	21.57	EN D	EN	5	DD	0.0		1	1.96	EN D	EN	5	DD	0.0	
Chestnut Quail-thrush		0.00								0.00							14	0.77	VU D1	VU	4	DD	0.0	
Cinnamon Quail-thrush	20	1.42	LC	LC	1	0	0.3		61	4.32	LC	LC	1	0	0.3			0.00						
Chirruping Wedgebill	10	0.75	LC	LC	1	0	0.3			0.00								0.00						
Chiming Wedgebill	15	2.80	LC	LC	1	0	0.3		11	2.05	LC	LC	1	0	0.3		60	11.19	LC	LC	1	0	0.3	
Varied Sittella		0.00							1	0.04	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland		0.00						
Ground Cuckoo-shrike	3	0.82	NT	NT	2	0	0.3		10	2.72	NT	NT	2	0	0.3		2	0.54	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	12	0.11	LC	LC	1	0	0.3		55	0.52	LC	LC	1	0	0.3		7	0.07	LC	LC	1	0	0.3	
White-winged Triller	8	0.36	LC	LC	1	0	0.3	migratory spp	15	0.67	LC	LC	1	0	0.3	migratory spp	8	0.36	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Grey Shrike-thrush	3	0.01	LC	LC	1	0	0.3		26	0.12	LC	LC	1	0	0.3		22	0.10	LC	LC	1	0	0.3	
Crested Bellbird	12	0.20	LC	LC	1	0	0.3		36	0.61	LC	LC	1	0	0.3		61	1.04	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	8	0.11	LC	LC	1	0	0.3		61	0.87	LC	LC	1	0	0.3		30	0.43	LC	LC	1	0	0.3	
Black-faced Woodswallow	68	1.60	LC	LC	1	0	0.3		98	2.30	LC	LC	1	0	0.3		53	1.24	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00								0.00								0.00						
White-breasted Woodswallow	17	2.73	LC	LC	1	+	0.2	around water; generally uncommon	43	6.90	LC	LC	1	+	0.2	around water; generally uncommon	1	0.16	LC	LC	1	+	0.2	around water; generally uncommon
Little Woodswallow		0.00								0.00								0.00						
Masked Woodswallow	4	0.16	LC	LC	1	0	0.3		12	0.47	LC	LC	1	0	0.3		6	0.23	LC	LC	1	0	0.3	
White-browed Woodswallow	2	0.09	NT	NT	2	-	0.4		2	0.09	NT	NT	2	-	0.4		4	0.18	NT	NT	2	-	0.4	
Pied Butcherbird	9	0.75	LC	LC	1	+	0.2		62	5.15	LC	LC	1	+	0.2		23	1.91	LC	LC	1	+	0.2	
Australian Magpie	30	0.08	LC	LC	1	0	0.3		62	0.17	LC	LC	1	0	0.3		22	0.06	LC	LC	1	0	0.3	
Grey Butcherbird		0.00							3	0.03	RA c(i)	RA	3	0	0.3		9	0.10	LC	LC	1	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail		0.00							8	0.07	RA c(ii)	RA	3	0	0.3	regular winter visitors		0.00						
Willie Wagtail	57	0.21	LC	LC	1	0	0.3		160	0.59	LC	LC	1	0	0.3		63	0.23	LC	LC	1	0	0.3	
Little Crow	33	1.04	LC	LC	1	0	0.3		53	1.68	LC	LC	1	0	0.3		13	0.41	LC	LC	1	0	0.3	
Australian Raven	39	0.40	LC	LC	1	0	0.3		91	0.94	LC	LC	1	0	0.3		14	0.14	LC	LC	1	0	0.3	
Little Raven		0.00								0.00								0.00						
Torresian Crow		0.00							5	2.40	LC	LC	1	0	0.3	some evidence of increase	12	5.77	LC	LC	1	0	0.3	some evidence of increase
Magpie-lark	21	0.11	LC	LC	1	0	0.3		92	0.47	LC	LC	1	0	0.3		10	0.05	LC	LC	1	0	0.3	
Restless Flycatcher	2	0.10	RA c(iii)	RA	3	0	0.3	irregular winter visitors	1	0.05	RA c(iii)	RA	3	0	0.3	irregular winter visitors		0.00						
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	2	0.05	NT	NT	2	0	0.3		11	0.30	NT	NT	2	0	0.3		6	0.16	NT	NT	2	0	0.3	
Jacky Winter		0.00							2	0.04	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	22	0.32	LC	LC	1	0	0.3		62	0.91	LC	LC	1	0	0.3		40	0.59	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00								0.00						
Australian Reed Warbler	1	0.04	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools	10	0.35	RA c(ii)	RA	3	0	0.3	associated with bore drains, ponds, pools		0.00						
Brown Songlark	9	0.28	LC	LC	1	0	0.3		18	0.57	LC	LC	1	0	0.3		2	0.06	LC	LC	1	0	0.3	
Rufous Songlark	5	0.28	LC	LC	1	0	0.3		19	1.07	LC	LC	1	0	0.3		2	0.11	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird	1	0.03	NT	NT	2	0	0.3		3	0.10	NT	NT	2	0	0.3			0.00						
Silvereye		0.00								0.00								0.00						
White-backed Swallow	11	0.70	LC	LC	1	0	0.3		27	1.72	LC	LC	1	0	0.3		4	0.25	LC	LC	1	0	0.3	
Welcome Swallow	2	0.01	LC	LC	1	0	0.3		46	0.24	LC	LC	1	0	0.3		8	0.04	LC	LC	1	0	0.3	
Fairy Martin	5	0.22	LC	LC	1	0	0.3		18	0.79	LC	LC	1	0	0.3			0.00						
Tree Martin	8	0.08	LC	LC	1	0	0.3		37	0.38	LC	LC	1	0	0.3		4	0.04	LC	LC	1	0	0.3	
Mistletoebird	6	0.10	LC	LC	1	0	0.3		20	0.35	LC	LC	1	0	0.3		5	0.09	LC	LC	1	0	0.3	
Painted Finch		0.00							1	1.92	RA c(ii,iii)	RA	3	0	0.3			0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	77	1.25	LC	LC	1	0	0.3		253	4.10	LC	LC	1	0	0.3		67	1.09	LC	LC	1	0	0.3	
Australian Pipit	18	0.25	LC	LC	1	0	0.3		35	0.50	LC	LC	1	0	0.3		7	0.10	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal	1	0.02	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00								0.00						
Grey Teal	6	0.05	LC	LC	1	0	0.3	irruptive	28	0.22	LC	LC	1	0	0.3	irruptive	1	0.01	LC	LC	1	0	0.3	irruptive
Australasian Shoveler	1	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00								0.00						
Pacific Black Duck	3	0.02	LC	LC	1	0	0.3		13	0.09	LC	LC	1	0	0.3			0.00						
Hardhead	1	0.03	LC	LC	1	0	0.3	irruptive	5	0.13	LC	LC	1	0	0.3	irruptive		0.00						
Musk Duck		0.00								0.00								0.00						
Australian Wood Duck	1	0.01	LC	LC	1	0	0.3	possible increase	16	0.23	LC	LC	1	0	0.3	possible increase		0.00						
Black Swan	1	0.01	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers	2	0.02	RA c(ii)	RA	3	0	0.3	regular visitors; in small numbers		0.00						
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck	3	0.18	LC	LC	1	0	0.3		10	0.60	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Blue-billed Duck		0.00								0.00								0.00						
Freckled Duck	water	0.00								0.00								0.00						
Australian Shelduck		0.00							2	0.03	RA c(iii)	RA	3	0	0.3	irregular visitor throughout - southern spp		0.00						
Great Crested Grebe		0.00							1	0.03	RA c(iii)	RA	3	0	0.3			0.00						
Hoary-headed Grebe	3	0.05	LC	LC	1	0	0.3		8	0.14	LC	LC	1	0	0.3			0.00						
Australasian Grebe	3	0.07	LC	LC	1	0	0.3	likes fresh water	16	0.36	LC	LC	1	0	0.3	likes fresh water	1	0.02	LC	LC	1	0	0.3	likes fresh water
Australasian Darter	3	0.19	RA c(iii)	RA	3	0	0.3		8	0.49	RA c(iii)	RA	3	0	0.3			0.00						
Little Pied Cormorant	3	0.03	RA c(ii)	RA	3	0	0.3		14	0.12	RA c(ii)	RA	3	0	0.3			0.00						
Great Cormorant		0.00							7	0.10	RA c(ii)	RA	3	0	0.3		1	0.01	RA c(ii)	RA	3	0	0.3	
Little Black Cormorant	2	0.03	RA c(ii)	RA	3	0	0.3		12	0.19	RA c(ii)	RA	3	0	0.3		2	0.03	RA c(ii)	RA	3	0	0.3	
Pied Cormorant		0.00							4	0.07	RA c(ii)	RA	3	0	0.3			0.00						
Australian Pelican	1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	8	0.06	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events	1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events
Great Egret	2	0.03	RA c(iii)	RA	3	0	0.3		7	0.11	RA c(iii)	RA	3	0	0.3			0.00						
Intermediate Egret		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
White-necked Heron	3	0.32	RA c(iii)	RA	3	0	0.3		18	1.93	RA c(iii)	RA	3	0	0.3		2	0.21	RA c(iii)	RA	3	0	0.3	
Little Egret		0.00								0.00								0.00						
White-faced Heron	6	0.04	LC	LC	1	0	0.3		23	0.17	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Nankeen Night-Heron		0.00							8	1.09	RA c(ii)	RA	3	0	0.3			0.00						
Yellow-billed Spoonbill		0.00							9	0.38	RA c(ii)	RA	3	0	0.3			0.00						
Royal Spoonbill		0.00							2	0.07	RA c(iii)	RA	3	0	0.3			0.00						
Glossy Ibis		0.00								0.00								0.00						
Australian White Ibis		0.00								0.00								0.00						
Straw-necked Ibis		0.00							2	0.06	RA c(ii)	RA	3	0	0.3			0.00						
Brolga		0.00							4	0.91	EN D -> VU D1	VU	4	0	0.3	threatened by closing bores; resident breeders in region		0.00						
Eurasian Coot	2	0.03	NT	NT	2	0	0.3	regular visitors in larger numbers	23	0.31	NT	NT	2	0	0.3	regular visitors in larger numbers		0.00						
Dusky Moorhen		0.00							13	0.34	RA c(iii)	RA	3	0	0.3			0.00						
Buff-banded Rail		0.00							1	0.30	RA c(iii)	RA	3	0	0.3			0.00						
Purple Swamphen	1	0.02	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains	2	0.04	RA c(i,ii)	RA	3	0	0.3	regular around reeded bore drains		0.00						
Australian Spotted Crake		0.00							1	0.12	RA c(iii)	RA	3	0	0.3			0.00						
Baillon's Crake		0.00								0.00								0.00						
Spotless Crake	1	0.31	RA c(iii)	RA	3	0	0.3			0.00								0.00						
Black-tailed Native-hen	3	0.08	LC	LC	1	0	0.3	irruptive	12	0.30	LC	LC	1	0	0.3	irruptive		0.00						
Banded Stilt		0.00							1	0.05	RA c(iii)	RA	3	0	0.3			0.00						
Black-winged Stilt	1	0.01	RA c(iii)	RA	3	0	0.3	occur in mound springs	6	0.09	RA c(i)	RA	3	0	0.3	occur in mound springs		0.00						
Red-necked Avocet	2	0.07	RA c(ii)	RA	3	0	0.3		5	0.18	RA c(ii)	RA	3	0	0.3			0.00						
Inland Dotterel	4	0.99	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler	13	3.22	LC	LC	1	0	0.3	common & widespread - J Read, R Pedler		0.00						
Red-capped Plover	1	0.02	RA c(ii)	RA	3	0	0.3		1	0.02	RA c(ii)	RA	3	0	0.3			0.00						
Oriental Plover		0.00								0.00								0.00						
Black-fronted Dotterel	7	0.20	LC	LC	1	0	0.3		24	0.68	LC	LC	1	0	0.3			0.00						
Red-kneed Dotterel	2	0.09	NT	NT	2	0	0.3		1	0.05	NT	NT	2	0	0.3			0.00						
Masked Lapwing	3	0.02	LC	LC	1	0	0.3	likely to be resident in many areas	3	0.02	LC	LC	1	0	0.3	likely to be resident in many areas		0.00						
Banded Lapwing	2	0.14	NT	NT	2	DD	0.0		2	0.14	NT	NT	2	DD	0.0		3	0.21	NT	NT	2	DD	0.0	
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper		0.00							2	0.04	RA c(ii)	RA	3	0	0.3			0.00						
Curlew Sandpiper		0.00								0.00								0.00						
Red-necked Stint		0.00								0.00								0.00						
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper		0.00								0.00								0.00						
Common Greenshank	1	0.02	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3			0.00						
Marsh Sandpiper		0.00								0.00								0.00						
Whiskered Tern	1	0.02	RA c(iii)	RA	3	0	0.3		1	0.02	RA c(iii)	RA	3	0	0.3			0.00						
Silver Gull		0.00							1	0.01	LC	LC	1	+	0.2	probable increase		0.00						
Gull-billed Tern		0.00							1	0.19	RA c(ii)	RA	3	0	0.3			0.00						
Caspian Tern		0.00							1	0.01	RA c(iii)	RA	3	0	0.3			0.00						
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon	17	9.55	LC	LC	1	0	0.3		37	20.79	LC	LC	1	0	0.3			0.00						
Black-collared Dragon		0.00								0.00								0.00						
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00							1	0.75	LC	LC	1	0	0.3	no changes have occurred in the Stony Plains country		0.00						
Military Dragon	1	0.13	LC	LC	1	0	0.3			0.00							50	6.46	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00								0.00								0.00						
Central Netted Dragon	16	1.66	LC	LC	1	0	0.3		57	5.92	LC	LC	1	0	0.3		12	1.25	LC	LC	1	0	0.3	
Painted Dragon	41	1.84	LC	LC	1	0	0.3		36	1.61	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3	
Western Netted Dragon		0.00							13	16.67	LC	LC	1	0	0.3	habitat specific		0.00						
Rusty Dragon		0.00								0.00								0.00						
Ochre Dragon		0.00							3	3.57	LC	LC	1	0	0.3			0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon	5	2.20	LC	LC	1	0	0.3			0.00								0.00						
Thorny Devil		0.00								0.00								0.00						
Dwarf Bearded Dragon		0.00								0.00								0.00						
Central Bearded Dragon	5	0.44	LC	LC	1	0	0.3		39	3.41	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3	
Centralian Earless Dragon		0.00								0.00								0.00						
Smooth-snouted Earless Dragon	6	1.11	LC	LC	1	0	0.3		12	2.22	LC	LC	1	0	0.3			0.00						
Five-lined Earless Dragon	2	0.49	LC	LC	1	0	0.3			0.00								0.00						
Eyrean Earless Dragon	4	0.37	LC	LC	1	0	0.3		69	6.32	LC	LC	1	0	0.3			0.00						
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella		0.00								0.00								0.00						
Purple Dtella	13	2.84	LC	LC	1	0	0.3		5	1.09	LC	LC	1	0	0.3		17	3.71	LC	LC	1	0	0.3	
Tree Dtella	32	1.34	LC	LC	1	0	0.3		84	3.51	LC	LC	1	0	0.3			0.00						
Bynoe's Gecko	19	0.65	LC	LC	1	0	0.3		68	2.31	LC	LC	1	0	0.3		13	0.44	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00								0.00								0.00						
Smooth Knob-tailed Gecko	12	1.21	LC	LC	1	0	0.3		6	0.61	LC	LC	1	0	0.3		27	2.73	LC	LC	1	0	0.3	
Barking Gecko	3	0.25	LC	LC	1	0	0.3		13	1.10	LC	LC	1	0	0.3			0.00						
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko		0.00							8	1.93	LC	LC	1	0	0.3		8	1.93	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00							12	15.19	LC	LC	1	0	0.3			0.00						
Tessellated Gecko	5	0.82	LC	LC	1	0	0.3		19	3.12	LC	LC	1	0	0.3			0.00						
Pink-blotched Gecko		0.00							31	4.73	LC	LC	1	0	0.3			0.00						
Beaded Gecko	17	1.04	LC	LC	1	0	0.3		5	0.30	LC	LC	1	0	0.3			0.00						
Sandplain Gecko	19	3.26	LC	LC	1	0	0.3		13	2.23	LC	LC	1	0	0.3		11	1.89	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	19	1.30	LC	LC	1	0	0.3		20	1.37	LC	LC	1	0	0.3		19	1.30	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko		0.00								0.00							4	2.01	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko		0.00								0.00								0.00						
Southern Spiny-tailed Gecko		0.00							2	0.69	RA d(i,ii)	RA	3	0	0.3	isolated outlier pop.		0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard	1	0.19	LC	LC	1	0	0.3		21	3.90	LC	LC	1	0	0.3			0.00						
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard		0.00								0.00								0.00						
Desert Snake-lizard		0.00								0.00								0.00						
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00								0.00						
Black-necked Snake-lizard		0.00							13	20.00	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines		0.00						
Burton's Legless Lizard		0.00							2	0.67	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3	
Bronzeback Legless Lizard	threat	0.00							23	41.07	RA d(i,ii)	RA	3	0	0.3	riparian habitat, leaf litter		0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot		0.00							1	1.67	LC	LC	1	0	0.3			0.00						
Hooded Scaly-foot		0.00								0.00								0.00						
Desert Rainbow Skink		0.00								0.00								0.00						
Desert Wall Skink		0.00							2	0.51	LC	LC	1	0	0.3	under surveyed		0.00						
Eyrean Wall Skink	2	2.60	LC	LC	1	0	0.3	under surveyed	21	27.27	LC	LC	1	0	0.3	under surveyed		0.00						
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00								0.00						
Blue-tailed Skink		0.00								0.00								0.00						
Narrow-lined Ctenotus		0.00								0.00								0.00						
Giant Desert Ctenotus		0.00								0.00								0.00						
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail	4	1.66	LC	LC	1	0	0.3		2	0.83	LC	LC	1	0	0.3		7	2.90	LC	LC	1	0	0.3	
Common Desert Ctenotus	4	0.89	LC	LC	1	0	0.3		24	5.36	LC	LC	1	0	0.3		3	0.67	LC	LC	1	0	0.3	
Saltbush Ctenotus	1	0.16	LC	LC	1	0	0.3		17	2.75	LC	LC	1	0	0.3			0.00						
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink		0.00								0.00								0.00						
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus		0.00								0.00								0.00						
Eastern Desert Ctenotus	41	2.22	LC	LC	1	0	0.3		23	1.24	LC	LC	1	0	0.3		25	1.35	LC	LC	1	0	0.3	
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	7	0.36	LC	LC	1	0	0.3			0.00							9	0.47	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00							79	76.70	LC	LC	1	0	0.3		3	2.91	LC	LC	1	0	0.3	
Short-legged Ctenotus	2	0.38	LC	LC	1	0	0.3		60	11.32	LC	LC	1	0	0.3		2	0.38	LC	LC	1	0	0.3	
Eyrean Ctenotus	60	4.84	LC	LC	1	0	0.3		21	1.69	LC	LC	1	0	0.3		44	3.55	LC	LC	1	0	0.3	
Spinifex Slender Bluetongue		0.00								0.00								0.00						
Saltbush Slender Bluetongue		0.00							4	9.52	LC	LC	1	0	0.3			0.00						
Gidgee Skink		0.00							19	8.19	LC	LC	1	0	0.3			0.00						
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer	16	1.70	LC	LC	1	0	0.3		12	1.27	LC	LC	1	0	0.3			0.00						
Broad-banded Sandswimmer	2	0.30	LC	LC	1	0	0.3		14	2.08	LC	LC	1	0	0.3			0.00						
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Yellow-tailed Slider		0.00								0.00								0.00						
Western Two-toed Slider		0.00								0.00								0.00						
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider	1	0.26	LC	LC	1	0	0.3		2	0.53	LC	LC	1	0	0.3		18	4.74	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	28	2.16	LC	LC	1	0	0.3		45	3.48	LC	LC	1	0	0.3		64	4.95	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider	3	0.43	LC	LC	1	0	0.3		34	4.86	LC	LC	1	0	0.3			0.00						
Desert Skink	2	0.25	LC	LC	1	0	0.3			0.00							19	2.33	LC	LC	1	0	0.3	
Tjakura		0.00								0.00								0.00						
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00								0.00						
Dwarf Skink	42	1.42	LC	LC	1	0	0.3		88	2.96	LC	LC	1	0	0.3		12	0.41	LC	LC	1	0	0.3	
Adelaide Snake-eye	5	0.49	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3			0.00						
Common Snake-eye	4	0.18	LC	LC	1	0	0.3		19	0.85	LC	LC	1	0	0.3		2	0.09	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00							4	20.00	LC	LC	1	0	0.3	NT spp; edge of range		0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00								0.00								0.00						
Western Bluetongue		0.00								0.00								0.00						
Sleepy Lizard		0.00								0.00								0.00						
Eastern Bluetongue		0.00								0.00								0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna		0.00								0.00								0.00						
Perentie	3	4.35	LC	LC	1	0	0.3		10	14.49	LC	LC	1	0	0.3			0.00						
Pygmy Mulga Goanna	1	0.99	LC	LC	1	0	0.3		15	14.85	LC	LC	1	0	0.3	likes Mulga, tree hollows	5	4.95	LC	LC	1	0	0.3	likes Mulga, tree hollows
Sand Goanna	9	0.95	LC	LC	1	0	0.3		7	0.74	LC	LC	1	0	0.3		5	0.53	LC	LC	1	0	0.3	
Black-headed Goanna		0.00								0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00								0.00								0.00						
Centralian Blind Snake	3	1.67	LC	LC	1	0	0.3			0.00							6	3.33	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake		0.00							1	5.56	LC	LC	1	0	0.3	should be R centralis	2	11.11	LC	LC	1	0	0.3	should be R centralis
Stimson's Python	2	3.23	LC	LC	1	0	0.3		2	3.23	LC	LC	1	0	0.3			0.00						
Woma	1	1.33	RA d(ii)	RA	3	DD	0.0		3	4.00	RA d(ii)	RA	3	DD	0.0			0.00						
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00								0.00								0.00						
Half-girdled Snake		0.00								0.00								0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake		0.00							7	5.47	LC	LC	1	0	0.3			0.00						
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan		0.00								0.00								0.00						
Hooded Snake		0.00								0.00								0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake	nge	0.00								0.00								0.00						
Mulga Snake	1	0.34	LC	LC	1	0	0.3		5	1.68	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Patch-nosed Brown Snake	2	4.00	LC	LC	1	0	0.3	under surveyed		0.00								0.00						
Gwardar		0.00							2	9.09	LC	LC	1	0	0.3	under surveyed		0.00						
Five-ringed Snake	2	0.97	LC	LC	1	0	0.3		1	0.49	LC	LC	1	0	0.3		4	1.94	LC	LC	1	0	0.3	
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake		0.00								0.00								0.00						
Desert Banded Snake		0.00								0.00							5	2.26	LC	LC	1	0	0.3	
Curl Snake	1	0.17	LC	LC	1	0	0.3		4	0.68	LC	LC	1	0	0.3			0.00						
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog		0.00							39	36.45	LC	LC	1	0	0.3	lives in rocky plates		0.00						
Water-holding Frog		0.00							51	35.17	LC	LC	1	0	0.3			0.00						
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Desert Tree Frog		0.00							22	9.57	LC	LC	1	0	0.3			0.00						
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog		0.00							47	0.93	LC	LC	1	0	0.3			0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	16	1.58	LC	LC	1	0	0.3		46	4.54	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3	
Shoemaker Frog		0.00								0.00								0.00						
Spencer's Burrowing Frog		0.00							2	2.20	LC	LC	1	0	0.3		3	3.30	LC	LC	1	0	0.3	
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00							36	100.00	VU D2	VU	4	DD	0.0	Dalhousie Springs area; threats: limited EoO, extreme isolatio		0.00						
Lake Eyre Hardyhead	1	0.69	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp; tolerates a wide range of salinity & tempera		0.00								0.00						
Glover's Hardyhead		0.00							8	100.00	VU D2	VU	4	DD	0.0	Dalhousie Springs area; threats: limited EoO, extreme isolatio		0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00							4	5.97	RA d(ii)	RA	3	DD	0.0	arid-adapted spp,		0.00						
Bony Bream		0.00							2	0.19	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp		0.00						
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00							23	100.00	VU D2	VU	4	DD	0.0	Dalhousie Springs area; threats: limited EoO, extreme isolatio		0.00						
Desert Goby	mpera	0.00								0.00								0.00						
Dalhousie Goby		0.00							45	100.00	VU D2	VU	4	DD	0.0	Dalhousie Springs area; threats: limited EoO, extreme isolatio		0.00						
Lake Eyre Golden Perch																								
Barred Grunter		0.00								0.00								0.00						
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch	1	0.85	RA d(i,ii)	RA	3	DD	0.0	arid-adapted spp, aggressive towards other spp.	19	16.24	NT	NT	2	DD	0.0	arid-adapted spp, aggressive towards other spp.		0.00						
Barcoo Grunter	over h	0.00								0.00								0.00						
Australian Smelt		0.00								0.00								0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00							32	96.97	VU D2	VU	4	DD	0.0	Dalhousie Springs area; threats: limited EoO, extreme isolatio		0.00						
Hyrtl's Tandan		0.00								0.00								0.00						
Silver Tandan	1	3.13	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-,-, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-,-, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-,-, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Short-beaked Echidna	1	0.07	LC	LC	1	0	0.3		3	0.21	LC	LC	1	0	0.3		6	0.42	LC	LC	1	0	0.3	
Numbat		0.00							3	100.00	RE	RE	7					0.00						
Mulgara		0.00								0.00							1	7.69	RE	RE	7			checked with C Kemper & G Medlin
Kowari		0.00								0.00								0.00						
Ampurta		0.00								0.00								0.00						
Western Quoll		0.00								0.00								0.00						
Fat-tailed Pseudantechinus	1	1.28	LC	LC	1	0	0.3	widepread on outcrops, additional records (contact Hal	2	2.56	LC	LC	1	0	0.3		30	38.46	LC	LC	1	0	0.3	
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui	2	0.61	LC	LC	1	0	0.3		2	0.61	LC	LC	1	0	0.3		45	13.68	LC	LC	1	0	0.3	
Giles' Planigale (Paucident Planig		0.00							2	0.48	LC	LC	1	0	0.3			0.00						
Long-tailed Planigale		0.00								0.00								0.00						
Narrow-nosed Planigale		0.00							3	1.63	LC	LC	1	0	0.3			0.00						
Kultarr	1	0.28	RA d(i,ii)	RA	3	DD	0.0			0.00							1	0.28	RE	RE	7			
Fat-tailed Dunnart		0.00							4	0.14	LC	LC	1	0	0.3			0.00						
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart		0.00								0.00							22	51.16	LC	LC	1	0	0.3	
Stripe-faced Dunnart		0.00								0.00								0.00						
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart	14	3.93	LC	LC	1	0	0.3		43	12.08	LC	LC	1	0	0.3		40	11.24	LC	LC	1	0	0.3	
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00							1	12.50	RE	RE	7			
Golden Bandicoot		0.00								0.00							1	4.76	RE	RE	7			
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)		0.00								0.00							1	3.33	RE	RE	7			
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)	1	1.41	DD	DD	0	DD	0.0	trench surveys done, moles are here, data to be publish	2	2.82	DD	DD	0	DD	0	most likely LC; data to be published by Joe Benshemes	40	56.34	DD	DD	0	DD	0.0	most likely LC; data to be published by Joe Benshemes
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum		0.00								0.00							3	0.18	RE	RE	7			presumed extinct
Burrowing Bettong (Boodie)		0.00								0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo		0.00							1	0.01	LC	LC	1	0	0.3	fluctuating populations; overall stable		0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro	5	0.04	LC	LC	1	0	0.3		6	0.05	LC	LC	1	0	0.3		11	0.10	LC	LC	1	0	0.3	
Red Kangaroo	11	0.04	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	316	1.11	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting	24	0.08	LC	LC	1	0	0.3	abundance related to water availability, dogs, hunting
Black-footed Rock-wallaby	12	2.47	RE	RE	7			edge of range; presumed extinct in this region		0.00							5	1.03	RE	RE	7			edge of range; presumed extinct in this region
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00								0.00								0.00						
Crescent Nailtail Wallaby		0.00								0.00								0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00								0.00						
Hill's Sheathtail-bat		0.00								0.00								0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat		0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records spp con		0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records spp con		0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records sp
Southern Freetail-bat																								
White-striped Freetail-bat		0.00							3	0.38	LC	LC	1	0	0.3			0.00						
Lesser Long-eared Bat		0.00							26	1.33	LC	LC	1	0	0.3		19	0.97	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	8	0.27	LC	LC	1	0	0.3		13	0.45	LC	LC	1	0	0.3			0.00						
Chocolate Wattled Bat	6	1.09	LC	LC	1	0	0.3			0.00								0.00						
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat	12	5.24	LC	LC	1	0	0.3		4	1.75	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3	
Little Broad-nosed Bat		0.00							11	9.65	LC	LC	1	0	0.3			0.00						
Inland Forest Bat	11	2.35	LC	LC	1	0	0.3			0.00								0.00						
Finlayson's Cave Bat	1	0.97	LC	LC	1	0	0.3			0.00								0.00						
Dingo	30	2.50	RA b	RA	3	-	0.4	hybridisation a major threat; continued baiting = decline	34	2.84	RA b	RA	3	-	0.4	hybridisation a major threat; decline in pure dingoes in A	33	2.75	RA b	RA	3	-	0.4	hybridisation a major threat; decline in pure dingoes in A
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse		0.00								0.00							1	0.05	LC	LC	1	0	0.3	
Lesser Stick-nest Rat		0.00							1	2.56	RE	RE	7			presumed extinct	5	12.82	RE	RE	7			presumed extinct
Greater Stick-nest Rat		0.00								0.00							1	0.47	RE	RE	7			
Spinifex Hopping-mouse	10	1.40	LC	LC	1	0	0.3		44	6.18	LC	LC	1	0	0.3		100	14.04	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse		0.00								0.00								0.00						
Long-tailed Hopping-mouse		0.00								0.00							1	1.16	RE	RE	7			
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Bolam's Mouse		0.00							1	0.13	LC	LC	1	0	0.3	fluctuates		0.00						
Desert Mouse (Brown Desert Mo		0.00							1	0.19	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	24	4.61	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA
Gould's Mouse		0.00								0.00							1	0.51	RE	RE	7			
Sandy Inland Mouse	43	1.56	LC	LC	1	0	0.3		61	2.22	LC	LC	1	0	0.3		158	5.75	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	0's &	0.00								0.00							1	0.14	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 197
Emu	2	0.02	LC	LC	1	0	0.3	uncommon outside dog fence	29	0.35	LC	LC	1	0	0.3	uncommon outside dog fence	15	0.18	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl		0.00								0.00							75	1.05	VU D1	VU	4	0	0.3	Mulga country; needs more monitoring
Stubble Quail		0.00								0.00							1	0.06	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as litt
Brown Quail		0.00								0.00								0.00						
Diamond Dove	6	0.58	LC	LC	1	0	0.3	not common; some increasese noted	10	0.97	LC	LC	1	0	0.3	not common; some increasese noted	3	0.29	LC	LC	1	0	0.3	not common; some increasese noted
Peaceful Dove		0.00							3	0.07	LC	LC	1	0	0.3	core areas along creeks		0.00						
Spinifex Pigeon		0.00								0.00								0.00						
Crested Pigeon	82	0.37	LC	LC	1	0	0.3		56	0.25	LC	LC	1	0	0.3		47	0.21	LC	LC	1	0	0.3	
Common Bronzewing	3	0.04	LC	LC	1	0	0.3		10	0.12	LC	LC	1	0	0.3		9	0.11	LC	LC	1	0	0.3	
Flock Bronzewing	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly due to R		0.00								0.00						
Tawny Frogmouth	3	0.24	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		7	0.57	LC	LC	1	0	0.3	
Spotted Nightjar	2	0.37	LC	LC	1	0	0.3		13	2.43	LC	LC	1	0	0.3		15	2.80	LC	LC	1	0	0.3	
Australian Owlet-nightjar	7	0.42	LC	LC	1	0	0.3		12	0.73	LC	LC	1	0	0.3		9	0.54	LC	LC	1	0	0.3	
Fork-tailed Swift		0.00								0.00								0.00						
Collared Sparrowhawk	5	0.28	LC	LC	1	0	0.3		2	0.11	LC	LC	1	0	0.3		5	0.28	LC	LC	1	0	0.3	
Brown Goshawk	3	0.12	LC	LC	1	0	0.3		7	0.28	LC	LC	1	0	0.3		5	0.20	LC	LC	1	0	0.3	
Wedge-tailed Eagle	26	0.36	LC	LC	1	0	0.3		54	0.74	LC	LC	1	0	0.3		24	0.33	LC	LC	1	0	0.3	
Swamp Harrier	1	0.04	RA c(i,iii)	RA	3	-	0.4	no common; assoc with wetlands & bore drains; occur around		0.00								0.00						
Spotted Harrier	2	0.20	LC	LC	1	0	0.3	probable increase over last 10 years	2	0.20	LC	LC	1	0	0.3	probable increase over last 10 years	3	0.30	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	3	0.06	LC	LC	1	0	0.3	not common; increase with mouse plagues		0.00								0.00						
Letter-winged Kite		0.00								0.00								0.00						
Whistling Kite	16	0.38	LC	LC	1	0	0.3		11	0.26	LC	LC	1	0	0.3		8	0.19	LC	LC	1	0	0.3	
Black-breasted Buzzard		0.00							5	3.23	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common		0.00						
Little Eagle	10	0.82	NT	NT	2	-	0.4	probably declining	6	0.49	NT	NT	2	-	0.4	probably declining		0.00						
Square-tailed Kite		0.00								0.00								0.00						
Black Kite	18	0.51	LC	LC	1	0	0.3	have come back from a historic decline	17	0.48	LC	LC	1	0	0.3	have come back from a historic decline	2	0.06	LC	LC	1	0	0.3	have come back from a historic decline
Brown Falcon	29	0.50	LC	LC	1	0	0.3		53	0.91	LC	LC	1	0	0.3		43	0.74	LC	LC	1	0	0.3	
Nankeen Kestrel	25	0.25	LC	LC	1	0	0.3		23	0.23	LC	LC	1	0	0.3		29	0.29	LC	LC	1	0	0.3	
Grey Falcon	1	0.80	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not more tha		0.00								0.00						
Australian Hobby	5	0.25	LC	LC	1	0	0.3		1	0.05	LC	LC	1	0	0.3		8	0.39	LC	LC	1	0	0.3	
Peregrine Falcon	2	0.16	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00							4	0.32	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	2	0.30	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	1	0.15	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we	1	0.15	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they we
Australian Bustard	3	0.80	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	13	3.45	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	14	3.71	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00								0.00						
Plains-wanderer		0.00								0.00								0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	7	0.92	LC	LC	1	0	0.3		13	1.72	LC	LC	1	0	0.3		15	1.98	LC	LC	1	0	0.3	
Australian Pratincole		0.00								0.00								0.00						
Little Corella	30	0.52	LC	LC	1	0	0.3		15	0.26	LC	LC	1	0	0.3		7	0.12	LC	LC	1	0	0.3	
Red-tailed Black-Cockatoo		0.00	CR D - EN D	EN	5	0	0.3	no records but known from here (G Carpenter)		0.00								0.00						
Galah	84	0.28	LC	LC	1	0	0.3		72	0.24	LC	LC	1	0	0.3		41	0.14	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo		0.00							16	2.32	VU C1; D1	VU	4	-	0.4		8	1.16	EN D1	EN	5	-	0.4	
Cockatiel	23	1.09	LC	LC	1	0	0.3	could be possible decline	19	0.90	LC	LC	1	0	0.3	could be possible decline	17	0.81	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00								0.00						
Australian Ringneck	59	0.61	LC	LC	1	0	0.3		24	0.25	LC	LC	1	0	0.3		52	0.54	LC	LC	1	0	0.3	
Budgerigar	55	1.19	LC	LC	1	0	0.3	boom/bust spp	69	1.49	LC	LC	1	0	0.3	boom/bust spp	53	1.15	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot		0.00								0.00								0.00						
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot	1	0.60	RA c(i)	RA	3	0	0.3		4	2.41	RA c(i)	RA	3	0	0.3		2	1.20	RA c(i)	RA	3	0	0.3	
Bourke's Parrot	14	2.95	LC	LC	1	0	0.3		45	9.49	LC	LC	1	0	0.3		22	4.64	LC	LC	1	0	0.3	
Blue Bonnet		0.00							13	0.54	LC	LC	1	0	0.3			0.00						
Night Parrot		0.00								0.00								0.00						
Princess Parrot		0.00								0.00								0.00	CR D - EN D	EN	5	DD	0.0	no records
Red-rumped Parrot		0.00								0.00								0.00						
Mulga Parrot	53	1.11	LC	LC	1	0	0.3		101	2.12	LC	LC	1	0	0.3		88	1.85	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	26	1.36	NT	NT	2	-	0.4		9	0.47	NT	NT	2	-	0.4		20	1.05	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	19	0.41	LC	LC	1	0	0.3		21	0.45	LC	LC	1	0	0.3		24	0.51	LC	LC	1	0	0.3	
Black-eared Cuckoo	1	0.15	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	10	1.49	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	4	0.60	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	5	0.21	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3		6	0.25	LC	LC	1	0	0.3	
Australian Barn Owl	3	0.32	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3		9	0.97	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Eastern Grass Owl		0.00								0.00								0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	14	1.01	LC	LC	1	0	0.3		10	0.72	LC	LC	1	0	0.3		9	0.65	LC	LC	1	0	0.3	
Sacred Kingfisher		0.00								0.00								0.00						
Rainbow Bee-eater	9	0.24	LC	LC	1	0	0.3		17	0.45	LC	LC	1	0	0.3		18	0.47	LC	LC	1	0	0.3	
White-browed Treecreeper	5	1.20	VU D1	VU	4	-	0.4	needs black oak & mulga	5	1.20	VU D1	VU	4	-	0.4	needs black oak & mulga	1	0.24	VU D1	VU	4	-	0.4	needs black oak & mulga
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird	13	13.27	RA c(i)	RA	3	0	0.3			0.00							10	10.20	RA c(i)	RA	3	0	0.3	
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren		0.00								0.00								0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren		0.00								0.00							10	14.49	RA c(i)	RA	3	0	0.3	
Striated Grasswren		0.00								0.00							22	3.06	RA c(i)	RA	3	-	0.4	not often seen; not known why declining
Thick-billed Grasswren		0.00								0.00								0.00						
Variegated Fairy-wren	16	0.23	LC	LC	1	0	0.3		31	0.44	LC	LC	1	0	0.3		35	0.49	LC	LC	1	0	0.3	
White-winged Fairy-wren	24	0.40	LC	LC	1	0	0.3		20	0.33	LC	LC	1	0	0.3		3	0.05	LC	LC	1	0	0.3	
Splendid Fairy-wren	11	0.53	LC	LC	1	0	0.3		64	3.07	LC	LC	1	0	0.3		57	2.73	LC	LC	1	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill	3	0.07	LC	LC	1	0	0.3		13	0.28	LC	LC	1	0	0.3		47	1.03	LC	LC	1	0	0.3	
Yellow-rumped Thornbill	33	0.33	LC	LC	1	0	0.3		14	0.14	LC	LC	1	0	0.3		13	0.13	LC	LC	1	0	0.3	
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill	1	0.88	RA c(i)	RA	3	0	0.3		22	19.47	NT	NT	2	0	0.3		9	7.96	RA c(i)	RA	3	0	0.3	
Chestnut-rumped Thornbill	35	0.60	LC	LC	1	0	0.3		123	2.11	LC	LC	1	0	0.3		113	1.94	LC	LC	1	0	0.3	
Southern Whiteface	63	1.12	LC	LC	1	0	0.3		81	1.44	LC	LC	1	0	0.3		76	1.35	LC	LC	1	0	0.3	
Banded Whiteface	3	0.44	NT	NT	2	0	0.3			0.00							8	1.17	NT	NT	2	0	0.3	
Chestnut-breasted Whiteface		0.00								0.00								0.00						
Rufous Fieldwren		0.00							2	0.20	LC	LC	1	0	0.3	less suitable habitat		0.00						
Western Gerygone	8	9.09	RA c(i)	RA	3	0	0.3	prefers mulga		0.00							8	9.09	RA c(i)	RA	3	0	0.3	prefers mulga
Shy Heathwren		0.00								0.00								0.00						
Redthroat	1	0.09	NT	NT	2	0	0.3	marginal habitat	16	1.39	NT	NT	2	0	0.3	marginal habitat	11	0.95	NT	NT	2	0	0.3	marginal habitat
Weebill	2	0.02	LC	LC	1	0	0.3		4	0.03	LC	LC	1	0	0.3		74	0.56	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	8	2.27	NT	NT	2	0	0.3		2	0.57	NT	NT	2	0	0.3		10	2.83	NT	NT	2	0	0.3	
Striated Pardalote	4	0.02	LC	LC	1	0	0.3			0.00							6	0.04	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	58	0.38	LC	LC	1	0	0.3		113	0.73	LC	LC	1	0	0.3		158	1.03	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird		0.00								0.00								0.00						
Pied Honeyeater	4	0.46	LC	LC	1	0	0.3	numbers can fluctuate a lot	23	2.67	LC	LC	1	0	0.3	numbers can fluctuate a lot	24	2.78	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater		0.00								0.00							2	40.00	EN D	EN	5	DD	0.0	
White-fronted Chat		0.00								0.00								0.00						
Orange Chat	6	0.37	LC	LC	1	0	0.3		11	0.68	LC	LC	1	0	0.3			0.00						
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	35	1.85	LC	LC	1	0	0.3		49	2.59	LC	LC	1	0	0.3		26	1.38	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater	1	3.03	LC	LC	1	0	0.3			0.00							9	27.27	LC	LC	1	0	0.3	
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	38	0.23	LC	LC	1	0	0.3		15	0.09	LC	LC	1	0	0.3		10	0.06	LC	LC	1	0	0.3	
Grey-fronted Honeyeater		0.00							9	0.66	RA c(i)	RA	3	DD	0		66	4.86	LC	LC	1	0	0.3	
Singing Honeyeater	86	0.47	LC	LC	1	0	0.3		161	0.88	LC	LC	1	0	0.3		160	0.87	LC	LC	1	0	0.3	
Brown Honeyeater	4	6.25	RA c(i); d(i)	RA	3	DD	0.0		1	1.56	RA c(i); d(i)	RA	3	DD	0			0.00						
Yellow-throated Miner	140	1.67	LC	LC	1	0	0.3		141	1.68	LC	LC	1	0	0.3		165	1.96	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	17	0.33	LC	LC	1	0	0.3		30	0.58	LC	LC	1	0	0.3		48	0.92	LC	LC	1	0	0.3	
Black Honeyeater		0.00							9	3.08	NT	NT	2	0	0.3	nomadic spp.	8	2.74	NT	NT	2	0	0.3	nomadic spp.
Chestnut-crowned Babbler		0.00								0.00								0.00						
White-browed Babbler	46	0.41	LC	LC	1	0	0.3		123	1.10	LC	LC	1	0	0.3		74	0.66	LC	LC	1	0	0.3	
Grey-crowned Babbler	8	15.69	EN D	EN	5	DD	0.0			0.00								0.00						
Chestnut Quail-thrush		0.00							22	1.21	NT	NT	2	0	0.3		25	1.37	NT	NT	2	0	0.3	
Cinnamon Quail-thrush		0.00							7	0.50	LC	LC	1	0	0.3	edge of range		0.00						
Chirruping Wedgebill		0.00								0.00								0.00						
Chiming Wedgebill	36	6.72	LC	LC	1	0	0.3		118	22.01	LC	LC	1	0	0.3		24	4.48	LC	LC	1	0	0.3	
Varied Sittella		0.00							7	0.26	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland	2	0.08	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland
Ground Cuckoo-shrike	10	2.72	NT	NT	2	0	0.3		5	1.36	NT	NT	2	0	0.3		7	1.91	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	21	0.20	LC	LC	1	0	0.3		13	0.12	LC	LC	1	0	0.3		30	0.28	LC	LC	1	0	0.3	
White-winged Triller	8	0.36	LC	LC	1	0	0.3	migratory spp	18	0.80	LC	LC	1	0	0.3	migratory spp	20	0.89	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Grey Shrike-thrush	34	0.16	LC	LC	1	0	0.3		66	0.31	LC	LC	1	0	0.3		37	0.17	LC	LC	1	0	0.3	
Crested Bellbird	67	1.14	LC	LC	1	0	0.3		121	2.05	LC	LC	1	0	0.3		139	2.36	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00							3	0.21	RA c(i)	RA	3	0	0.3			0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	26	0.37	LC	LC	1	0	0.3		58	0.83	LC	LC	1	0	0.3		69	0.99	LC	LC	1	0	0.3	
Black-faced Woodswallow	55	1.29	LC	LC	1	0	0.3		99	2.32	LC	LC	1	0	0.3		83	1.95	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00								0.00								0.00						
White-breasted Woodswallow		0.00								0.00							1	0.16	RA c(i)	RA	3	0	0.3	around water; generally uncommon
Little Woodswallow		0.00								0.00								0.00						
Masked Woodswallow	10	0.39	LC	LC	1	0	0.3		36	1.41	LC	LC	1	0	0.3		22	0.86	LC	LC	1	0	0.3	
White-browed Woodswallow	2	0.09	NT	NT	2	-	0.4		2	0.09	NT	NT	2	-	0.4		4	0.18	NT	NT	2	-	0.4	
Pied Butcherbird	59	4.90	LC	LC	1	+	0.2		18	1.49	RA c(iii)	RA	3	+	0.2		60	4.98	LC	LC	1	+	0.2	
Australian Magpie	60	0.17	LC	LC	1	0	0.3		58	0.16	LC	LC	1	0	0.3		51	0.14	LC	LC	1	0	0.3	
Grey Butcherbird	26	0.29	LC	LC	1	0	0.3		50	0.56	LC	LC	1	0	0.3		64	0.71	LC	LC	1	0	0.3	
Grey Currawong		0.00								0.00								0.00						
Grey Fantail		0.00								0.00							1	0.01	RA c(ii)	RA	3	0	0.3	regular winter visitors
Willie Wagtail	74	0.27	LC	LC	1	0	0.3		83	0.31	LC	LC	1	0	0.3		103	0.38	LC	LC	1	0	0.3	
Little Crow	35	1.11	LC	LC	1	0	0.3		80	2.53	LC	LC	1	0	0.3		32	1.01	LC	LC	1	0	0.3	
Australian Raven	9	0.09	LC	LC	1	0	0.3		12	0.12	LC	LC	1	0	0.3			0.00						
Little Raven		0.00								0.00								0.00						
Torresian Crow	31	14.90	LC	LC	1	0	0.3	some evidence of increase	1	0.48	LC	LC	1	0	0.3	some evidence of increase	26	12.50	LC	LC	1	0	0.3	some evidence of increase
Magpie-lark	30	0.15	LC	LC	1	0	0.3		20	0.10	LC	LC	1	0	0.3		10	0.05	LC	LC	1	0	0.3	
Restless Flycatcher		0.00								0.00								0.00						
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	8	0.22	NT	NT	2	0	0.3		26	0.71	NT	NT	2	0	0.3		29	0.79	NT	NT	2	0	0.3	
Jacky Winter	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	4	0.09	RA c(i,ii)	RA	3	DD	0	residents & visitors	2	0.04	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	34	0.50	LC	LC	1	0	0.3		94	1.39	LC	LC	1	0	0.3		44	0.65	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00								0.00						
Australian Reed Warbler		0.00								0.00								0.00						
Brown Songlark	32	1.01	LC	LC	1	0	0.3		5	0.16	LC	LC	1	0	0.3		13	0.41	LC	LC	1	0	0.3	
Rufous Songlark	18	1.02	LC	LC	1	0	0.3		5	0.28	LC	LC	1	0	0.3		2	0.11	LC	LC	1	0	0.3	
Spinifexbird		0.00								0.00								0.00						
Little Grassbird		0.00							1	0.03	NT	NT	2	0	0.3			0.00						
Silvereye		0.00								0.00								0.00						
White-backed Swallow		0.00							7	0.45	LC	LC	1	0	0.3		17	1.08	LC	LC	1	0	0.3	
Welcome Swallow	5	0.03	LC	LC	1	0	0.3		16	0.08	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Fairy Martin	14	0.62	LC	LC	1	0	0.3		5	0.22	LC	LC	1	0	0.3		6	0.26	LC	LC	1	0	0.3	
Tree Martin	16	0.17	LC	LC	1	0	0.3		6	0.06	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3	
Mistletoebird	31	0.54	LC	LC	1	0	0.3		37	0.64	LC	LC	1	0	0.3		34	0.59	LC	LC	1	0	0.3	
Painted Finch		0.00							2	3.85	RA c(ii,iii)	RA	3	0	0.3			0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	48	0.78	LC	LC	1	0	0.3		72	1.17	LC	LC	1	0	0.3		31	0.50	LC	LC	1	0	0.3	
Australian Pipit	22	0.31	LC	LC	1	0	0.3		32	0.45	LC	LC	1	0	0.3		29	0.41	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal		0.00								0.00								0.00						
Grey Teal	4	0.03	LC	LC	1	0	0.3	irruptive	6	0.05	LC	LC	1	0	0.3	irruptive	1	0.01	LC	LC	1	0	0.3	irruptive
Australasian Shoveler		0.00								0.00								0.00						
Pacific Black Duck		0.00								0.00								0.00						
Hardhead		0.00								0.00								0.00						
Musk Duck		0.00								0.00								0.00						
Australian Wood Duck	1	0.01	LC	LC	1	0	0.3	possible increase	3	0.04	LC	LC	1	0	0.3	possible increase	1	0.01	LC	LC	1	0	0.3	possible increase
Black Swan		0.00								0.00								0.00						
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck	2	0.12	LC	LC	1	0	0.3		3	0.18	LC	LC	1	0	0.3			0.00						
Blue-billed Duck		0.00								0.00								0.00						
Freckled Duck		0.00								0.00								0.00						
Australian Shelduck		0.00								0.00								0.00						
Great Crested Grebe		0.00								0.00								0.00						
Hoary-headed Grebe	2	0.03	LC	LC	1	0	0.3		2	0.03	LC	LC	1	0	0.3			0.00						
Australasian Grebe	1	0.02	LC	LC	1	0	0.3	likes fresh water	3	0.07	LC	LC	1	0	0.3	likes fresh water		0.00						
Australasian Darter		0.00								0.00								0.00						
Little Pied Cormorant		0.00								0.00								0.00						
Great Cormorant		0.00								0.00								0.00						
Little Black Cormorant		0.00								0.00								0.00						
Pied Cormorant		0.00								0.00								0.00						
Australian Pelican		0.00							1	0.01	RA c(iii)	RA	3	0	0.3	responds to episodic rainfall/flood events		0.00						
Great Egret		0.00								0.00								0.00						
Intermediate Egret		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-,-, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-,-, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-,-, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
White-necked Heron	1	0.11	RA c(iii)	RA	3	0	0.3		1	0.11	RA c(iii)	RA	3	0	0.3			0.00						
Little Egret		0.00								0.00								0.00						
White-faced Heron		0.00								0.00							2	0.01	LC	LC	1	0	0.3	
Nankeen Night-Heron		0.00								0.00								0.00						
Yellow-billed Spoonbill		0.00								0.00								0.00						
Royal Spoonbill		0.00								0.00								0.00						
Glossy Ibis		0.00								0.00								0.00						
Australian White Ibis		0.00								0.00								0.00						
Straw-necked Ibis		0.00								0.00								0.00						
Brolga		0.00								0.00								0.00						
Eurasian Coot		0.00							1	0.01	NT	NT	2	0	0.3	regular visitors in larger numbers		0.00						
Dusky Moorhen		0.00								0.00								0.00						
Buff-banded Rail		0.00								0.00								0.00						
Purple Swamphen		0.00								0.00								0.00						
Australian Spotted Crake		0.00								0.00								0.00						
Baillon's Crake		0.00								0.00								0.00						
Spotless Crake		0.00								0.00								0.00						
Black-tailed Native-hen		0.00							5	0.13	LC	LC	1	0	0.3	irruptive		0.00						
Banded Stilt		0.00								0.00								0.00						
Black-winged Stilt	1	0.01	RA c(iii)	RA	3	0	0.3		2	0.03	RA c(iii)	RA	3	0	0.3			0.00						
Red-necked Avocet	1	0.04	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Inland Dotterel		0.00								0.00								0.00						
Red-capped Plover		0.00							1	0.02						vagrant		0.00						
Oriental Plover		0.00								0.00							1	1.56	RA c(iii)	RA	3	0	0.3	irregular visitors
Black-fronted Dotterel	4	0.11	LC	LC	1	0	0.3		7	0.20	LC	LC	1	0	0.3		1	0.03	LC	LC	1	0	0.3	
Red-kneed Dotterel		0.00							2	0.09	NT	NT	2	0	0.3		1	0.05	NT	NT	2	0	0.3	
Masked Lapwing	1	0.01	LC	LC	1	0	0.3	likely to be resident in many areas	1	0.01	LC	LC	1	0	0.3	likely to be resident in many areas	1	0.01	LC	LC	1	0	0.3	likely to be resident in many areas
Banded Lapwing	7	0.50	NT	NT	2	DD	0.0		11	0.78	NT	NT	2	DD	0		3	0.21	NT	NT	2	DD	0.0	
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper	1	0.02	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Curlew Sandpiper		0.00								0.00								0.00						
Red-necked Stint		0.00								0.00								0.00						
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit		0.00								0.00								0.00						
Wood Sandpiper		0.00								0.00								0.00						
Common Greenshank		0.00								0.00								0.00						
Marsh Sandpiper		0.00								0.00								0.00						
Whiskered Tern		0.00							1	0.02	RA c(iii)	RA	3	0	0.3			0.00						
Silver Gull		0.00								0.00								0.00						
Gull-billed Tern		0.00								0.00								0.00						
Caspian Tern		0.00								0.00								0.00						
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon		0.00								0.00							7	3.93	LC	LC	1	0	0.3	
Black-collared Dragon		0.00								0.00							8	17.39	LC	LC	1	0	0.3	under-surveyed
Crested Dragon		0.00							15	2.72	LC	LC	1	0	0.3			0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00								0.00								0.00						
Military Dragon	2	0.26	LC	LC	1	0	0.3		52	6.72	LC	LC	1	0	0.3		54	6.98	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00								0.00								0.00						
Central Netted Dragon	28	2.91	LC	LC	1	0	0.3		45	4.67	LC	LC	1	0	0.3		17	1.77	LC	LC	1	0	0.3	
Painted Dragon		0.00							1	0.04	LC	LC	1	0	0.3			0.00						
Western Netted Dragon		0.00							6	7.69	LC	LC	1	0	0.3	habitat specific	1	1.28	LC	LC	1	0	0.3	not lots of suitable habitat here
Rusty Dragon	2	1.96	LC	LC	1	0	0.3			0.00							4	3.92	LC	LC	1	0	0.3	
Ochre Dragon		0.00								0.00								0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon		0.00								0.00							2	0.88	LC	LC	1	0	0.3	
Thorny Devil	2	0.50	LC	LC	1	0	0.3		9	2.25	LC	LC	1	0	0.3		28	7.00	LC	LC	1	0	0.3	
Dwarf Bearded Dragon	11	2.42	LC	LC	1	0	0.3		13	2.86	LC	LC	1	0	0.3		19	4.19	LC	LC	1	0	0.3	
Central Bearded Dragon		0.00							9	0.79	LC	LC	1	0	0.3			0.00						
Centralian Earless Dragon	6	6.90	LC	LC	1	0	0.3			0.00								0.00						
Smooth-snouted Earless Dragon		0.00							1	0.18	LC	LC	1	0	0.3			0.00						
Five-lined Earless Dragon		0.00							3	0.73	LC	LC	1	0	0.3			0.00						
Eyrean Earless Dragon		0.00								0.00								0.00						
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella	1	1.96	LC	LC	1	0	0.3			0.00							5	9.80	LC	LC	1	0	0.3	
Purple Dtella	22	4.80	LC	LC	1	0	0.3		20	4.37	LC	LC	1	0	0.3		51	11.14	LC	LC	1	0	0.3	
Tree Dtella	10	0.42	LC	LC	1	0	0.3		29	1.21	LC	LC	1	0	0.3		6	0.25	LC	LC	1	0	0.3	
Bynoe's Gecko	25	0.85	LC	LC	1	0	0.3		9	0.31	LC	LC	1	0	0.3		28	0.95	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00							48	11.01	LC	LC	1	0	0.3		19	4.36	LC	LC	1	0	0.3	
Smooth Knob-tailed Gecko	20	2.02	LC	LC	1	0	0.3		58	5.87	LC	LC	1	0	0.3		31	3.14	LC	LC	1	0	0.3	
Barking Gecko	4	0.34	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3			0.00						
Clawless Gecko		0.00								0.00								0.00						
Fat-tailed Gecko	22	5.31	LC	LC	1	0	0.3		43	10.39	LC	LC	1	0	0.3		6	1.45	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00								0.00								0.00						
Tessellated Gecko		0.00								0.00								0.00						
Pink-blotched Gecko		0.00								0.00								0.00						
Beaded Gecko		0.00							40	2.44	LC	LC	1	0	0.3			0.00						
Sandplain Gecko	53	9.09	LC	LC	1	0	0.3		79	13.55	LC	LC	1	0	0.3		7	1.20	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	51	3.49	LC	LC	1	0	0.3		95	6.50	LC	LC	1	0	0.3		33	2.26	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko	5	2.51	LC	LC	1	0	0.3	patchy distribution	21	10.55	LC	LC	1	0	0.3	patchy distribution	7	3.52	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko		0.00								0.00							5	2.76	LC	LC	1	0	0.3	dependent on Triodia; often under-reported
Southern Spiny-tailed Gecko		0.00							1	0.34	LC	LC	1	0	0.3	patchy distribution		0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard		0.00							2	0.37	LC	LC	1	0	0.3		8	1.49	LC	LC	1	0	0.3	
Northern Snake-lizard		0.00								0.00							10	100.00	RA d(i,ii)	RA	3	DD	0.0	poorly surveyed; likes mulga/grassy woodland
Spinifex Snake-lizard		0.00								0.00							8	2.80	LC	LC	1	0	0.3	common sp
Desert Snake-lizard		0.00								0.00							2	66.67	RA d(i,ii)	RA	3	DD	0.0	
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard		0.00								0.00							13	72.22	LC	LC	1	0	0.3	under recorded; edge of range in SA
Black-necked Snake-lizard		0.00								0.00								0.00						
Burton's Legless Lizard		0.00								0.00							20	6.71	LC	LC	1	0	0.3	
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot	1	1.67	LC	LC	1	0	0.3		6	10.00	LC	LC	1	0	0.3		4	6.67	LC	LC	1	0	0.3	
Hooded Scaly-foot		0.00								0.00								0.00						
Desert Rainbow Skink		0.00								0.00							5	71.43	LC	LC	1	0	0.3	hard to observe; spinifex/rocky habitat
Desert Wall Skink	3	0.77	LC	LC	1	0	0.3	under surveyed		0.00							2	0.51	LC	LC	1	0	0.3	under surveyed
Eyrean Wall Skink		0.00							1	1.30	LC	LC	1	0	0.3	under surveyed		0.00						
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00							4	9.30	LC	LC	1	0	0.3	difficult to find; edge of range; northern spp.
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus		0.00								0.00							40	22.22	LC	LC	1	0	0.3	
Blue-tailed Skink		0.00								0.00							22	30.56	LC	LC	1	0	0.3	
Narrow-lined Ctenotus		0.00								0.00							14	29.17	LC	LC	1	0	0.3	
Giant Desert Ctenotus		0.00								0.00							4	66.67	RA d(i,ii)	RA	3	0	0.3	edge of range
Greer's Ctenotus		0.00								0.00								0.00						
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail		0.00								0.00							8	3.32	LC	LC	1	0	0.3	
Common Desert Ctenotus	35	7.81	LC	LC	1	0	0.3		27	6.03	LC	LC	1	0	0.3		41	9.15	LC	LC	1	0	0.3	
Saltbush Ctenotus		0.00								0.00								0.00						
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink	2	0.82	LC	LC	1	0	0.3	patchy distribution		0.00							19	7.82	LC	LC	1	0	0.3	
Paleface Ctenotus		0.00								0.00							6	100.00	RA d(i,ii)	RA	3	0	0.3	
Many-lined Ctenotus		0.00							9	4.66	LC	LC	1	0	0.3		51	26.42	LC	LC	1	0	0.3	
Eastern Desert Ctenotus	2	0.11	LC	LC	1	0	0.3		64	3.46	LC	LC	1	0	0.3			0.00						
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	32	1.66	LC	LC	1	0	0.3		87	4.53	LC	LC	1	0	0.3		21	1.09	LC	LC	1	0	0.3	
Gibber Ctenotus		0.00								0.00								0.00						
Short-legged Ctenotus		0.00								0.00								0.00						
Eyrean Ctenotus		0.00								0.00								0.00						
Spinifex Slender Bluetongue		0.00								0.00							25	7.89	LC	LC	1	0	0.3	
Saltbush Slender Bluetongue		0.00								0.00								0.00						
Gidgee Skink		0.00								0.00								0.00						
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer		0.00								0.00							22	2.34	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	12	1.78	LC	LC	1	0	0.3		3	0.45	LC	LC	1	0	0.3		2	0.30	LC	LC	1	0	0.3	
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-,-, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-,-, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-,-, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Yellow-tailed Slider		0.00								0.00								0.00						
Western Two-toed Slider		0.00							15	19.23	LC	LC	1	0	0.3		36	46.15	LC	LC	1	0	0.3	
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider	23	6.05	LC	LC	1	0	0.3		22	5.79	LC	LC	1	0	0.3		37	9.74	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	24	1.85	LC	LC	1	0	0.3		88	6.80	LC	LC	1	0	0.3		16	1.24	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider		0.00								0.00								0.00						
Ribbon Slider		0.00							2	6.67	RA d(i,ii)	RA	3	DD	0	likes soft red sand & spinifex		0.00						
Dwarf Three-toed Slider	6	0.86	LC	LC	1	0	0.3		1	0.14	LC	LC	1	0	0.3		4	0.57	LC	LC	1	0	0.3	
Desert Skink	4	0.49	LC	LC	1	0	0.3		25	3.07	LC	LC	1	0	0.3		24	2.94	LC	LC	1	0	0.3	
Tjakura		0.00								0.00							1	0.33	EN B2ab(i,ii,iii)	EN	5	-	0.4	one old record; threats: foxes, cats, rabbits, changes fir
Masked Rock Skink		0.00								0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink		0.00								0.00							6	7.50	LC	LC	1	0	0.3	
Dwarf Skink	2	0.07	LC	LC	1	0	0.3		17	0.58	LC	LC	1	0	0.3		3	0.10	LC	LC	1	0	0.3	
Adelaide Snake-eye		0.00								0.00								0.00						
Common Snake-eye	19	0.85	LC	LC	1	0	0.3		19	0.85	LC	LC	1	0	0.3		3	0.13	LC	LC	1	0	0.3	
Butler's Snake-eye		0.00								0.00								0.00						
Fire-tailed Skink		0.00								0.00							8	40.00	LC	LC	1	0	0.3	NT spp; edge of range
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink		0.00								0.00								0.00						
Centralian Bluetongue		0.00							1	1.96	LC	LC	1	0	0.3		7	13.73	LC	LC	1	0	0.3	
Western Bluetongue		0.00							10	3.73	LC	LC	1	0	0.3		11	4.10	LC	LC	1	0	0.3	
Sleepy Lizard		0.00								0.00								0.00						
Eastern Bluetongue	3	1.08	RA c(i); d(ii)	RA	3	DD	0.0	habitat specific, needs rock figs; buffel grass a threat		0.00							1	0.36	RA c(i); d(ii)	RA	3	DD	0.0	habitat specific, needs rock figs; buffel grass a threat
Short-tailed Pygmy Goanna		0.00								0.00							4	50.00	RA d(i,ii)	RA	3	DD	0.0	lives in NW Aust
Desert Pygmy Goanna		0.00								0.00							9	9.89	LC	LC	1	0	0.3	abundant throughout; hard to see
Perentie	1	1.45	LC	LC	1	0	0.3		1	1.45	LC	LC	1	0	0.3		3	4.35	LC	LC	1	0	0.3	
Pygmy Mulga Goanna	6	5.94	LC	LC	1	0	0.3	likes Mulga, tree hollows	11	10.89	LC	LC	1	0	0.3	likes Mulga, tree hollows	4	3.96	LC	LC	1	0	0.3	likes Mulga, tree hollows
Sand Goanna	11	1.16	LC	LC	1	0	0.3		40	4.20	LC	LC	1	0	0.3		8	0.84	LC	LC	1	0	0.3	
Black-headed Goanna		0.00								0.00								0.00						
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00								0.00								0.00						
Centralian Blind Snake		0.00							18	10.00	LC	LC	1	0	0.3		12	6.67	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake	4	22.22	LC	LC	1	0	0.3	should be R centralis		0.00								0.00						
Stimson's Python		0.00							3	4.84	LC	LC	1	0	0.3		5	8.06	LC	LC	1	0	0.3	
Woma		0.00							1	1.33	RA d(ii)	RA	3	DD	0			0.00						
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00								0.00								0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake		0.00							11	24.44	LC	LC	1	0	0.3			0.00						
Half-girdled Snake	5	5.15	LC	LC	1	0	0.3	likes sandy country with lakes & mallee	1	1.03	LC	LC	1	0	0.3	likes sandy country with lakes & mallee		0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake		0.00								0.00							2	1.56	LC	LC	1	0	0.3	
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake		0.00								0.00								0.00						
Inland Taipan		0.00								0.00								0.00						
Hooded Snake	2	9.52	LC	LC	1	0	0.3	hard to find; not often seen	1	4.76	LC	LC	1	0	0.3	hard to find; not often seen		0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00								0.00								0.00						
Mulga Snake	4	1.34	LC	LC	1	0	0.3		3	1.01	LC	LC	1	0	0.3		8	2.68	LC	LC	1	0	0.3	
Patch-nosed Brown Snake		0.00								0.00								0.00						
Gwardar		0.00								0.00							2	9.09	LC	LC	1	0	0.3	under surveyed
Five-ringed Snake	3	1.46	LC	LC	1	0	0.3		4	1.94	LC	LC	1	0	0.3		7	3.40	LC	LC	1	0	0.3	
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake		0.00								0.00							6	35.29	LC	LC	1	0	0.3	
Desert Banded Snake	6	2.71	LC	LC	1	0	0.3		17	7.69	LC	LC	1	0	0.3		1	0.45	LC	LC	1	0	0.3	
Curl Snake		0.00								0.00								0.00						
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog		0.00								0.00							1	0.93	LC	LC	1	0	0.3	lives in rocky plates
Water-holding Frog		0.00								0.00								0.00						
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Desert Tree Frog		0.00								0.00								0.00						
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog		0.00								0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	23	2.27	LC	LC	1	0	0.3		72	7.10	LC	LC	1	0	0.3		2	0.20	LC	LC	1	0	0.3	
Shoemaker Frog	1	1.85	RA d(i,ii)	RA	3	0	0.3	edge of range; should not be VU at a state level		0.00								0.00						
Spencer's Burrowing Frog	22	24.18	LC	LC	1	0	0.3			0.00								0.00						
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet		0.00								0.00								0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead		0.00								0.00								0.00						
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00								0.00								0.00						
Bony Bream		0.00								0.00								0.00						
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby		0.00								0.00								0.00						
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch																								
Barred Grunter		0.00								0.00								0.00						
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch		0.00								0.00								0.00						
Barcoo Grunter		0.00								0.00								0.00						
Australian Smelt		0.00								0.00								0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan		0.00								0.00								0.00						
Silver Tandan		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Short-beaked Echidna	24	1.66	LC	LC	1	0	0.3		11	0.76	LC	LC	1	0	0.3		6	0.42	LC	LC	1	0	0.3	
Numbat		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZCAM		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZCAM)		0.00						
Mulgara		0.00								0.00								0.00						
Kowari		0.00								0.00								0.00						
Ampurta	1	0.47	RE	RE	7			checked with C Kemper & G Medlin		0.00								0.00						
Western Quoll		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZCAM		0.00								0.00						
Fat-tailed Pseudantechinus	10	12.82	LC	LC	1	0	0.3		13	16.67	LC	LC	1	0	0.3		7	8.97	LC	LC	1	0	0.3	
Red-tailed Phascogale		0.00								0.00								0.00						
Wongai ningaui	33	10.03	LC	LC	1	0	0.3		14	4.26	LC	LC	1	0	0.3		14	4.26	LC	LC	1	0	0.3	
Giles' Planigale (Paucident Planig		0.00								0.00								0.00						
Long-tailed Planigale		0.00								0.00								0.00						
Narrow-nosed Planigale		0.00								0.00								0.00						
Kultarr		0.00							1	0.28	RE	RE	7			extensive survey effort has not turned up any records		0.00						
Fat-tailed Dunnart		0.00							6	0.21	LC	LC	1	0	0.3			0.00						
Little Long-tailed Dunnart		0.00								0.00								0.00						
Hairy-footed Dunnart	1	2.33	LC	LC	1	0	0.3	edge of range		0.00							3	6.98	LC	LC	1	0	0.3	
Stripe-faced Dunnart		0.00							14	0.63	LC	LC	1	0	0.3			0.00						
Common Dunnart		0.00								0.00								0.00						
Ooldea Dunnart	32	8.99	LC	LC	1	0	0.3		30	8.43	LC	LC	1	0	0.3		6	1.69	LC	LC	1	0	0.3	
Lesser Hairy-footed Dunnart		0.00								0.00								0.00						
Pig-footed Bandicoot		0.00								0.00								0.00						
Golden Bandicoot		0.00								0.00								0.00						
Western Barred Bandicoot		0.00								0.00								0.00						
Bilby (Greater Bilby)		0.00								0.00								0.00						
Lesser Bilby		0.00								0.00								0.00						
Marsupial Mole (Itjara Itjara)	5	7.04	DD	DD	0	DD	0.0	most likely LC; data to be published by Joe Benshemes	2	2.82	DD	DD	0	DD	0.0	trench surveys done, moles are here, data to be publish	10	14.08	DD	DD	0	DD	0.0	most likely LC; data to be published by Joe Benshemesh; stronghold
Southern Hairy-nosed Wombat		0.00								0.00								0.00						
Common Brushtail Possum	5	0.31	RE	RE	7			presumed extinct	1	0.06	RE	RE	7			presumed extinct	1	0.06	RE	RE	7			presumed extinct
Burrowing Bettong (Boodie)		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZCAM		0.00								0.00						
Desert Rat-kangaroo		0.00								0.00								0.00						
Western Grey Kangaroo		0.00							1	0.01	LC	LC	1	0	0.3	fluctuating populations; overall stable		0.00						
Eastern Grey Kangaroo		0.00								0.00								0.00						
Euro	60	0.52	LC	LC	1	0	0.3		23	0.20	LC	LC	1	0	0.3		7	0.06	LC	LC	1	0	0.3	
Red Kangaroo	11	0.04	RA c(i)	RA	3	DD	0.0	marginal habitat; hunted	39	0.14	LC	LC	1	0	0.3		4	0.01	LC	LC	1	0	0.3	
Black-footed Rock-wallaby	399	82.27	CR C2a(i)	CR	6	-	0.4	only region with extant population	4	0.82	RE	RE	7			edge of range; presumed extinct in this region	3	0.62	RE	RE	7			edge of range; presumed extinct in this region
Yellow-footed Rock-wallaby		0.00								0.00								0.00						
Rufous Hare-wallaby (Mala)		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZCAM		0.00								0.00						
Crescent Nailtail Wallaby		0.00	RE	RE	7			no records but used to occur here (Burbidge&Fuller, OZ	1	25.00	RE	RE	7			extinct		0.00						
Yellow-bellied Sheathtail-bat		0.00								0.00								0.00						
Hill's Sheathtail-bat	5	45.45	RA d(i)	RA	3	0	0.3	probably quite restricted; southern extent	5	45.45	RA d(i)	RA	3	DD	0.0	probably quite restricted; southern extent		0.00						
Ghost Bat		0.00								0.00								0.00						
Hairy-nosed Freetail Bat		0.00								0.00								0.00						
Inland Freetail-bat	p com	0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records spp cor		0.00	LC	LC	1	0	0.3	no records but known to occur here (see NC records spp comp		0.00						
Southern Freetail-bat																								
White-striped Freetail-bat	6	0.77	LC	LC	1	0	0.3		5	0.64	LC	LC	1	0	0.3			0.00						
Lesser Long-eared Bat	23	1.17	LC	LC	1	0	0.3		19	0.97	LC	LC	1	0	0.3		5	0.25	LC	LC	1	0	0.3	
Greater Long-eared Bat		0.00								0.00								0.00						
Gould's Wattled Bat	22	0.75	LC	LC	1	0	0.3		15	0.51	LC	LC	1	0	0.3			0.00						
Chocolate Wattled Bat	35	6.38	LC	LC	1	0	0.3		18	3.28	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3	
Little Pied Bat		0.00								0.00								0.00						
Inland Broad-nosed Bat	3	1.31	LC	LC	1	0	0.3		14	6.11	LC	LC	1	0	0.3		4	1.75	LC	LC	1	0	0.3	
Little Broad-nosed Bat	2	1.75	LC	LC	1	0	0.3		8	7.02	LC	LC	1	0	0.3			0.00						
Inland Forest Bat	3	0.64	LC	LC	1	0	0.3		6	1.28	LC	LC	1	0	0.3		1	0.21	LC	LC	1	0	0.3	
Finlayson's Cave Bat	18	17.48	LC	LC	1	0	0.3		7	6.80	LC	LC	1	0	0.3		2	1.94	LC	LC	1	0	0.3	
Dingo	50	4.17	RA b	RA	3	-	0.4	hybridisation a major threat; decline in pure dingoes in A	20	1.67	RA b	RA	3	-	0.4	hybridisation a major threat; decline in pure dingoes in A	7	0.58	RA b	RA	3	-	0.4	hybridisation a major threat; decline in pure dingoes in APY Lands; c
White-footed Tree-rat		0.00								0.00								0.00						
Water-rat		0.00								0.00								0.00						
Forrest's Mouse	15	0.78	LC	LC	1	0	0.3		6	0.31	LC	LC	1	0	0.3			0.00						
Lesser Stick-nest Rat		0.00								0.00								0.00						
Greater Stick-nest Rat	1	0.47	RE	RE	7				2	0.95	RE	RE	7					0.00						
Spinifex Hopping-mouse	67	9.41	LC	LC	1	0	0.3		22	3.09	LC	LC	1	0	0.3		13	1.83	LC	LC	1	0	0.3	
Short-tailed Hopping-mouse		0.00								0.00								0.00						
Fawn Hopping-mouse		0.00								0.00								0.00						
Dusky Hopping-mouse		0.00								0.00								0.00						
Long-tailed Hopping-mouse		0.00							2	2.33	RE	RE	7					0.00						
Mitchell's Hopping-mouse		0.00								0.00								0.00						
Broad-cheeked Hopping-mouse		0.00								0.00								0.00						
Plains Mouse (Plains Rat)		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Bolam's Mouse		0.00								0.00								0.00						
Desert Mouse (Brown Desert Mou	9	1.73	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	7	1.34	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA	2	0.38	LC	LC	1	0	0.3	boom & bust spp; increasing in northern SA
Gould's Mouse		0.00							2	1.02	RE	RE	7					0.00						
Sandy Inland Mouse	143	5.20	LC	LC	1	0	0.3		94	3.42	LC	LC	1	0	0.3		17	0.62	LC	LC	1	0	0.3	
Long-haired Rat (Plague Rat)	0's &	0.00							5	0.68	VU B1ac(iv); B2ac(i,ii,iii,iv	RA	3	DD	0.0	downgrade from VU to RA; 2 large boom periods in 1970's & 2		0.00						
Emu	1	0.01	LC	LC	1	0	0.3	uncommon outside dog fence	2	0.02	LC	LC	1	0	0.3	uncommon outside dog fence	1	0.01	LC	LC	1	0	0.3	uncommon outside dog fence
Malleefowl	2	0.03	VU D1	VU	4	0	0.3	edge of range		0.00							9	0.13	VU D1	VU	4	0	0.3	needs more monitoring
Stubble Quail	4	0.25	LC	LC	1	0	0.3	nomadic spp; could be declining; not as common as little but		0.00								0.00						
Brown Quail		0.00								0.00							3	1.79	RA c(iii)	RA	3	DD	0.0	last few year significant increase & range expansion; may be tempor
Diamond Dove	21	2.03	LC	LC	1	0	0.3	not common; some increasese noted	5	0.48	LC	LC	1	0	0.3	not common; some increasese noted		0.00						
Peaceful Dove		0.00							4	0.09	LC	LC	1	0	0.3	core areas along creeks		0.00						
Spinifex Pigeon	22	57.89	RA c(i)	RA	3	-	0.4	core habitat, rocky ranges; habitat quality declining	3	7.89	VU D1	VU	4	DD	0.0		1	2.63	VU D1	VU	4	DD	0.0	
Crested Pigeon	130	0.59	LC	LC	1	0	0.3		23	0.10	LC	LC	1	0	0.3		17	0.08	LC	LC	1	0	0.3	
Common Bronzewing	45	0.53	LC	LC	1	0	0.3		8	0.09	LC	LC	1	0	0.3		2	0.02	LC	LC	1	0	0.3	
Flock Bronzewing	1	0.95	RA c(i, ii)	RA	3	+	0.2	historic decline, recent recovery last 20 yrs, possibly due to F		0.00								0.00						
Tawny Frogmouth	9	0.73	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3		4	0.32	LC	LC	1	0	0.3	
Spotted Nightjar	2	0.37	LC	LC	1	0	0.3		3	0.56	LC	LC	1	0	0.3		2	0.37	LC	LC	1	0	0.3	
Australian Owlet-nightjar	14	0.85	LC	LC	1	0	0.3		3	0.18	LC	LC	1	0	0.3		2	0.12	LC	LC	1	0	0.3	
Fork-tailed Swift		0.00								0.00								0.00						
Collared Sparrowhawk	9	0.51	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3			0.00						
Brown Goshawk	6	0.24	LC	LC	1	0	0.3		2	0.08	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3	
Wedge-tailed Eagle	68	0.93	LC	LC	1	0	0.3		17	0.23	LC	LC	1	0	0.3		15	0.21	LC	LC	1	0	0.3	
Swamp Harrier		0.00								0.00								0.00						
Spotted Harrier	3	0.30	LC	LC	1	0	0.3	probable increase over last 10 years	2	0.20	LC	LC	1	0	0.3	probable increase over last 10 years	2	0.20	LC	LC	1	0	0.3	probable increase over last 10 years
Black-shouldered Kite	14	0.30	LC	LC	1	0	0.3	not common; increase with mouse plagues	1	0.02	LC	LC	1	0	0.3	not common; increase with mouse plagues	3	0.06	LC	LC	1	0	0.3	not common; increase with mouse plagues
Letter-winged Kite		0.00								0.00								0.00						
Whistling Kite	41	0.98	LC	LC	1	0	0.3		2	0.05	LC	LC	1	0	0.3		1	0.02	LC	LC	1	0	0.3	
Black-breasted Buzzard	7	4.52	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common	7	4.52	RA c(i)	RA	3	-	0.4	declined 30yrs ago, has come back, but not common		0.00						
Little Eagle	6	0.49	NT	NT	2	-	0.4	probably declining	2	0.16	NT	NT	2	-	0.4	probably declining		0.00						
Square-tailed Kite		0.00								0.00								0.00						
Black Kite	7	0.20	LC	LC	1	0	0.3	have come back from a historic decline	9	0.26	LC	LC	1	0	0.3	have come back from a historic decline		0.00						
Brown Falcon	75	1.29	LC	LC	1	0	0.3		18	0.31	LC	LC	1	0	0.3		15	0.26	LC	LC	1	0	0.3	
Nankeen Kestrel	81	0.81	LC	LC	1	0	0.3		26	0.26	LC	LC	1	0	0.3		20	0.20	LC	LC	1	0	0.3	
Grey Falcon	4	3.20	EN D	EN	5	-	0.4	used to be reasonable common; have declined; not more tha		0.00								0.00						
Australian Hobby	12	0.59	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3		2	0.10	LC	LC	1	0	0.3	
Peregrine Falcon	13	1.05	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges		0.00							1	0.08	VU D1	VU	4	0	0.3	lots of vagrants; like rocky ranges
Black Falcon	7	1.06	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they were kn		0.00							1	0.15	RA c(i)	RA	3	-	0.4	not seen often; disappeared from places where they were known bef
Australian Bustard	1	0.27	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	3	0.80	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years	3	0.80	VU D1	VU	4	0	0.3	massive historic decline; not declining in recent years
Bush Stone-curlew		0.00								0.00								0.00						
Plains-wanderer		0.00								0.00								0.00						
Painted Button-quail		0.00								0.00								0.00						
Little Button-quail	21	2.77	LC	LC	1	0	0.3		6	0.79	LC	LC	1	0	0.3		5	0.66	LC	LC	1	0	0.3	
Australian Pratincole	1	0.25	LC	LC	1	DD	0.0	migratory spp, could be stable		0.00								0.00						
Little Corella	39	0.67	LC	LC	1	0	0.3		5	0.09	LC	LC	1	0	0.3			0.00						
Red-tailed Black-Cockatoo		0.00								0.00								0.00						
Galah	226	0.75	LC	LC	1	0	0.3		39	0.13	LC	LC	1	0	0.3		9	0.03	LC	LC	1	0	0.3	
Major Mitchell's Cockatoo	18	2.60	EN D- VU D1	VU	4	-	0.4		3	0.43	EN D	EN	5	-	0.4		1	0.14	EN D	EN	5	-	0.4	
Cockatiel	33	1.57	LC	LC	1	0	0.3	could be possible decline	10	0.48	LC	LC	1	0	0.3	could be possible decline	4	0.19	LC	LC	1	0	0.3	could be possible decline
Red-winged Parrot		0.00								0.00								0.00						
Australian Ringneck	142	1.47	LC	LC	1	0	0.3		31	0.32	LC	LC	1	0	0.3		7	0.07	LC	LC	1	0	0.3	
Budgerigar	142	3.08	LC	LC	1	0	0.3	boom/bust spp	32	0.69	LC	LC	1	0	0.3	boom/bust spp	14	0.30	LC	LC	1	0	0.3	boom/bust spp
Blue-winged Parrot		0.00								0.00								0.00						
Elegant Parrot		0.00								0.00								0.00						
Scarlet-chested Parrot		0.00							2	1.20	EN D	EN	5	-	0.4		1	0.60	EN D	EN	5	-	0.4	
Bourke's Parrot	10	2.11	LC	LC	1	0	0.3		25	5.27	LC	LC	1	0	0.3		1	0.21	LC	LC	1	0	0.3	
Blue Bonnet		0.00								0.00								0.00						
Night Parrot		0.00								0.00								0.00						
Princess Parrot	1	7.69	CR D - EN D	EN	5	DD	0.0	could come in from NT		0.00								0.00						
Red-rumped Parrot		0.00								0.00								0.00						
Mulga Parrot	77	1.62	LC	LC	1	0	0.3		36	0.76	LC	LC	1	0	0.3		22	0.46	LC	LC	1	0	0.3	
Fan-tailed Cuckoo		0.00								0.00								0.00						
Pallid Cuckoo	18	0.94	NT	NT	2	-	0.4		14	0.73	NT	NT	2	-	0.4		8	0.42	NT	NT	2	-	0.4	
Horsfield's Bronze-Cuckoo	13	0.28	LC	LC	1	0	0.3		10	0.21	LC	LC	1	0	0.3		5	0.11	LC	LC	1	0	0.3	
Black-eared Cuckoo	1	0.15	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon	4	0.60	RA c(ii)	RA	3	0	0.3	possibly declining; uncommon		0.00						
Channel-billed Cuckoo		0.00								0.00								0.00						
Barking Owl		0.00								0.00								0.00						
Southern Boobook	16	0.67	LC	LC	1	0	0.3		5	0.21	LC	LC	1	0	0.3		5	0.21	LC	LC	1	0	0.3	
Australian Barn Owl	14	1.51	LC	LC	1	0	0.3			0.00							3	0.32	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Eastern Grass Owl		0.00								0.00								0.00						
Australian Masked Owl		0.00								0.00								0.00						
Laughing Kookaburra		0.00								0.00								0.00						
Red-backed Kingfisher	22	1.59	LC	LC	1	0	0.3		9	0.65	LC	LC	1	0	0.3		2	0.14	LC	LC	1	0	0.3	
Sacred Kingfisher	2	0.10	RA c(ii)	RA	3	0	0.3	regular visitor		0.00								0.00						
Rainbow Bee-eater	40	1.05	LC	LC	1	0	0.3		2	0.05	LC	LC	1	0	0.3		2	0.05	LC	LC	1	0	0.3	
White-browed Treecreeper		0.00								0.00							1	0.24	VU D1	VU	4	-	0.4	needs black oak & mulga
Brown Treecreeper		0.00								0.00								0.00						
Western Bowerbird	47	47.96	RA c(i)	RA	3	0	0.3		6	6.12	RA c(i)	RA	3	0	0.3		20	20.41	RA c(i)	RA	3	0	0.3	
Grey Grasswren		0.00								0.00								0.00						
Eyrean Grasswren		0.00								0.00								0.00						
Short-tailed Grasswren		0.00								0.00								0.00						
Dusky Grasswren	44	63.77	NT	NT	2	0	0.3		8	11.59	RA c(i)	RA	3	0	0.3		6	8.70	RA c(i)	RA	3	0	0.3	
Striated Grasswren		0.00								0.00							12	1.67	RA c(i)	RA	3	-	0.4	not often seen; not known why declining
Thick-billed Grasswren		0.00								0.00								0.00						
Variegated Fairy-wren	47	0.66	LC	LC	1	0	0.3		18	0.25	LC	LC	1	0	0.3		13	0.18	LC	LC	1	0	0.3	
White-winged Fairy-wren	24	0.40	LC	LC	1	0	0.3		24	0.40	LC	LC	1	0	0.3			0.00						
Splendid Fairy-wren	24	1.15	LC	LC	1	0	0.3		15	0.72	LC	LC	1	0	0.3		3	0.14	LC	LC	1	0	0.3	
Rufous-crowned Emu-wren		0.00								0.00								0.00						
Inland Thornbill	10	0.22	LC	LC	1	0	0.3		8	0.18	LC	LC	1	0	0.3		9	0.20	LC	LC	1	0	0.3	
Yellow-rumped Thornbill	51	0.50	LC	LC	1	0	0.3		14	0.14	LC	LC	1	0	0.3		3	0.03	LC	LC	1	0	0.3	
Slender-billed Thornbill		0.00								0.00								0.00						
Slaty-backed Thornbill	2	1.77	RA c(i)	RA	3	0	0.3		7	6.19	RA c(i)	RA	3	0	0.3		6	5.31	RA c(i)	RA	3	0	0.3	
Chestnut-rumped Thornbill	20	0.34	LC	LC	1	0	0.3		24	0.41	LC	LC	1	0	0.3		19	0.33	LC	LC	1	0	0.3	
Southern Whiteface	61	1.08	LC	LC	1	0	0.3		34	0.60	LC	LC	1	0	0.3		21	0.37	LC	LC	1	0	0.3	
Banded Whiteface	1	0.15	NT	NT	2	0	0.3		6	0.88	NT	NT	2	0	0.3			0.00						
Chestnut-breasted Whiteface		0.00							8	6.25	RA c(i)	RA	3	0	0.3			0.00						
Rufous Fieldwren		0.00								0.00								0.00						
Western Gerygone	3	3.41	RA c(i)	RA	3	0	0.3	prefers mulga	1	1.14	RA c(i)	RA	3	0	0.3	prefers mulga		0.00						
Shy Heathwren		0.00								0.00								0.00						
Redthroat	3	0.26	NT	NT	2	0	0.3	marginal habitat	1	0.09	NT	NT	2	0	0.3	marginal habitat	1	0.09	NT	NT	2	0	0.3	marginal habitat
Weebill	17	0.13	LC	LC	1	0	0.3		3	0.02	LC	LC	1	0	0.3		14	0.11	LC	LC	1	0	0.3	
Spotted Pardalote		0.00								0.00								0.00						
Red-browed Pardalote	10	2.83	NT	NT	2	0	0.3		1	0.28	NT	NT	2	0	0.3		8	2.27	NT	NT	2	0	0.3	
Striated Pardalote	2	0.01	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Spiny-cheeked Honeyeater	124	0.81	LC	LC	1	0	0.3		68	0.44	LC	LC	1	0	0.3		29	0.19	LC	LC	1	0	0.3	
Red Wattlebird		0.00								0.00								0.00						
Gibberbird		0.00								0.00								0.00						
Pied Honeyeater	16	1.85	LC	LC	1	0	0.3	numbers can fluctuate a lot	16	1.85	LC	LC	1	0	0.3	numbers can fluctuate a lot	17	1.97	LC	LC	1	0	0.3	numbers can fluctuate a lot
Grey Honeyeater	2	40.00	EN D	EN	5	DD	0.0			0.00								0.00						
White-fronted Chat		0.00								0.00								0.00						
Orange Chat	3	0.19	LC	LC	1	0	0.3		9	0.56	LC	LC	1	0	0.3			0.00						
Yellow Chat		0.00								0.00								0.00						
Crimson Chat	28	1.48	LC	LC	1	0	0.3		18	0.95	LC	LC	1	0	0.3		10	0.53	LC	LC	1	0	0.3	
Tawny-crowned Honeyeater		0.00								0.00								0.00						
Painted Honeyeater		0.00								0.00								0.00						
Grey-headed Honeyeater	14	42.42	LC	LC	1	0	0.3	J Read - abundant & regularly recorded	1	3.03	LC	LC	1	0	0.3	J Read - abundant & regularly recorded	4	12.12	LC	LC	1	0	0.3	J Read - abundant & regularly recorded
White-eared Honeyeater		0.00								0.00								0.00						
Yellow-plumed Honeyeater		0.00								0.00								0.00						
White-plumed Honeyeater	75	0.45	LC	LC	1	0	0.3		28	0.17	LC	LC	1	0	0.3			0.00						
Grey-fronted Honeyeater	35	2.58	LC	LC	1	0	0.3		2	0.15	LC	LC	1	0	0.3		38	2.80	LC	LC	1	0	0.3	
Singing Honeyeater	156	0.85	LC	LC	1	0	0.3		58	0.32	LC	LC	1	0	0.3		64	0.35	LC	LC	1	0	0.3	
Brown Honeyeater	16	25.00	RA c(i)	RA	3	DD	0.0		12	18.75	RA c(i)	RA	3	DD	0.0		2	3.13	RA c(i)	RA	3	DD	0.0	
Yellow-throated Miner	175	2.08	LC	LC	1	0	0.3		68	0.81	LC	LC	1	0	0.3		45	0.54	LC	LC	1	0	0.3	
Brown-headed Honeyeater		0.00								0.00								0.00						
Golden-backed Honeyeater		0.00								0.00								0.00						
White-fronted Honeyeater	21	0.40	LC	LC	1	0	0.3		19	0.37	LC	LC	1	0	0.3		16	0.31	LC	LC	1	0	0.3	
Black Honeyeater		0.00							3	1.03	NT	NT	2	0	0.3	nomadic spp.	6	2.05	NT	NT	2	0	0.3	nomadic spp.
Chestnut-crowned Babbler		0.00								0.00								0.00						
White-browed Babbler	52	0.47	LC	LC	1	0	0.3		25	0.22	LC	LC	1	0	0.3		13	0.12	LC	LC	1	0	0.3	
Grey-crowned Babbler	3	5.88	EN D	EN	5	DD	0.0			0.00								0.00						
Chestnut Quail-thrush		0.00								0.00							18	0.99	NT	NT	2	0	0.3	
Cinnamon Quail-thrush		0.00							1	0.07	LC	LC	1	0	0.3	edge of range		0.00						
Chirruping Wedgebill		0.00								0.00								0.00						
Chiming Wedgebill	47	8.77	LC	LC	1	0	0.3		20	3.73	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3	
Varied Sittella	1	0.04	RA c(i)	RA	3	0	0.3	needs tall shrubland/woodland		0.00								0.00						
Ground Cuckoo-shrike	16	4.36	NT	NT	2	0	0.3		3	0.82	NT	NT	2	0	0.3		2	0.54	NT	NT	2	0	0.3	
Black-faced Cuckoo-shrike	42	0.39	LC	LC	1	0	0.3		26	0.24	LC	LC	1	0	0.3		15	0.14	LC	LC	1	0	0.3	
White-winged Triller	11	0.49	LC	LC	1	0	0.3	migratory spp	14	0.62	LC	LC	1	0	0.3	migratory spp	4	0.18	LC	LC	1	0	0.3	migratory spp

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (--, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (--, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (--, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Grey Shrike-thrush	61	0.28	LC	LC	1	0	0.3		30	0.14	LC	LC	1	0	0.3		14	0.07	LC	LC	1	0	0.3	
Crested Bellbird	112	1.90	LC	LC	1	0	0.3		44	0.75	LC	LC	1	0	0.3		40	0.68	LC	LC	1	0	0.3	
Gilbert's Whistler		0.00								0.00								0.00						
Golden Whistler		0.00								0.00								0.00						
Rufous Whistler	41	0.59	LC	LC	1	0	0.3		20	0.29	LC	LC	1	0	0.3		16	0.23	LC	LC	1	0	0.3	
Black-faced Woodswallow	100	2.35	LC	LC	1	0	0.3		23	0.54	LC	LC	1	0	0.3		30	0.70	LC	LC	1	0	0.3	
Dusky Woodswallow		0.00								0.00								0.00						
White-breasted Woodswallow		0.00								0.00								0.00						
Little Woodswallow	25	21.19	RA c(ii)	RA	3	0	0.3	migratory spp	1	0.85	RA c(ii)	RA	3	0	0.3	migratory spp	7	5.93	RA c(ii)	RA	3	0	0.3	migratory spp
Masked Woodswallow	20	0.78	LC	LC	1	0	0.3		13	0.51	LC	LC	1	0	0.3		3	0.12	LC	LC	1	0	0.3	
White-browed Woodswallow		0.00								0.00								0.00						
Pied Butcherbird	138	11.45	LC	LC	1	+	0.2		27	2.24	LC	LC	1	+	0.2		38	3.15	LC	LC	1	+	0.2	
Australian Magpie	135	0.38	LC	LC	1	0	0.3		31	0.09	LC	LC	1	0	0.3		20	0.06	LC	LC	1	0	0.3	
Grey Butcherbird	27	0.30	LC	LC	1	0	0.3		30	0.33	LC	LC	1	0	0.3		21	0.23	LC	LC	1	0	0.3	
Grey Currawong	4	0.04	RE	RE	7			presumed extinct		0.00								0.00						
Grey Fantail		0.00								0.00								0.00						
Willie Wagtail	126	0.47	LC	LC	1	0	0.3		26	0.10	LC	LC	1	0	0.3		33	0.12	LC	LC	1	0	0.3	
Little Crow	53	1.68	LC	LC	1	0	0.3		17	0.54	LC	LC	1	0	0.3		16	0.51	LC	LC	1	0	0.3	
Australian Raven	1	0.01	LC	LC	1	0	0.3		10	0.10	LC	LC	1	0	0.3			0.00						
Little Raven		0.00								0.00								0.00						
Torresian Crow	83	39.90	LC	LC	1	0	0.3	some evidence of increase	16	7.69	LC	LC	1	0	0.3	some evidence of increase	17	8.17	LC	LC	1	0	0.3	some evidence of increase
Magpie-lark	52	0.26	LC	LC	1	0	0.3		6	0.03	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Restless Flycatcher		0.00								0.00								0.00						
Apostlebird		0.00								0.00								0.00						
Southern Scrub-robin		0.00								0.00								0.00						
Hooded Robin	21	0.57	NT	NT	2	0	0.3		6	0.16	NT	NT	2	0	0.3		8	0.22	NT	NT	2	0	0.3	
Jacky Winter	7	0.15	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors	1	0.02	RA c(i,ii)	RA	3	DD	0.0	residents & visitors
Red-capped Robin	32	0.47	LC	LC	1	0	0.3		27	0.40	LC	LC	1	0	0.3		10	0.15	LC	LC	1	0	0.3	
Horsfield's Bushlark		0.00								0.00								0.00						
Australian Reed Warbler		0.00								0.00								0.00						
Brown Songlark	22	0.70	LC	LC	1	0	0.3		10	0.32	LC	LC	1	0	0.3		3	0.09	LC	LC	1	0	0.3	
Rufous Songlark	22	1.24	LC	LC	1	0	0.3		21	1.19	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Spinifexbird	1	16.67	EN D	EN	5	DD	0.0		5	83.33	EN D	EN	5	DD	0.0			0.00						
Little Grassbird		0.00								0.00								0.00						
Silvereye		0.00								0.00								0.00						
White-backed Swallow	25	1.59	LC	LC	1	0	0.3		3	0.19	LC	LC	1	0	0.3		8	0.51	LC	LC	1	0	0.3	
Welcome Swallow	1	0.01	LC	LC	1	0	0.3		6	0.03	LC	LC	1	0	0.3			0.00						
Fairy Martin	12	0.53	LC	LC	1	0	0.3		8	0.35	LC	LC	1	0	0.3		3	0.13	LC	LC	1	0	0.3	
Tree Martin	24	0.25	LC	LC	1	0	0.3		3	0.03	LC	LC	1	0	0.3			0.00						
Mistletoebird	59	1.02	LC	LC	1	0	0.3		12	0.21	LC	LC	1	0	0.3		10	0.17	LC	LC	1	0	0.3	
Painted Finch	16	30.77	RA c(i)	RA	3	0	0.3		2	3.85	RA c(ii,iii)	RA	3	0	0.3			0.00						
Plum-headed Finches		0.00								0.00								0.00						
Zebra Finch	145	2.35	LC	LC	1	0	0.3		39	0.63	LC	LC	1	0	0.3		11	0.18	LC	LC	1	0	0.3	
Australian Pipit	86	1.22	LC	LC	1	0	0.3		13	0.18	LC	LC	1	0	0.3		12	0.17	LC	LC	1	0	0.3	
Magpie Goose		0.00								0.00								0.00						
Chestnut Teal		0.00								0.00								0.00						
Grey Teal	1	0.01	LC	LC	1	0	0.3	irruptive	2	0.02	LC	LC	1	0	0.3	irruptive		0.00						
Australasian Shoveler		0.00								0.00								0.00						
Pacific Black Duck	1	0.01	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3			0.00						
Hardhead	1	0.03	LC	LC	1	0	0.3	irruptive		0.00								0.00						
Musk Duck		0.00								0.00								0.00						
Australian Wood Duck		0.00							3	0.04	LC	LC	1	0	0.3	possible increase		0.00						
Black Swan		0.00								0.00								0.00						
Plumed Whistling-Duck		0.00								0.00								0.00						
Pink-eared Duck		0.00							1	0.06	LC	LC	1	0	0.3			0.00						
Blue-billed Duck		0.00								0.00								0.00						
Freckled Duck		0.00								0.00								0.00						
Australian Shelduck		0.00								0.00								0.00						
Great Crested Grebe		0.00								0.00								0.00						
Hoary-headed Grebe	1	0.02	LC	LC	1	0	0.3			0.00							1	0.02	LC	LC	1	0	0.3	
Australasian Grebe	1	0.02	LC	LC	1	0	0.3	likes fresh water		0.00								0.00						
Australasian Darter		0.00								0.00								0.00						
Little Pied Cormorant		0.00								0.00							1	0.01	RA c(ii)	RA	3	0	0.3	
Great Cormorant		0.00								0.00								0.00						
Little Black Cormorant	1	0.02	RA c(ii)	RA	3	0	0.3			0.00							2	0.03	RA c(ii)	RA	3	0	0.3	
Pied Cormorant		0.00								0.00								0.00						
Australian Pelican		0.00								0.00								0.00						
Great Egret		0.00								0.00								0.00						
Intermediate Egret		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
White-necked Heron	1	0.11	RA c(iii)	RA	3	0	0.3		2	0.21	RA c(iii)	RA	3	0	0.3			0.00						
Little Egret		0.00								0.00								0.00						
White-faced Heron	2	0.01	LC	LC	1	0	0.3		2	0.01	LC	LC	1	0	0.3		1	0.01	LC	LC	1	0	0.3	
Nankeen Night-Heron		0.00								0.00								0.00						
Yellow-billed Spoonbill		0.00								0.00								0.00						
Royal Spoonbill		0.00								0.00								0.00						
Glossy Ibis		0.00								0.00								0.00						
Australian White Ibis		0.00								0.00								0.00						
Straw-necked Ibis		0.00								0.00								0.00						
Brolga		0.00								0.00								0.00						
Eurasian Coot	1	0.01	NT	NT	2	0	0.3	regular visitors in larger numbers		0.00								0.00						
Dusky Moorhen		0.00								0.00								0.00						
Buff-banded Rail		0.00								0.00								0.00						
Purple Swamphen		0.00								0.00								0.00						
Australian Spotted Crake		0.00								0.00								0.00						
Baillon's Crake		0.00								0.00								0.00						
Spotless Crake		0.00								0.00								0.00						
Black-tailed Native-hen		0.00							1	0.03	LC	LC	1	0	0.3	irruptive		0.00						
Banded Stilt		0.00								0.00								0.00						
Black-winged Stilt		0.00								0.00								0.00						
Red-necked Avocet	1	0.04	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Inland Dotterel	1	0.25	LC	LC	1	0	0.3		1	0.25	LC	LC	1	0	0.3			0.00						
Red-capped Plover		0.00								0.00								0.00						
Oriental Plover		0.00								0.00								0.00						
Black-fronted Dotterel		0.00							1	0.03	LC	LC	1	0	0.3		1	0.03	LC	LC	1	0	0.3	
Red-kneed Dotterel		0.00								0.00								0.00						
Masked Lapwing		0.00								0.00								0.00						
Banded Lapwing	2	0.14	NT	NT	2	DD	0.0		3	0.21	NT	NT	2	DD	0.0			0.00						
Common Sandpiper		0.00								0.00								0.00						
Sharp-tailed Sandpiper		0.00								0.00								0.00						
Curlew Sandpiper		0.00								0.00								0.00						
Red-necked Stint		0.00								0.00								0.00						
Long-toed Stint		0.00								0.00								0.00						
Latham's Snipe		0.00								0.00								0.00						
Black-tailed Godwit	1	0.26						vagrant		0.00								0.00						
Wood Sandpiper		0.00								0.00								0.00						
Common Greenshank		0.00								0.00								0.00						
Marsh Sandpiper		0.00								0.00								0.00						
Whiskered Tern		0.00								0.00							1	0.02	RA c(iii)	RA	3	0	0.3	
Silver Gull		0.00							1	0.01	LC	LC	1	+	0.2	probable increase		0.00						
Gull-billed Tern	2	0.37	RA c(ii)	RA	3	0	0.3			0.00								0.00						
Caspian Tern		0.00								0.00								0.00						
Macquarie Tortoise		0.00								0.00								0.00						
Channel Dragon		0.00								0.00								0.00						
Long-nosed Dragon	25	14.04	LC	LC	1	0	0.3		7	3.93	LC	LC	1	0	0.3		3	1.69	LC	LC	1	0	0.3	
Black-collared Dragon	3	6.52	LC	LC	1	0	0.3	under-surveyed		0.00							5	10.87	LC	LC	1	0	0.3	under-surveyed
Crested Dragon		0.00								0.00								0.00						
Tawny Dragon		0.00								0.00								0.00						
Peninsula Dragon		0.00								0.00								0.00						
Mallee Dragon		0.00								0.00								0.00						
Gibber Dragon		0.00								0.00								0.00						
Military Dragon	70	9.04	LC	LC	1	0	0.3			0.00							28	3.62	LC	LC	1	0	0.3	
Lake Eyre Dragon		0.00								0.00								0.00						
Central Netted Dragon	155	16.10	LC	LC	1	0	0.3		36	3.74	LC	LC	1	0	0.3		11	1.14	LC	LC	1	0	0.3	
Painted Dragon		0.00								0.00								0.00						
Western Netted Dragon		0.00							5	6.41	LC	LC	1	0	0.3	habitat specific		0.00						
Rusty Dragon	46	45.10	LC	LC	1	0	0.3		39	38.24	LC	LC	1	0	0.3		11	10.78	LC	LC	1	0	0.3	
Ochre Dragon		0.00							3	3.57	LC	LC	1	0	0.3			0.00						
Red-barred Dragon		0.00								0.00								0.00						
Nobbi Dragon		0.00								0.00								0.00						
Canegrass Dragon		0.00								0.00							4	1.76	LC	LC	1	0	0.3	
Thorny Devil	17	4.25	LC	LC	1	0	0.3		4	1.00	LC	LC	1	0	0.3		15	3.75	LC	LC	1	0	0.3	
Dwarf Bearded Dragon	3	0.66	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3	
Central Bearded Dragon		0.00							3	0.26	LC	LC	1	0	0.3			0.00						
Centralian Earless Dragon	65	74.71	LC	LC	1	0	0.3		14	16.09	LC	LC	1	0	0.3			0.00						
Smooth-snouted Earless Dragon		0.00								0.00								0.00						
Five-lined Earless Dragon		0.00								0.00								0.00						
Eyrean Earless Dragon		0.00							9	0.82	LC	LC	1	0	0.3			0.00						
Marbled Gecko		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-*, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-*, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-*, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Southern Rock Dtella		0.00								0.00								0.00						
Central Rock Dtella	24	47.06	LC	LC	1	0	0.3		10	19.61	LC	LC	1	0	0.3		11	21.57	LC	LC	1	0	0.3	
Purple Dtella	45	9.83	LC	LC	1	0	0.3		7	1.53	LC	LC	1	0	0.3		9	1.97	LC	LC	1	0	0.3	
Tree Dtella	44	1.84	LC	LC	1	0	0.3		17	0.71	LC	LC	1	0	0.3		2	0.08	LC	LC	1	0	0.3	
Bynoe's Gecko	53	1.80	LC	LC	1	0	0.3		62	2.11	LC	LC	1	0	0.3		12	0.41	LC	LC	1	0	0.3	
Pale Knob-tailed Gecko		0.00							3	0.69	LC	LC	1	0	0.3		10	2.29	LC	LC	1	0	0.3	
Smooth Knob-tailed Gecko	69	6.98	LC	LC	1	0	0.3		11	1.11	LC	LC	1	0	0.3		12	1.21	LC	LC	1	0	0.3	
Barking Gecko		0.00							11	0.93	LC	LC	1	0	0.3			0.00						
Clawless Gecko	29	70.73	LC	LC	1	0	0.3	hard to find, very small, but not Rare	12	29.27	LC	LC	1	0	0.3	hard to find, very small, but not Rare		0.00						
Fat-tailed Gecko	22	5.31	LC	LC	1	0	0.3		27	6.52	LC	LC	1	0	0.3		8	1.93	LC	LC	1	0	0.3	
Ranges Stone Gecko		0.00								0.00								0.00						
Mesa Gecko		0.00							1	1.27	LC	LC	1	0	0.3			0.00						
Tessellated Gecko		0.00								0.00								0.00						
Pink-blotched Gecko		0.00								0.00								0.00						
Beaded Gecko		0.00							4	0.24	LC	LC	1	0	0.3			0.00						
Sandplain Gecko	47	8.06	LC	LC	1	0	0.3		16	2.74	LC	LC	1	0	0.3		3	0.51	LC	LC	1	0	0.3	
Marbled Velvet Gecko		0.00								0.00								0.00						
Beaked Gecko	73	5.00	LC	LC	1	0	0.3		8	0.55	LC	LC	1	0	0.3		14	0.96	LC	LC	1	0	0.3	
Northern Spiny-tailed Gecko	29	14.57	LC	LC	1	0	0.3	patchy distribution	21	10.55	LC	LC	1	0	0.3	patchy distribution	7	3.52	LC	LC	1	0	0.3	patchy distribution
Jewelled Gecko	28	15.47	LC	LC	1	0	0.3	dependent on Triodia; often under-reported	4	2.21	LC	LC	1	0	0.3	dependent on Triodia; often under-reported		0.00						
Southern Spiny-tailed Gecko		0.00								0.00								0.00						
Flinders Worm-lizard		0.00								0.00								0.00						
Barred Snake-lizard	15	2.79	LC	LC	1	0	0.3		2	0.37	LC	LC	1	0	0.3			0.00						
Northern Snake-lizard		0.00								0.00								0.00						
Spinifex Snake-lizard	9	3.15	LC	LC	1	0	0.3	common sp	2	0.70	LC	LC	1	0	0.3	common sp		0.00						
Desert Snake-lizard		0.00								0.00							1	33.33	RA d(i,ii)	RA	3	DD	0.0	
Adelaide Snake-lizard		0.00								0.00								0.00						
Centralian Snake-lizard	1	5.56	LC	LC	1	0	0.3	under recorded; edge of range in SA		0.00								0.00						
Black-necked Snake-lizard	3	4.62	LC	LC	1	0	0.3	difficult to find; lives along channels & dry creek lines		0.00								0.00						
Burton's Legless Lizard	14	4.70	LC	LC	1	0	0.3		3	1.01	LC	LC	1	0	0.3			0.00						
Bronzeback Legless Lizard		0.00								0.00								0.00						
Common Scaly-foot		0.00								0.00								0.00						
Black-headed Scaly-foot	2	3.33	LC	LC	1	0	0.3			0.00							8	13.33	LC	LC	1	0	0.3	
Hooded Scaly-foot		0.00								0.00								0.00						
Desert Rainbow Skink	2	28.57	LC	LC	1	0	0.3	hard to observe; spinifex/rocky habitat		0.00								0.00						
Desert Wall Skink	6	1.54	LC	LC	1	0	0.3	under surveyed	1	0.26	LC	LC	1	0	0.3	under surveyed	1	0.26	LC	LC	1	0	0.3	under surveyed
Eyrean Wall Skink		0.00								0.00								0.00						
Speckled Wall Skink		0.00								0.00								0.00						
Pin-striped Ctenotus		0.00								0.00								0.00						
Ashy Downs Ctenotus		0.00								0.00								0.00						
Brown Ctenotus		0.00								0.00								0.00						
Sandhill Ctenotus	2	1.11	LC	LC	1	0	0.3			0.00							11	6.11	LC	LC	1	0	0.3	
Blue-tailed Skink	17	23.61	LC	LC	1	0	0.3			0.00							23	31.94	LC	LC	1	0	0.3	
Narrow-lined Ctenotus	7	14.58	LC	LC	1	0	0.3			0.00							6	12.50	LC	LC	1	0	0.3	
Giant Desert Ctenotus		0.00								0.00							2	33.33	RA d(i,ii)	RA	3	0	0.3	edge of range
Greer's Ctenotus	2	50.00	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00							2	50.00	RA d(i,ii)	RA	3	0	0.3	edge of range
Blacksoil Ctenotus		0.00								0.00								0.00						
Centralian Coppertail		0.00								0.00							6	2.49	LC	LC	1	0	0.3	
Common Desert Ctenotus	63	14.06	LC	LC	1	0	0.3		91	20.31	LC	LC	1	0	0.3		8	1.79	LC	LC	1	0	0.3	
Saltbush Ctenotus		0.00								0.00								0.00						
Spotted Ctenotus		0.00								0.00								0.00						
Leopard Skink	30	12.35	LC	LC	1	0	0.3		4	1.65	LC	LC	1	0	0.3	patchy distribution	3	1.23	LC	LC	1	0	0.3	patchy distribution
Paleface Ctenotus		0.00								0.00								0.00						
Many-lined Ctenotus	19	9.84	LC	LC	1	0	0.3			0.00							26	13.47	LC	LC	1	0	0.3	
Eastern Desert Ctenotus		0.00							32	1.73	LC	LC	1	0	0.3			0.00						
Eastern Striped Skink		0.00								0.00								0.00						
Centralian Striped Skink		0.00								0.00								0.00						
Sandplain Ctenotus	26	1.35	LC	LC	1	0	0.3		12	0.62	LC	LC	1	0	0.3		12	0.62	LC	LC	1	0	0.3	
Gibber Ctenotus	7	6.80	LC	LC	1	0	0.3		2	1.94	LC	LC	1	0	0.3			0.00						
Short-legged Ctenotus		0.00							1	0.19	LC	LC	1	0	0.3			0.00						
Eyrean Ctenotus		0.00								0.00								0.00						
Spinifex Slender Bluetongue	26	8.20	LC	LC	1	0	0.3		8	2.52	LC	LC	1	0	0.3		1	0.32	LC	LC	1	0	0.3	
Saltbush Slender Bluetongue		0.00								0.00								0.00						
Gidgee Skink		0.00								0.00								0.00						
Eastern Tree Skink		0.00								0.00								0.00						
Narrow-banded Sandswimmer	1	0.11	LC	LC	1	0	0.3			0.00							2	0.21	LC	LC	1	0	0.3	
Broad-banded Sandswimmer	5	0.74	LC	LC	1	0	0.3		8	1.19	LC	LC	1	0	0.3			0.00						
Three-toed Earless Skink		0.00								0.00								0.00						
Rusty Earless Skink		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-*-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-*-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-*-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Yellow-tailed Slider		0.00								0.00								0.00						
Western Two-toed Slider	2	2.56	LC	LC	1	0	0.3			0.00							15	19.23	LC	LC	1	0	0.3	
Bougainville's Skink		0.00								0.00								0.00						
Great Desert Slider	55	14.47	LC	LC	1	0	0.3		4	1.05	LC	LC	1	0	0.3		2	0.53	LC	LC	1	0	0.3	
Southern Four-toed Slider		0.00								0.00								0.00						
Woomera Slider		0.00								0.00								0.00						
Eastern Two-toed Slider	97	7.50	LC	LC	1	0	0.3		7	0.54	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3	
Spotted Slider		0.00								0.00								0.00						
Musgrave Slider	6	100.00	RA d(i,ii)	RA	3	DD	0.0	on rocky hills; only records for SA		0.00								0.00						
Ribbon Slider		0.00								0.00								0.00						
Dwarf Three-toed Slider	10	1.43	LC	LC	1	0	0.3		5	0.71	LC	LC	1	0	0.3		2	0.29	LC	LC	1	0	0.3	
Desert Skink	71	8.71	LC	LC	1	0	0.3		6	0.74	LC	LC	1	0	0.3		9	1.10	LC	LC	1	0	0.3	
Tjakura	e regi	0.00								0.00							301	99.34	EN B2ab(i,ii,iii)	EN	5	-	0.4	threats: foxes, cats, rabbits, changes fire regimes
Masked Rock Skink	4	1.83	LC	LC	1	0	0.3			0.00								0.00						
Bull Skink		0.00								0.00								0.00						
Night Skink	58	72.50	LC	LC	1	0	0.3			0.00							16	20.00	LC	LC	1	0	0.3	
Dwarf Skink	8	0.27	LC	LC	1	0	0.3		7	0.24	LC	LC	1	0	0.3		2	0.07	LC	LC	1	0	0.3	
Adelaide Snake-eye		0.00								0.00								0.00						
Common Snake-eye	12	0.54	LC	LC	1	0	0.3		11	0.49	LC	LC	1	0	0.3		2	0.09	LC	LC	1	0	0.3	
Butler's Snake-eye	2	2.86	RA d(i,ii)	RA	3	DD	0.0			0.00							2	2.86	RA d(i,ii)	RA	3	DD	0.0	
Fire-tailed Skink	8	40.00	LC	LC	1	0	0.3	NT spp; edge of range		0.00								0.00						
Desert Glossy Skink		0.00								0.00								0.00						
Blacksoil Skink		0.00								0.00								0.00						
Silvereye Skink	1	20.00	RA d(i,ii)	RA	3	DD	0.0	not easy to find; in spinifex, mallee & sand		0.00								0.00						
Centralian Bluetongue	3	5.88	LC	LC	1	0	0.3			0.00							5	9.80	LC	LC	1	0	0.3	
Western Bluetongue	6	2.24	LC	LC	1	0	0.3			0.00							4	1.49	LC	LC	1	0	0.3	
Sleepy Lizard		0.00								0.00								0.00						
Eastern Bluetongue	7	2.51	RA c(i); d(ii)	RA	3	DD	0.0	habitat specific, needs rock figs; buffel grass a threat	2	0.72	RA c(i); d(ii)	RA	3	DD	0.0	habitat specific, needs rock figs; buffel grass a threat		0.00						
Short-tailed Pygmy Goanna		0.00								0.00								0.00						
Desert Pygmy Goanna	2	2.20	LC	LC	1	0	0.3	abundant throughout; hard to see		0.00							5	5.49	LC	LC	1	0	0.3	abundant throughout; hard to see
Perentie	16	23.19	LC	LC	1	0	0.3		2	2.90	LC	LC	1	0	0.3		3	4.35	LC	LC	1	0	0.3	
Pygmy Mulga Goanna	2	1.98	LC	LC	1	0	0.3	likes Mulga, tree hollows	3	2.97	LC	LC	1	0	0.3	likes Mulga, tree hollows		0.00						
Sand Goanna	21	2.21	LC	LC	1	0	0.3		6	0.63	LC	LC	1	0	0.3		4	0.42	LC	LC	1	0	0.3	
Black-headed Goanna	17	50.00	LC	LC	1	0	0.3		2	5.88	LC	LC	1	0	0.3		2	5.88	LC	LC	1	0	0.3	
Southern Blind Snake		0.00								0.00								0.00						
Rough-nosed Blind Snake		0.00								0.00								0.00						
Centralian Blind Snake	8	4.44	LC	LC	1	0	0.3			0.00							6	3.33	LC	LC	1	0	0.3	
Hook-nosed Blind Snake		0.00								0.00								0.00						
Slender Blind Snake	4	22.22	LC	LC	1	0	0.3	should be R centralis	5	27.78	LC	LC	1	0	0.3	should be R centralis		0.00						
Stimson's Python	11	17.74	LC	LC	1	0	0.3		2	3.23	LC	LC	1	0	0.3		1	1.61	LC	LC	1	0	0.3	
Woma	2	2.67	RA d(ii)	RA	3	DD	0.0		1	1.33	RA d(ii)	RA	3	DD	0.0			0.00						
Carpet Python		0.00								0.00								0.00						
Desert Death Adder		0.00							1	50.00	EN B1ab(i,ii,iii)+2ab(i,ii,iii)	EN	5	0	0.3	1 old record; has not been seen		0.00						
Coral Snake		0.00								0.00								0.00						
Narrow-banded Snake	2	4.44	LC	LC	1	0	0.3			0.00								0.00						
Half-girdled Snake	5	5.15	LC	LC	1	0	0.3	likes sandy country with lakes & mallee	2	2.06	LC	LC	1	0	0.3	likes sandy country with lakes & mallee		0.00						
Yellow-faced Whipsnake		0.00								0.00								0.00						
Desert Whipsnake	5	3.91	LC	LC	1	0	0.3			0.00								0.00						
Channel Country Whipsnake		0.00								0.00								0.00						
Red-naped Snake		0.00								0.00								0.00						
Moon Snake	2	33.33	RA d(i,ii)	RA	3	DD	0.0			0.00								0.00						
Inland Taipan		0.00								0.00								0.00						
Hooded Snake	1	4.76	LC	LC	1	0	0.3	hard to find; not often seen		0.00								0.00						
Mitchell's Short-tailed Snake		0.00								0.00								0.00						
Mallee Black-headed Snake		0.00								0.00								0.00						
Mulga Snake	5	1.68	LC	LC	1	0	0.3		5	1.68	LC	LC	1	0	0.3		4	1.34	LC	LC	1	0	0.3	
Patch-nosed Brown Snake		0.00								0.00								0.00						
Gwardar	1	4.55	LC	LC	1	0	0.3	under surveyed		0.00								0.00						
Five-ringed Snake	8	3.88	LC	LC	1	0	0.3		3	1.46	LC	LC	1	0	0.3		3	1.46	LC	LC	1	0	0.3	
Eastern Brown Snake		0.00								0.00								0.00						
Centralian Banded Snake	1	5.88	LC	LC	1	0	0.3			0.00							6	35.29	LC	LC	1	0	0.3	
Desert Banded Snake	5	2.26	LC	LC	1	0	0.3			0.00							5	2.26	LC	LC	1	0	0.3	
Curl Snake		0.00								0.00								0.00						
Common Bandy Bandy		0.00								0.00								0.00						
Knife-footed Frog		0.00								0.00								0.00						
Main's Frog	55	51.40	LC	LC	1	0	0.3	lives in rocky plates	2	1.87	LC	LC	1	0	0.3	lives in rocky plates		0.00						
Water-holding Frog		0.00								0.00								0.00						
Green Tree Frog		0.00								0.00								0.00						
Broad-palmed Frog		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Wataru_Records	%_Wataru	IUCN Status & Criteria (Wataru)	Regional Status (Wataru)	Regional Status Score (Wataru)	Trend (-, -, 0, +, ++) Wataru	Trend Score (Wataru)	Comments (Wataru)
Desert Tree Frog		0.00								0.00								0.00						
Desert Froglet		0.00								0.00								0.00						
Flinders Ranges Froglet		0.00								0.00								0.00						
Spotted Marsh Frog		0.00								0.00								0.00						
Burrowing frog		0.00								0.00								0.00						
Sudell's Frog	3	0.30	LC	LC	1	0	0.3		18	1.78	LC	LC	1	0	0.3		2	0.20	LC	LC	1	0	0.3	
Shoemaker Frog	2	3.70	RA d(i,ii)	RA	3	0	0.3	edge of range; should not be VU at a state level		0.00							51	94.44	RA d(i,ii)	RA	3	0	0.3	edge of range; should not be VU at a state level
Spencer's Burrowing Frog	10	10.99	LC	LC	1	0	0.3		15	16.48	LC	LC	1	0	0.3			0.00						
Brown Toadlet		0.00								0.00								0.00						
Everard Ranges Toadlet	9	26.47	CR B1ab(iii)+2ab(iii)	CR	6	-	0.4	1 location, Victoria Well; camels & donkeys destroy the	25	73.53	VU B1ab(iii)+2ab(iii)	VU	4	-	0.4	camels & donkeys destroy their habitat		0.00						
Small-headed Toadlet		0.00								0.00								0.00						
Dalhousie Hardyhead		0.00								0.00								0.00						
Lake Eyre Hardyhead		0.00								0.00								0.00						
Glover's Hardyhead		0.00								0.00								0.00						
Fly-specked Hardyhead		0.00								0.00								0.00						
Desert Rainbow Fish		0.00								0.00								0.00						
Bony Bream		0.00								0.00								0.00						
Muellers Perchlet																								
Western Carp Gudgeon		0.00								0.00								0.00						
Flinders Ranges Purple-Spotted G		0.00								0.00								0.00						
Dalhousie Purple-spotted Gudgeo		0.00								0.00								0.00						
Desert Goby		0.00								0.00								0.00						
Dalhousie Goby		0.00								0.00								0.00						
Lake Eyre Golden Perch																								
Barred Grunter		0.00								0.00								0.00						
Welch's Grunter		0.00								0.00								0.00						
Spangled Perch		0.00								0.00								0.00						
Barcoo Grunter		0.00								0.00								0.00						
Australian Smelt		0.00								0.00								0.00						
Cooper Creek Tandan		0.00								0.00								0.00						
Glover's Catfish		0.00								0.00								0.00						
Hyrtl's Tandan		0.00								0.00								0.00						
Silver Tandan		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	
Short-beaked Echidna	
Numbat	
Mulgara	
Kowari	
Ampurta	
Western Quoll	
Fat-tailed Pseudantechinus	
Red-tailed Phascogale	
Wongai ningaui	
Giles' Planigale (Paucident Planig	
Long-tailed Planigale	
Narrow-nosed Planigale	
Kultarr	
Fat-tailed Dunnart	
Little Long-tailed Dunnart	
Hairy-footed Dunnart	
Stripe-faced Dunnart	
Common Dunnart	
Ooldea Dunnart	
Lesser Hairy-footed Dunnart	
Pig-footed Bandicoot	
Golden Bandicoot	
Western Barred Bandicoot	
Bilby (Greater Bilby)	
Lesser Bilby	
Marsupial Mole (Itjara Itjara)	l Watarru, Kintore, Maralinga - Joe B
Southern Hairy-nosed Wombat	
Common Brushtail Possum	
Burrowing Bettong (Boodie)	
Desert Rat-kangaroo	
Western Grey Kangaroo	
Eastern Grey Kangaroo	
Euro	
Red Kangaroo	
Black-footed Rock-wallaby	
Yellow-footed Rock-wallaby	
Rufous Hare-wallaby (Mala)	
Crescent Nailtail Wallaby	
Yellow-bellied Sheathtail-bat	
Hill's Sheathtail-bat	
Ghost Bat	
Hairy-nosed Freetail Bat	
Inland Freetail-bat	
Southern Freetail-bat	
White-striped Freetail-bat	
Lesser Long-eared Bat	
Greater Long-eared Bat	
Gould's Wattled Bat	
Chocolate Wattled Bat	
Little Pied Bat	
Inland Broad-nosed Bat	
Little Broad-nosed Bat	
Inland Forest Bat	
Finlayson's Cave Bat	
Dingo	ontinued baiting = decline
White-footed Tree-rat	
Water-rat	
Forrest's Mouse	
Lesser Stick-nest Rat	
Greater Stick-nest Rat	
Spinifex Hopping-mouse	
Short-tailed Hopping-mouse	
Fawn Hopping-mouse	
Dusky Hopping-mouse	
Long-tailed Hopping-mouse	
Mitchell's Hopping-mouse	
Broad-cheeked Hopping-mouse	
Plains Mouse (Plains Rat)	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	
Bolam's Mouse	
Desert Mouse (Brown Desert Mou	
Gould's Mouse	
Sandy Inland Mouse	
Long-haired Rat (Plague Rat)	
Emu	
Malleefowl	
Stubble Quail	
Brown Quail	ary response to water events; irregular visitor; not core habitat
Diamond Dove	
Peaceful Dove	
Spinifex Pigeon	
Crested Pigeon	
Common Bronzewing	
Flock Bronzewing	
Tawny Frogmouth	
Spotted Nightjar	
Australian Owlet-nightjar	
Fork-tailed Swift	
Collared Sparrowhawk	
Brown Goshawk	
Wedge-tailed Eagle	
Swamp Harrier	
Spotted Harrier	
Black-shouldered Kite	
Letter-winged Kite	
Whistling Kite	
Black-breasted Buzzard	
Little Eagle	
Square-tailed Kite	
Black Kite	
Brown Falcon	
Nankeen Kestrel	
Grey Falcon	
Australian Hobby	
Peregrine Falcon	
Black Falcon	ore
Australian Bustard	
Bush Stone-curlew	
Plains-wanderer	
Painted Button-quail	
Little Button-quail	
Australian Pratincole	
Little Corella	
Red-tailed Black-Cockatoo	
Galah	
Major Mitchell's Cockatoo	
Cockatiel	
Red-winged Parrot	
Australian Ringneck	
Budgerigar	
Blue-winged Parrot	
Elegant Parrot	
Scarlet-chested Parrot	
Bourke's Parrot	
Blue Bonnet	
Night Parrot	
Princess Parrot	
Red-rumped Parrot	
Mulga Parrot	
Fan-tailed Cuckoo	
Pallid Cuckoo	
Horsfield's Bronze-Cuckoo	
Black-eared Cuckoo	
Channel-billed Cuckoo	
Barking Owl	
Southern Boobook	
Australian Barn Owl	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
Eastern Grass Owl
Australian Masked Owl
Laughing Kookaburra
Red-backed Kingfisher
Sacred Kingfisher
Rainbow Bee-eater
White-browed Treecreeper
Brown Treecreeper
Western Bowerbird
Grey Grasswren
Eyrean Grasswren
Short-tailed Grasswren
Dusky Grasswren
Striated Grasswren
Thick-billed Grasswren
Variegated Fairy-wren
White-winged Fairy-wren
Splendid Fairy-wren
Rufous-crowned Emu-wren
Inland Thornbill
Yellow-rumped Thornbill
Slender-billed Thornbill
Slaty-backed Thornbill
Chestnut-rumped Thornbill
Southern Whiteface
Banded Whiteface
Chestnut-breasted Whiteface
Rufous Fieldwren
Western Gerygone
Shy Heathwren
Redthroat
Weebill
Spotted Pardalote
Red-browed Pardalote
Striated Pardalote
Spiny-cheeked Honeyeater
Red Wattlebird
Gibberbird
Pied Honeyeater
Grey Honeyeater
White-fronted Chat
Orange Chat
Yellow Chat
Crimson Chat
Tawny-crowned Honeyeater
Painted Honeyeater
Grey-headed Honeyeater
White-eared Honeyeater
Yellow-plumed Honeyeater
White-plumed Honeyeater
Grey-fronted Honeyeater
Singing Honeyeater
Brown Honeyeater
Yellow-throated Miner
Brown-headed Honeyeater
Golden-backed Honeyeater
White-fronted Honeyeater
Black Honeyeater
Chestnut-crowned Babbler
White-browed Babbler
Grey-crowned Babbler
Chestnut Quail-thrush
Cinnamon Quail-thrush
Chirruping Wedgebill
Chiming Wedgebill
Varied Sittella
Ground Cuckoo-shrike
Black-faced Cuckoo-shrike
White-winged Triller

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
Grey Shrike-thrush
Crested Bellbird
Gilbert's Whistler
Golden Whistler
Rufous Whistler
Black-faced Woodswallow
Dusky Woodswallow
White-breasted Woodswallow
Little Woodswallow
Masked Woodswallow
White-browed Woodswallow
Pied Butcherbird
Australian Magpie
Grey Butcherbird
Grey Currawong
Grey Fantail
Willie Wagtail
Little Crow
Australian Raven
Little Raven
Torresian Crow
Magpie-lark
Restless Flycatcher
Apostlebird
Southern Scrub-robin
Hooded Robin
Jacky Winter
Red-capped Robin
Horsfield's Bushlark
Australian Reed Warbler
Brown Songlark
Rufous Songlark
Spinifexbird
Little Grassbird
Silvereye
White-backed Swallow
Welcome Swallow
Fairy Martin
Tree Martin
Mistletoebird
Painted Finch
Plum-headed Finches
Zebra Finch
Australian Pipit
Magpie Goose
Chestnut Teal
Grey Teal
Australasian Shoveler
Pacific Black Duck
Hardhead
Musk Duck
Australian Wood Duck
Black Swan
Plumed Whistling-Duck
Pink-eared Duck
Blue-billed Duck
Freckled Duck
Australian Shelduck
Great Crested Grebe
Hoary-headed Grebe
Australasian Grebe
Australasian Darter
Little Pied Cormorant
Great Cormorant
Little Black Cormorant
Pied Cormorant
Australian Pelican
Great Egret
Intermediate Egret

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
White-necked Heron
Little Egret
White-faced Heron
Nankeen Night-Heron
Yellow-billed Spoonbill
Royal Spoonbill
Glossy Ibis
Australian White Ibis
Straw-necked Ibis
Brolga
Eurasian Coot
Dusky Moorhen
Buff-banded Rail
Purple Swamphen
Australian Spotted Crake
Baillon's Crake
Spotless Crake
Black-tailed Native-hen
Banded Stilt
Black-winged Stilt
Red-necked Avocet
Inland Dotterel
Red-capped Plover
Oriental Plover
Black-fronted Dotterel
Red-kneed Dotterel
Masked Lapwing
Banded Lapwing
Common Sandpiper
Sharp-tailed Sandpiper
Curlew Sandpiper
Red-necked Stint
Long-toed Stint
Latham's Snipe
Black-tailed Godwit
Wood Sandpiper
Common Greenshank
Marsh Sandpiper
Whiskered Tern
Silver Gull
Gull-billed Tern
Caspian Tern
Macquarie Tortoise
Channel Dragon
Long-nosed Dragon
Black-collared Dragon
Crested Dragon
Tawny Dragon
Peninsula Dragon
Mallee Dragon
Gibber Dragon
Military Dragon
Lake Eyre Dragon
Central Netted Dragon
Painted Dragon
Western Netted Dragon
Rusty Dragon
Ochre Dragon
Red-barred Dragon
Nobbi Dragon
Canegrass Dragon
Thorny Devil
Dwarf Bearded Dragon
Central Bearded Dragon
Centralian Earless Dragon
Smooth-snouted Earless Dragon
Five-lined Earless Dragon
Eyrean Earless Dragon
Marbled Gecko

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
Southern Rock Dtella
Central Rock Dtella
Purple Dtella
Tree Dtella
Bynoe's Gecko
Pale Knob-tailed Gecko
Smooth Knob-tailed Gecko
Barking Gecko
Clawless Gecko
Fat-tailed Gecko
Ranges Stone Gecko
Mesa Gecko
Tessellated Gecko
Pink-blotched Gecko
Beaded Gecko
Sandplain Gecko
Marbled Velvet Gecko
Beaked Gecko
Northern Spiny-tailed Gecko
Jewelled Gecko
Southern Spiny-tailed Gecko
Flinders Worm-lizard
Barred Snake-lizard
Northern Snake-lizard
Spinifex Snake-lizard
Desert Snake-lizard
Adelaide Snake-lizard
Centralian Snake-lizard
Black-necked Snake-lizard
Burton's Legless Lizard
Bronzeback Legless Lizard
Common Scaly-foot
Black-headed Scaly-foot
Hooded Scaly-foot
Desert Rainbow Skink
Desert Wall Skink
Eyrean Wall Skink
Speckled Wall Skink
Pin-striped Ctenotus
Ashy Downs Ctenotus
Brown Ctenotus
Sandhill Ctenotus
Blue-tailed Skink
Narrow-lined Ctenotus
Giant Desert Ctenotus
Greer's Ctenotus
Blacksoil Ctenotus
Centralian Coppertail
Common Desert Ctenotus
Saltbush Ctenotus
Spotted Ctenotus
Leopard Skink
Paleface Ctenotus
Many-lined Ctenotus
Eastern Desert Ctenotus
Eastern Striped Skink
Centralian Striped Skink
Sandplain Ctenotus
Gibber Ctenotus
Short-legged Ctenotus
Eyrean Ctenotus
Spinifex Slender Bluetongue
Saltbush Slender Bluetongue
Gidgee Skink
Eastern Tree Skink
Narrow-banded Sandswimmer
Broad-banded Sandswimmer
Three-toed Earless Skink
Rusty Earless Skink

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
Yellow-tailed Slider
Western Two-toed Slider
Bougainville's Skink
Great Desert Slider
Southern Four-toed Slider
Woomera Slider
Eastern Two-toed Slider
Spotted Slider
Musgrave Slider
Ribbon Slider
Dwarf Three-toed Slider
Desert Skink
Tjakura
Masked Rock Skink
Bull Skink
Night Skink
Dwarf Skink
Adelaide Snake-eye
Common Snake-eye
Butler's Snake-eye
Fire-tailed Skink
Desert Glossy Skink
Blacksoil Skink
Silvereye Skink
Centralian Bluetongue
Western Bluetongue
Sleepy Lizard
Eastern Bluetongue
Short-tailed Pygmy Goanna
Desert Pygmy Goanna
Perentie
Pygmy Mulga Goanna
Sand Goanna
Black-headed Goanna
Southern Blind Snake
Rough-nosed Blind Snake
Centralian Blind Snake
Hook-nosed Blind Snake
Slender Blind Snake
Stimson's Python
Woma
Carpet Python
Desert Death Adder
Coral Snake
Narrow-banded Snake
Half-girdled Snake
Yellow-faced Whipsnake
Desert Whipsnake
Channel Country Whipsnake
Red-naped Snake
Moon Snake
Inland Taipan
Hooded Snake
Mitchell's Short-tailed Snake
Mallee Black-headed Snake
Mulga Snake
Patch-nosed Brown Snake
Gwardar
Five-ringed Snake
Eastern Brown Snake
Centralian Banded Snake
Desert Banded Snake
Curl Snake
Common Bandy Bandy
Knife-footed Frog
Main's Frog
Water-holding Frog
Green Tree Frog
Broad-palmed Frog

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for Fauna Assessments May 2013
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME
Desert Tree Frog
Desert Froglet
Flinders Ranges Froglet
Spotted Marsh Frog
Burrowing frog
Sudell's Frog
Shoemaker Frog
Spencer's Burrowing Frog
Brown Toadlet
Everard Ranges Toadlet
Small-headed Toadlet
Dalhousie Hardyhead
Lake Eyre Hardyhead
Glover's Hardyhead
Fly-specked Hardyhead
Desert Rainbow Fish
Bony Bream
Muellers Perchlet
Western Carp Gudgeon
Flinders Ranges Purple-Spotted G
Dalhousie Purple-spotted Gudgec
Desert Goby
Dalhousie Goby
Lake Eyre Golden Perch
Barred Grunter
Welch's Grunter
Spangled Perch
Barcoo Grunter
Australian Smelt
Cooper Creek Tandan
Glover's Catfish
Hyrtl's Tandan
Silver Tandan